



SIMRAD®

MARINE ELECTRONICS

PRICE LIST

Navigation Systems / Autopilot / Communications & Safety / Instruments

NSO MFD

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-15126-001		SIMRAD NSO EVO3 16" System Pack: High performance 16-inch multifunction display system with GPS, keypad and accessories.	7414.97	8972.11
000-15047-001		SIMRAD NSO EVO3S 16" Display Only: High performance 16-inch multifunction display only	6796.97	8224.33
000-15127-001		SIMRAD NSO EVO3S 19" System Pack: High performance 19-inch multi-function display system with GPS, keypad and accessories.	9165.97	11090.82
000-15049-001		SIMRAD NSO EVO3S 19" Display Only: High performance 19-inch multi-function display only.	8547.97	10343.04
000-15128-001		SIMRAD NSO EVO3S 24" System Pack: High performance 24-inch multifunction display system with GPS, keypad and accessories.	11225.97	13583.42
000-15051-001		SIMRAD NSO EVO3S 24" Display Only: High performance 24-inch multi-function display only	10607.97	12835.64

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-15643-001		Simrad RS100 VHF radio. Includes NRS-1, HS100 handset and SP100 speaker	899.00	1087.79
000-15792-001		Simrad RS100-B VHF radio & AIS system. Includes NRS-2, HS100 handset, SP100 speaker and GPS-500 antenna	1499.00	1813.79
000-13285-001		IS42 Digital Display: Multi-purpose sailing instrument and autopilot display with a 4.1-inch colour screen, optically bonded for zero condensation and featuring transfective LCD technology for exceptional contrast and visibility in all lighting conditions. 8mm mounting height matches other Simrad MFD's and system components.	492.34	595.73
000-15621-001		NAC-D AUTOPILOT COMPUTER	1000.00	1210.00
000-13291-001		AP44 VRF medium capacity pack. Comprising of AP44 controller, Precision 9 compass, Pump-2 and NAC-2 autopilot computer.	2058.97	2491.35
000-13562-001		AP44 VRF high capacity pack. Comprising of AP44 controller, Precision-9 compass, RPU-160 pump and NAC-3 autopilot computer	2884.00	3489.64
000-13335-001		NAC-2 Autopilot Core Pack: Comprising of the low-current NAC-2 autopilot computer, Precision-9 compass and RF-25 rudder feedback unit.	1543.97	1868.20
000-13336-001		NAC-3 Autopilot Core Pack: Comprising of the high-current NAC-3 autopilot computer, Precision-9 compass and RF-25 rudder feedback unit.	2266.00	2741.86
000-13337-001		NAC-2 VRF Core Pack: Comprising of the low-current NAC-2 autopilot computer and Precision-9 compass.	1286.47	1556.63
000-13338-001		NAC-3 VRF Core Pack: Comprising of the high-current NAC-3 autopilot computer and Precision-9 compass.	2008.50	2430.29

Part Number		Description	RRP exclu.	RRP inclu.
000-10402-001		Volvo EVC Kit for IPS (includes SG05, RC42, Volvo Gateway)	3600.00	4356.00
000-11748-001		Outboard Pilot Hydraulic Pack: Includes Point-1 AP Heading and GPS Sensor, NAC-1 Autopilot Computer, PUMP-1 – 0.8L reversible hydraulic pump, hydraulic fitting kit, Standby-Auto button and Micro-C network components.	1234.97	1494.31
000-15585-001		HS75 : New GPS Compass for light commercial market, patrol, fishing, workboat and other Non-SOLAS applications. Supports GPS, GLONASS, Galileo, BeiDou, QZSS	1980.00	2395.80
000-11750-001		DrivePilot Hydraulic Pack: Includes Precision-9 Heading Sensor, NAC-1 Autopilot Computer, PUMP-1 Hydraulic Pump – 0.8L reversible hydraulic pump, Standby-Auto button and Micro-C network components.	1749.97	2117.46
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1543.97	1868.20
000-14537-001		Simrad HALO20 24 NM 20-inch pulse compression radar.	1949.00	2358.29
000-14536-001		Simrad HALO20+ 36 NM 20-inch pulse compression radar, 60 RPM, VelocityTrack™,Dual Range.	2299.00	2781.79
000-14535-001		Simrad HALO 24" Pulse compression dome radar, with industry-first 60 RPM operation. Built in VelocityTrack™ Doppler technology, simultaneous short and long-range coverage up to 48 nautical miles from one compact 24-inch dome antenna.	2575.00	3115.75
000-11469-001		Simrad HALO-3 Pulse Compression Radar. With 3 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	5665.00	6854.65
000-14488-001		Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 14 " displays)	51.49	62.30
000-11470-001		Simrad HALO-4 Pulse Compression Radar. With 4 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	6180.00	7477.80
000-11471-001		Simrad HALO-6 Pulse Compression Radar.With 6 ft antenna, RI-12 Interface module and 20 m (66 ft) cable.	6695.00	8100.95
000-14473-001		Simrad RS40-B fixed-mount DSC VHF Radio with integrated AIS transmitter and receiver, GPS, and wireless handset support.	999.00	1208.79
000-14818-001		Simrad RS40-B AND GPS-500 KIT: Fixed-mount DSC VHF Radio with integrated AIS transmitter and receiver, wireless handset support. Includes GPS-500 GPS antenna	1099.00	1329.79
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft)	616.97	746.53
000-14470-001		Simrad RS40 marine VHF radio with DSC and AIS receive	513.97	621.90
000-13260-001		S5100 high-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1543.97	1868.20
000-12397-001		StructureScan 3D module. NO TRANSDUCER. Transom mount and through hull transducers available.	616.97	746.53
000-13547-001		Extra heavy duty Gimbal bracket for the M5016, M5019, M5024 and M5027 IMO Monitors. Certified for use on bridge to IEC60945. Also can be used for the NSO evo3, Zeus3 GH range of multi-function displays Note a space kit (000-14488-001) is required if using on and NSOevo3/Zeus3 GH 16" display)	269.00	325.49

Part Number		Description	RRP exclu.	RRP inclu.
000-14491-001		Simrad RS20S Class D DSC VHF Radio: Entry level VHF radio with NMEA2000 connectivity for GPS position, backlight control and night mode grouping with Simrad MFD's. Compliant with 2018 EU regulations.	318.27	385.11
000-10930-001		Camera with Infra red for low light conditions. fixed focal length	418.08	505.87
000-13963-001		NAIS-500 + NSPL500 kit. Includes GPS500 antenna and 1.8 m (6ft) Micro-C cable and T connector.	1028.97	1245.05
000-12607-001		The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	622.02	752.64
000-12308-001		HS60 GPS COMPASS	869.00	1051.49
000-12302-001		New SonicHub@2 Marine Audio Server SonicHub2 is a drop-in replacement for the existing SonicHub Utilizing the same footprint, same connections and Same User Interface on Lowrance/Simrad/B&G displays. SonicHub2 will operate on the newly implemented NMEA 2000® Audio/Entertainment standard.	359.47	434.96
000-11043-001		GS25 Antenna with built in rate compass. 10 Hz position update rate. Build in rate compass is perfect for for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	265.74	321.55
000-10029-001		NEP-2 Expansor de puertos de red	287.78	348.22
000-12364-001		SIMRAD OP50 wired remote controller. (Portrait mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	410.97	497.27
000-12512-001		SIMRAD OP50 wired Remote controller. (Landscape mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	410.97	497.27
000-12249-001		AIS V5035 Class A Transceiver	2200.00	2662.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-15633-001		MAGNETIC SUNCOVER,SIMRAD,19" MONITOR	119.00	143.99
000-15632-001		MAGNETIC SUNCOVER,SIMRAD,16" MONITOR	89.00	107.69
000-14356-001		SUNCOVER,SIMRAD,24" MONITOR	133.90	162.02
000-14355-001		SUNCOVER,SIMRAD,19" MONITOR	108.15	130.86
000-13892-001		MI10 Dashmount Micro SD card reader: The MI10 Chart Card Reader provides dual microSD card slots for use with Simrad NSO evo2 marine processors and B&G Zeus² Glass Helm CPUs. This easy-to-install, waterproof card reader can be mounted in easy reach, eliminating the need to physically access your system's "black box" processor when installing or removing chart cards. 1.35m (4.5 ft) USB Cable	202.81	245.40
000-11618-001		MO, NSO evo3 16/19/24,Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	58.46	70.74

Part Number		Description	RRP exclu.	RRP inclu.
000-11614-001		MO, NSO evo3 16/19/24 Cable retention bracket	27.53	33.31
000-11620-001		MO16 ,NSO evo3 Bezels 2 x Silver, 2x Black	21.41	25.91
000-11621-001		MO, NSO evo3 19 BEZELS,SILVER & BLACK,2PCS EACH	21.53	26.05
000-11622-001		MO, NSO evo3 24 BEZELS,SILVER & BLACK,2PCS EACH	21.87	26.46
000-12612-001		New low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.This replaces 000-10996-001	50.99	61.69
000-0127-53		N2KEXT-6RD - Cable NMEA 2000® de 1.8m para conexión a equipos adicionales o como extensión de cable de red	47.38	57.33
000-0119-75		N2K-PWR-RD - NMEA 2000® cable de alimentación. Incluye cable y conector en T	60.51	73.22
000-0127-52		TR-120-KIT - Set de terminadores, 1 macho y 1 hembra NMEA 2000®	21.22	25.67
000-11043-001		GS25 Antenna with built in rate compass. 10 Hz position update rate. Build in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	265.74	321.55
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45M / 5PinF	22.66	27.42
000-12364-001		SIMRAD OP50 wired remote controller. (Portrait mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	410.97	497.27

NSO MPU

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-15115-001		SIMRAD NSO evo3S MPU Single 16" Multi-Touch monitor bundle. With OP50 Controller MI10 card reader and GS25 GPS Antenna. No charts included	6575.97	7956.92
000-15121-001		SIMRAD NSO EVO3S MPU Dual 16" Multi-Touch monitor bundle. With OP50 Controller, MI10 chart card reader and GS25 GPS Antenna - No Charts	9150.97	11072.67
000-15117-001		SIMRAD NSO EVO3S MPU: Single 19" Multi-Touch monitor bundle. With OP50 Controller, MI10 card reader and GS25 GPS Antenna. No charts included.	8532.97	10324.89
000-15123-001		SIMRAD NSO EVO3S MPU, Dual 19" Multi-Touch monitor bundle. With OP50 Controller, MI10 card reader and GS25 GPS Antenna - No Charts	9974.97	12069.71
000-15119-001		SIMRAD NSO EVO3S MPU, 24" Multi-Touch monitor bundle. With OP50 Controller, MI10 card reader and GS25 GPS Antenna - No Charts	9150.97	11072.67
000-15045-001		SIMRAD NSO evo3S MPU Marine Processor Unit, Worldwide Basemap (No Detailed Cartography)	4309.97	5215.06
000-15101-001		SIMRAD NSO EVO3S MPU, ROW Boat Builder	4309.97	5215.06

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-15643-001		Simrad RS100 VHF radio. Includes NRS-1, HS100 handset and SP100 speaker	899.00	1087.79
000-15792-001		Simrad RS100-B VHF radio & AIS system. Includes NRS-2, HS100 handset, SP100 speaker and GPS-500 antenna	1499.00	1813.79
000-13285-001		IS42 Digital Display: Multi-purpose sailing instrument and autopilot display with a 4.1-inch colour screen, optically bonded for zero condensation and featuring transfective LCD technology for exceptional contrast and visibility in all lighting conditions. 8mm mounting height matches other Simrad MFD's and system components.	492.34	595.73
000-15621-001		NAC-D AUTOPILOT COMPUTER	1000.00	1210.00
000-13291-001		AP44 VRF medium capacity pack. Comprising of AP44 controller, Precision 9 compass, Pump-2 and NAC-2 autopilot computer.	2058.97	2491.35
000-13562-001		AP44 VRF high capacity pack. Comprising of AP44 controller, Precision-9 compass, RPU-160 pump and NAC-3 autopilot computer	2884.00	3489.64
000-13335-001		NAC-2 Autopilot Core Pack: Comprising of the low-current NAC-2 autopilot computer, Precision-9 compass and RF-25 rudder feedback unit.	1543.97	1868.20
000-13336-001		NAC-3 Autopilot Core Pack: Comprising of the high-current NAC-3 autopilot computer, Precision-9 compass and RF-25 rudder feedback unit.	2266.00	2741.86
000-13337-001		NAC-2 VRF Core Pack: Comprising of the low-current NAC-2 autopilot computer and Precision-9 compass.	1286.47	1556.63
000-13338-001		NAC-3 VRF Core Pack: Comprising of the high-current NAC-3 autopilot computer and Precision-9 compass.	2008.50	2430.29

Part Number		Description	RRP exclu.	RRP inclu.
000-10402-001		Volvo EVC Kit for IPS (includes SG05, RC42, Volvo Gateway)	3600.00	4356.00
000-11748-001		Outboard Pilot Hydraulic Pack: Includes Point-1 AP Heading and GPS Sensor, NAC-1 Autopilot Computer, PUMP-1 – 0.8L reversible hydraulic pump, hydraulic fitting kit, Standby-Auto button and Micro-C network components.	1234.97	1494.31
000-15585-001		HS75 : New GPS Compass for light commercial market, patrol, fishing, workboat and other Non-SOLAS applications. Supports GPS, GLONASS, Galileo, BeiDou, QZSS	1980.00	2395.80
000-11750-001		DrivePilot Hydraulic Pack: Includes Precision-9 Heading Sensor, NAC-1 Autopilot Computer, PUMP-1 Hydraulic Pump – 0.8L reversible hydraulic pump, Standby-Auto button and Micro-C network components.	1749.97	2117.46
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1543.97	1868.20
000-14537-001		Simrad HALO20 24 NM 20-inch pulse compression radar.	1949.00	2358.29
000-11260-001		SIMRAD MO16-T. 15.6"Widescreen High bright, multi-touch monitor. High Definition 1366x768 resolution. 1000 nit brightness. Inputs: HDMI, DVI, Composite Video (x2). N2K connectivity for Simrad backlight control. Excludes video cable and touch control cable.	2779.97	3363.76
000-11262-001		SIMRAD MO19-T. 19" Widescreen High bright, multi-touch monitor. High Definition 1366x768 resolution. 1000 nit brightness. Inputs: HDMI, DVI, Composite Video (x2). N2K connectivity for Simrad backlight control. Excludes video cable and touch control cable.	4118.97	4983.95
000-11264-001		SIMRAD MO24-T. 24" Widescreen High bright, multi-touch monitor. High Definition 1920x1080 resolution. 1000 nit brightness. Inputs: HDMI, DVI, Composite Video (x2). N2K connectivity for Simrad backlight control. Excludes video cable and touch control cable.	5869.97	7102.66
000-14536-001		Simrad HALO20+ 36 NM 20-inch pulse compression radar, 60 RPM, VelocityTrack™,Dual Range.	2299.00	2781.79
000-14535-001		Simrad HALO 24" Pulse compression dome radar, with industry-first 60 RPM operation. Built in VelocityTrack™ Doppler technology, simultaneous short and long-range coverage up to 48 nautical miles from one compact 24-inch dome antenna.	2575.00	3115.75
000-11469-001		Simrad HALO-3 Pulse Compression Radar. With 3 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	5665.00	6854.65
000-14488-001		Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 14 " displays)	51.49	62.30
000-11470-001		Simrad HALO-4 Pulse Compression Radar. With 4 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	6180.00	7477.80
000-11471-001		Simrad HALO-6 Pulse Compression Radar.With 6 ft antenna, RI-12 Interface module and 20 m (66 ft) cable.	6695.00	8100.95
000-13892-001		MI10 Dashmount Micro SD card reader: The MI10 Chart Card Reader provides dual microSD card slots for use with Simrad NSO evo2 marine processors and B&G Zeus² Glass Helm CPUs. This easy-to-install, waterproof card reader can be mounted in easy reach, eliminating the need to physically access your system's "black box" processor when installing or removing chart cards. 1.35m (4.5 ft) USB Cable	202.81	245.40
000-14473-001		Simrad RS40-B fixed-mount DSC VHF Radio with integrated AIS transmitter and receiver, GPS, and wireless handset support.	999.00	1208.79
000-14818-001		Simrad RS40-B AND GPS-500 KIT: Fixed-mount DSC VHF Radio with integrated AIS transmitter and receiver, wireless handset support. Includes GPS-500 GPS antenna	1099.00	1329.79

Part Number		Description	RRP exclu.	RRP inclu.
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft)	616.97	746.53
000-14470-001		Simrad RS40 marine VHF radio with DSC and AIS receive	513.97	621.90
000-13260-001		S5100 high-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1543.97	1868.20
000-12395-001		StructureScan 3D Module and Transom mount transducer	1028.97	1245.05
000-12397-001		StructureScan 3D module. NO TRANSDUCER. Transom mount and through hull transducers available.	616.97	746.53
000-11247-001		NSO evo2 NMEA0183/Touch Monitor serial cable 2 m (6.5 ft) Eight core cable. Four for NMEA0183 and four for RS422 serial. Also for R2009 NMEA 0183 Serial cable	19.26	23.31
000-11248-001		NSO evo2 HDMI monitor video cable 3 m (9.8 ft)	19.26	23.31
000-11249-001		NSO evo2 HDMI monitor video cable 10 m (33 ft)	50.99	61.69
000-13547-001		Extra heavy duty Gimbal bracket for the M5016, M5019, M5024 and M5027 IMO Monitors. Certified for use on bridge to IEC60945. Also can be used for the NSO evo3, Zeus3 GH range of multi-function displays Note a space kit (000-14488-001) is required if using on and NSOevo3/Zeus3 GH 16" display)	269.00	325.49
AA010159		Cable de video Y - DVI a VGA y DVI	116.00	140.36
000-14491-001		Simrad RS20S Class D DSC VHF Radio: Entry level VHF radio with NMEA2000 connectivity for GPS position, backlight control and night mode grouping with Simrad MFD's. Compliant with 2018 EU regulations.	318.27	385.11
000-11616-001		MO19,VESA MNT BRACKET KIT	85.77	103.78
000-10930-001		Camera with Infra red for low light conditions. fixed focal length	418.08	505.87
000-11617-001		MO24,VESA MNT BRACKET KIT	111.94	135.45
000-13963-001		NAIS-500 + NSPL500 kit. Includes GPS500 antenna and 1.8 m (6ft) Micro-C cable and T connector.	1028.97	1245.05
000-12607-001		The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	622.02	752.64
000-12308-001		HS60 GPS COMPASS	869.00	1051.49

Part Number		Description	RRP exclu.	RRP inclu.
000-11478-001		TXL-10S-6 10 kW 6 ft open array low emission radar kit. With 10 kW HD radar pedestal, 6ft antenna, 20 m (65 ft) cable, Radar processor, Ethernet cable Yellow MM 2 m (6.5 ft), Ethernet adapter cable RJ45 - 5 Pin yellow.	4944.00	5982.24
000-11477-001		TXL-10S-4: 10 kW 4 ft open array low emission radar kit. With 10 kW HD radar pedestal, 4ft antenna, 20 m (65 ft) antenna cable, Radar processor, Ethernet cable Yellow MM 2 m (6.5 ft), Ethernet adapter cable RJ45 - 5 Pin yellow.	4635.00	5608.35
000-11476-001		TXL-25S-7 LOW Emission 25kW radar kit. With 25 kW HD radar pedestal, 7 ft antenna, 20 m (65 ft) antenna cable, Radar processor, Ethernet cable Yellow MM 2 m (6.5 ft), Ethernet adapter cable RJ45 - 5 Pin yellow.	9536.77	11539.49
000-11068-001		GOFREE WIFI-1 MODULO WIRELESS	225.57	272.94
000-12302-001		New SonicHub2 Marine Audio Server SonicHub2 is a drop-in replacement for the existing SonicHub Utilizing the same footprint, same connections and Same User Interface on Lowrance/Simrad/B&G displays. SonicHub2 will operate on the newly implemented NMEA 2000® Audio/Entertainment standard.	359.47	434.96
000-11043-001		GS25 Antenna with built in rate compass. 10 Hz position update rate. Build in rate compass is perfect for for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	265.74	321.55
000-10029-001		NEP-2 Expansor de puertos de red	287.78	348.22
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45M / 5PinF	22.66	27.42
000-12364-001		SIMRAD OP50 wired remote controller. (Portrait mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	410.97	497.27
000-12512-001		SIMRAD OP50 wired Remote controller. (Landscape mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	410.97	497.27
000-12249-001		AIS V5035 Class A Transceiver	2200.00	2662.00
000-13284-001		ForwardScan Long Stem transducer with Sleeve & Plug. With 10m (33ft) Cable	1028.97	1245.05

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-11264-001		SIMRAD MO24-T. 24" Widescreen High bright, multi-touch monitor. High Definition 1920x1080 resolution. 1000 nit brightness. Inputs: HDMI, DVI, Composite Video (x2). N2K connectivity for Simrad backlight control. Excludes video cable and touch control cable.	5869.97	7102.66
000-13892-001		MI10 Dashmount Micro SD card reader: The MI10 Chart Card Reader provides dual microSD card slots for use with Simrad NSO evo2 marine processors and B&G Zeus² Glass Helm CPUs. This easy-to-install, waterproof card reader can be mounted in easy reach, eliminating the need to physically access your system's "black box" processor when installing or removing chart cards. 1.35m (4.5 ft) USB Cable	202.81	245.40
000-11247-001		NSO evo2 NMEA0183/Touch Monitor serial cable 2 m (6.5 ft) Eight core cable. Four for NMEA0183 and four for RS422 serial. Also for R2009 NMEA 0183 Serial cable	19.26	23.31
000-11248-001		NSO evo2 HDMI monitor video cable 3 m (9.8 ft)	19.26	23.31

Part Number		Description	RRP exclu.	RRP inclu.
000-00139-001		Simrad NSE/OP40 control rotatorio	14.73	17.82
000-00128-001		Simrad NSE, BSM-1, cable de alimentación (conector de 4 Pines a 4 hilos para alimentación, control de encendido y alarma externa) 2 m	37.39	45.24
000-11618-001		MO, NSO evo3 16/19/24,Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	58.46	70.74
000-11616-001		MO19,VESA MNT BRACKET KIT	85.77	103.78
000-10437-001		Cable Ethernet adaptador cruzado RJ45 macho a conector 5 pin amarillo hembra	33.00	39.93
000-11614-001		MO, NSO evo3 16/19/24 Cable retention bracket	27.53	33.31
000-11619-001		MO16/19/24,DASH SEAL KIT	7.59	9.19
000-11621-001		MO, NSO evo3 19 BEZELS,SILVER & BLACK,2PCS EACH	21.53	26.05
000-11622-001		MO, NSO evo3 24 BEZELS,SILVER & BLACK,2PCS EACH	21.87	26.46
000-11623-001		MO16/19/24 INLET FILTERS,5PCS	12.36	14.96
000-11624-001		MO16/19/24 INLET FILTER COVER	6.46	7.81
000-11625-001		MO16/19/24 CONNECTORS KIT	13.82	16.73
000-11043-001		GS25 Antenna with built in rate compass. 10 Hz position update rate. Build in rate compass is perfect for for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	265.74	321.55
24006413		Cable de Micro-C hembra a SimNet de 4 m	44.00	53.24
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45M / 5PinF	22.66	27.42
000-12364-001		SIMRAD OP50 wired remote controller. (Portrait mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	410.97	497.27

Monitors

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-11260-001		SIMRAD MO16-T. 15.6"Widescreen High bright, multi-touch monitor. High Definition 1366x768 resolution. 1000 nit brightness. Inputs: HDMI, DVI, Composite Video (x2). N2K connectivity for Simrad backlight control. Excludes video cable and touch control cable.	2779.97	3363.76
000-11262-001		SIMRAD MO19-T. 19" Widescreen High bright, multi-touch monitor. High Definition 1366x768 resolution. 1000 nit brightness. Inputs: HDMI, DVI, Composite Video (x2). N2K connectivity for Simrad backlight control. Excludes video cable and touch control cable.	4118.97	4983.95
000-11264-001		SIMRAD MO24-T. 24" Widescreen High bright, multi-touch monitor. High Definition 1920x1080 resolution. 1000 nit brightness. Inputs: HDMI, DVI, Composite Video (x2). N2K connectivity for Simrad backlight control. Excludes video cable and touch control cable.	5869.97	7102.66

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-14356-001		SUNCOVER,SIMRAD,24" MONITOR	133.90	162.02
000-14355-001		SUNCOVER,SIMRAD,19" MONITOR	108.15	130.86
000-14354-001		SUNCOVER,SIMRAD,16" MONITOR	92.70	112.17
000-11247-001		NSO evo2 NMEA0183/Touch Monitor serial cable 2 m (6.5 ft) Eight core cable. Four for NMEA0183 and four for RS422 serial. Also for R2009 NMEA 0183 Serial cable	19.26	23.31
000-11248-001		NSO evo2 HDMI monitor video cable 3 m (9.8 ft)	19.26	23.31
000-11249-001		NSO evo2 HDMI monitor video cable 10 m (33 ft)	50.99	61.69
000-13547-001		Extra heavy duty Gimbal bracket for the M5016, M5019, M5024 and M5027 IMO Monitors. Certified for use on bridge to IEC60945. Also can be used for the NSO evo3, Zeus3 GH range of multi-function displays Note a space kit (000-14488-001) is required if using on and NSOevo3/Zeus3 GH 16" display)	269.00	325.49
000-11616-001		MO19,VESA MNT BRACKET KIT	85.77	103.78
000-11615-001		MO16,VESA MNT BRACKET KIT	77.38	93.63
000-10930-001		Camera with Infra red for low light conditions. fixed focal length	418.08	505.87
000-11617-001		MO24,VESA MNT BRACKET KIT	111.94	135.45
000-11043-001		GS25 Antenna with built in rate compass. 10 Hz position update rate. Build in rate compass is perfect for for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	265.74	321.55

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-14356-001		SUNCOVER,SIMRAD,24" MONITOR	133.90	162.02
000-14355-001		SUNCOVER,SIMRAD,19" MONITOR	108.15	130.86
000-14354-001		SUNCOVER,SIMRAD,16" MONITOR	92.70	112.17
000-11618-001		MO, NSO evo3 16/19/24,Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	58.46	70.74
000-11616-001		MO19,VESA MNT BRACKET KIT	85.77	103.78
000-11614-001		MO, NSO evo3 16/19/24 Cable retention bracket	27.53	33.31
000-11619-001		MO16/19/24,DASH SEAL KIT	7.59	9.19
000-11620-001		MO16 ,NSO evo3 Bezels 2 x Silver, 2x Black	21.41	25.91
000-11621-001		MO, NSO evo3 19 BEZELS,SILVER & BLACK,2PCS EACH	21.53	26.05
000-11622-001		MO, NSO evo3 24 BEZELS,SILVER & BLACK,2PCS EACH	21.87	26.46
000-11623-001		MO16/19/24 INLET FILTERS,5PCS	12.36	14.96
000-11624-001		MO16/19/24 INLET FILTER COVER	6.46	7.81
000-11625-001		MO16/19/24 CONNECTORS KIT	13.82	16.73

NSS evo3/S

Main Products


Part Number		Description	RRP exclu.	RRP inclu.
000-13237-001		SIMRAD NSSevo3 7-inch display with GPS, sounder & Wi-Fi. Includes world basemap.	1543.97	1868.20
000-13597-001		SIMRAD NSSevo3 7-inch display with GPS, sounder & Wi-Fi, for boat builders.	1543.97	1868.20
000-15405-001		SIMRAD NSS evo3S 9-inch display with GPS, sounder & Wi-Fi. Includes world basemap.	2499.00	3023.79
000-15551-001		SIMRAD NSS evo3S 9-inch display with GPS, sounder & Wi-Fi, for boat builders.	2499.00	3023.79
000-15406-001		SIMRAD NSS evo3S 12-inch display with GPS, sounder, Wi-Fi & HDMI out. Includes world basemap.	3999.00	4838.79
000-15552-001		SIMRAD NSS evo3S 12-inch display with GPS, sounder, Wi-Fi & HDMI out No Charts for boat builders.	3999.00	4838.79
000-15407-001		SIMRAD NSS evo3S 16-inch Full HD display with GPS, sounder, Wi-Fi & HDMI out. Includes world basemap.	6165.00	7459.65
000-15556-001		Simrad NSS9 evo3 world basemap and Halo20+ Radar bundle.	4399.00	5322.79
000-15557-001		SIMRAD NSS12 evo3S and HALO20+ Radar bundle: 12-inch display with GPS, sounder, Wi-Fi & HDMI out. Includes world basemap.	5699.00	6895.79

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-15643-001		Simrad RS100 VHF radio. Includes NRS-1, HS100 handset and SP100 speaker	899.00	1087.79
000-15792-001		Simrad RS100-B VHF radio & AIS system. Includes NRS-2, HS100 handset, SP100 speaker and GPS-500 antenna	1499.00	1813.79
000-13285-001		IS42 Digital Display: Multi-purpose sailing instrument and autopilot display with a 4.1-inch colour screen, optically bonded for zero condensation and featuring transreflective LCD technology for exceptional contrast and visibility in all lighting conditions. 8mm mounting height matches other Simrad MFD's and system components.	492.34	595.73
000-15621-001		NAC-D AUTOPILOT COMPUTER	1000.00	1210.00
000-00099-006		Extension cable for LSS-1, LSS-HD and TotalScan transducers.3m (10ft) *For optimum performance do not use more than 1 extension per installation.	81.25	98.31
000-13915-001		XSONIC P319 Plastic Low Profile 600 W Thru Hull 50/200Khz Depth/Temp: Black 9 pin connector: Cable length 10 m (33.0 ft)	159.00	192.39
000-13946-001		XSONIC AIRMAR B45. Black 9 pin connector 10m (33 ft) cable. The B45 is Airmar's smallest, bronze, thru-hull stem, offering quality design at an economical price. The classic housing is streamlined to deflect aerated water from the transducer's face, providing solid echo returns.	299.00	361.79
000-13922-001		XSONIC Airmar® B150M Thru-Hull Transducer 20-degree: Black 9 pin connector: Cable length 10 m (33.0 ft).	495.00	598.95

Part Number		Description	RRP exclu.	RRP inclu.
000-13921-001		XSONIC Airmar® B150M Thru-Hull Transducer 12-degree: black 9 pin connector: Cable length 10 m (33.0 ft).	495.00	598.95
000-13920-001		XSONIC Airmar® B150M Thru-Hull Transducer 0-degree: Black 9 pin connector: Cable length 10 m (33.0 ft)	495.00	598.95
000-13291-001		AP44 VRF medium capacity pack. Comprising of AP44 controller, Precision 9 compass, Pump-2 and NAC-2 autopilot computer.	2058.97	2491.35
000-13562-001		AP44 VRF high capacity pack. Comprising of AP44 controller, Precision-9 compass, RPU-160 pump and NAC-3 autopilot computer	2884.00	3489.64
000-13964-001		B258 Bronze 1 kW Thru Hull 50/200 Khz Depth/Temp w/HS Fairing Block - Beamwidth: 50 kHz—15° x 21°, 200 kHz—3° x 5° - Four Elements. - Q at 50 kHz—9, Q at 200 kHz—15. 9 Pin black connector: Cable length 10.1 m (33.0 ft)	785.00	949.85
000-13335-001		NAC-2 Autopilot Core Pack: Comprising of the low-current NAC-2 autopilot computer, Precision-9 compass and RF-25 rudder feedback unit.	1543.97	1868.20
000-13336-001		NAC-3 Autopilot Core Pack: Comprising of the high-current NAC-3 autopilot computer, Precision-9 compass and RF-25 rudder feedback unit.	2266.00	2741.86
000-13337-001		NAC-2 VRF Core Pack: Comprising of the low-current NAC-2 autopilot computer and Precision-9 compass.	1286.47	1556.63
000-13914-001		XSONIC AIRMAR M260. The M260 is a plastic/urethane, in-hull Broadband transducer, ideal for smaller sportfishing and commercial vessels 8 m (25 ft) and up, fishing in depths of less than 900 m (3000 ft). Black 9 Pin connector	1098.90	1329.67
000-10402-001		Volvo EVC Kit for IPS (includes SG05, RC42, Volvo Gateway)	3600.00	4356.00
000-13338-001		NAC-3 VRF Core Pack: Comprising of the high-current NAC-3 autopilot computer and Precision-9 compass.	2008.50	2430.29
000-13907-001		XSONIC Bronze HDI XDCR 20 TILT 50/200 455/800: Black 9 Pin connector: Cable length 10 m (33.0 ft)	531.38	642.97
000-13906-001		XSONIC Bronze HDI XDCR 12 TILT 50/200 455/800: Black 9 Pin connector: Cable length 10 m (33.0 ft)	531.38	642.97
000-11748-001		Outboard Pilot Hydraulic Pack: Includes Point-1 AP Heading and GPS Sensor, NAC-1 Autopilot Computer, PUMP-1 – 0.8L reversible hydraulic pump, hydraulic fitting kit, Standby-Auto button and Micro-C network components.	1234.97	1494.31
000-15585-001		HS75 : New GPS Compass for light commercial market, patrol, fishing, workboat and other Non-SOLAS applications. Supports GPS, GLONASS, Galileo, BeiDou, QZSS	1980.00	2395.80
000-11750-001		DrivePilot Hydraulic Pack: Includes Precision-9 Heading Sensor, NAC-1 Autopilot Computer, PUMP-1 Hydraulic Pump – 0.8L reversible hydraulic pump, Standby-Auto button and Micro-C network components.	1749.97	2117.46
000-13905-001		Bronze HDI XDCR 0 TILT 50/200 455/800: Black 9 Pin pin connector: Cable length 10 m (33.0 ft)	531.38	642.97

Part Number		Description	RRP exclu.	RRP inclu.
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1543.97	1868.20
000-13786-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (20° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	419.00	506.99
000-13785-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	419.00	506.99
000-13784-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	419.00	506.99
000-13913-001		SS75H Stainless steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (20° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	850.00	1028.50
000-13912-001		SS75H Stainless Steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	850.00	1028.50
000-13911-001		SS75H Stainless Steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	850.00	1028.50
000-13910-001		XSONIC SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (20° tilt) : Black 9 Pin connector: Cable length 10 m (33.0 ft)	950.00	1149.50
000-13909-001		XSONIC SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	950.00	1149.50
000-13908-001		Xsonic SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	950.00	1149.50
000-13918-001		XSONIC SS164 Stainless Steel low profile thru-hull 1 kW 50/200 kHz with 22/20° 6/6° array beamwidths and 20° tilt Depth/Temp -12m: Black 9 pin connector: Cable length 10 m (33.0 ft)	1263.90	1529.32
000-13917-001		XSONIC SS164 Stainless Steel Low Profile Thru Hull 1kW 50/200 Khz Depth/Temp (12° tilt) - Black 9 Pin connector: Cable length 10 m (33.0 ft)	1263.90	1529.32
000-13916-001		XSONIC SS164 Stainless SteelLow Profile Thru Hull 1kW 50/200 Khz Depth/Temp (0° tilt) - Black 9 pin connector: Cable length 10 m (33.0 ft)	1263.90	1529.32
000-13782-001		XSONIC SS175H-W/20 Stainless Steel 20 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft)	1648.90	1995.17
000-13781-001		XSONIC SS175H-W/12 Stainless Steel 12 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft)	1648.90	1995.17

Part Number		Description	RRP exclu.	RRP inclu.
000-13780-001		XSONIC SS175H-W/0 Stainless Steel 0 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft)	1648.90	1995.17
000-13779-001		XSONIC SS175M 20 degree Medium CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1358.50	1643.79
000-13778-001		XSONIC SS175M 12 degree Medium CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1358.50	1643.79
000-13777-001		XSONIC SS175M 0 degree Medium CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1358.50	1643.79
000-14537-001		Simrad HALO20 24 NM 20-inch pulse compression radar.	1949.00	2358.29
000-14536-001		Simrad HALO20+ 36 NM 20-inch pulse compression radar, 60 RPM, VelocityTrack™, Dual Range.	2299.00	2781.79
000-13776-001		XSONIC SS175L 20 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1639.00	1983.19
000-13775-001		XSONIC SS175L 12 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1639.00	1983.19
000-13774-001		XSONIC SS175L 0 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1639.00	1983.19
000-13783-001		Xsonic SS260 Stainless Steel 1 kW Thru Hull 50/200Khz Depth/Temp w/HS Fairing Block . - Beamwidth 50 kHz—19°, 200 kHz—6°.- Seven elements. - Q at 50 kHz—8, Q at 200 kHz—8: Black 9 pin connector: Cable length 10 m (33.0 ft)	1299.00	1571.79
000-14535-001		Simrad HALO 24" Pulse compression dome radar, with industry-first 60 RPM operation. Built in VelocityTrack™ Doppler technology, simultaneous short and long-range coverage up to 48 nautical miles from one compact 24-inch dome antenna.	2575.00	3115.75
000-13771-001		XSONIC B275LH-W AIRMAR Bronze Through hull :DualBlack 9 pin connectors: Cable length 10 m (33.0 ft)	1999.00	2418.79
000-13772-001		XSONIC CM275LH-W CHESTMOUNT: Dual Black 9 pin connectors: Cable length 10 m (33.0 ft)	2088.90	2527.57
000-13773-001		XSONIC R509LHW The new Broadband transducers represent the next generation of technology that will allow fishermen to unlock new secrets in fishfinding. These transducers are designed for use specifically with the NSSevo3 and S5100 high performance sounder module: Cable length 10 m (33.0 ft)	4999.00	6048.79
000-11469-001		Simrad HALO-3 Pulse Compression Radar. With 3 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	5665.00	6854.65
000-14488-001		Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 14 " displays)	51.49	62.30
000-11470-001		Simrad HALO-4 Pulse Compression Radar. With 4 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	6180.00	7477.80

Part Number		Description	RRP exclu.	RRP inclu.
000-11471-001		Simrad HALO-6 Pulse Compression Radar. With 6 ft antenna, RI-12 Interface module and 20 m (66 ft) cable.	6695.00	8100.95
000-13760-001		NSS16 evo3 & Zeus3/S-16 Mounting Bracket (Metal)	64.88	78.50
000-14473-001		Simrad RS40-B fixed-mount DSC VHF Radio with integrated AIS transmitter and receiver, GPS, and wireless handset support.	999.00	1208.79
000-14818-001		Simrad RS40-B AND GPS-500 KIT: Fixed-mount DSC VHF Radio with integrated AIS transmitter and receiver, wireless handset support. Includes GPS-500 GPS antenna	1099.00	1329.79
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft)	616.97	746.53
000-14470-001		Simrad RS40 marine VHF radio with DSC and AIS receive	513.97	621.90
000-13260-001		S5100 high-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1543.97	1868.20
000-12395-001		StructureScan 3D Module and Transom mount transducer	1028.97	1245.05
000-12397-001		StructureScan 3D module. NO TRANSDUCER. Transom mount and through hull transducers available.	616.97	746.53
000-11248-001		NSO evo2 HDMI monitor video cable 3 m (9.8 ft)	19.26	23.31
000-11249-001		NSO evo2 HDMI monitor video cable 10 m (33 ft)	50.99	61.69
000-13547-001		Extra heavy duty Gimbal bracket for the M5016, M5019, M5024 and M5027 IMO Monitors. Certified for use on bridge to IEC60945. Also can be used for the NSO evo3, Zeus3 GH range of multi-function displays Note a space kit (000-14488-001) is required if using on and NSOevo3/Zeus3 GH 16" display)	269.00	325.49
000-12742-001		HDMI cable: waterproof connector on one end to connect to Simrad NSS evo2 12/16 and B&G Zeus2 12 multi function displays. 3 m (9.8 ft)	50.47	61.07
000-12741-001		HDMI cable: waterproof connector on one end to connect to Simrad NSS evo2 12/16 and B&G Zeus2 12 multi function displays. 10m (33 ft)	81.37	98.46
000-14491-001		Simrad RS20S Class D DSC VHF Radio: Entry level VHF radio with NMEA2000 connectivity for GPS position, backlight control and night mode grouping with Simrad MFD's. Compliant with 2018 EU regulations.	318.27	385.11
000-12568-001		TotalScan™ Skimmer Mid/High/StructureScan	338.77	409.91
000-10930-001		Camera with Infra red for low light conditions. fixed focal length	418.08	505.87

Part Number		Description	RRP exclu.	RRP inclu.
000-00129-001		Simrad NSE, Cable de Video/Comms 2 m (conector 8 pines cabled para NMEA y 2 hembras RCA para entrada de video puerto uno y dos)	25.70	31.10
000-13919-001		XSONIC P66 Plastic transom mount transducer 50/200kHz Black 9 Pin connector. : Cable length 10 m (33.0 ft)	164.95	199.59
000-14259-001		TotalScan thru hull transducer with Low and High CHIRP	719.97	871.16
000-13904-001		XSONIC TM260 Plastic transom-mount. 50/200Khz with diplexer. Depth/temp. 50Khz @ 19 deg; 200Khz @ 6 deg. - Black 9 pin connector: Cable length 10 m (33.0 ft)	1249.00	1511.29
000-13770-001		XSONIC TM275LH-W Urethane, Transom-mounted, 42-65 kHz/150-250 kHz Dual Channel CHIRP transducer (Wide Angle): Dual Black 9 pin connectors: Cable length 10 m (33.0 ft)	2143.90	2594.12
000-14257-001		TotalScan thru hull transducer with Medium and High CHIRP	719.97	871.16
000-14380-001		The V3100 Class B AIS is designed to meet the needs of light commercial vessels and workboats operating in high-traffic areas. SOTDMA technology and increased transmission power enhance transmission frequency, reliability, and range compared to standard Class B AIS. This 'black-box' solution integrates with Simrad displays, and features industry-standard connectivity.	846.00	1023.66
000-13963-001		NAIS-500 + NSPL500 kit. Includes GPS500 antenna and 1.8 m (6ft) Micro-C cable and T connector.	1028.97	1245.05
000-12607-001		The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	622.02	752.64
000-12308-001		HS60 GPS COMPASS	869.00	1051.49
000-12302-001		New SonicHub®2 Marine Audio Server SonicHub2 is a drop-in replacement for the existing SonicHub Utilizing the same footprint, same connections and Same User Interface on Lowrance/Simrad/B&G displays. SonicHub2 will operate on the newly implemented NMEA 2000® Audio/Entertainment standard.	359.47	434.96
000-11043-001		GS25 Antenna with built in rate compass. 10 Hz position update rate. Build in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	265.74	321.55
000-10029-001		NEP-2 Expansor de puertos de red	287.78	348.22
000-11674-001		ForwardScan™ transducer kit with Sleeve and plug with 10m (33ft) Cable	719.97	871.16
000-12364-001		SIMRAD OP50 wired remote controller. (Portrait mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	410.97	497.27

Part Number	Description	RRP exclu.	RRP inclu.
000-12512-001	 SIMRAD OP50 wired Remote controller. (Landscape mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	410.97	497.27
000-12249-001	 AIS V5035 Class A Transceiver	2200.00	2662.00
000-13284-001	 ForwardScan Long Stem transducer with Sleeve & Plug. With 10m (33ft) Cable	1028.97	1245.05

Spare Parts

Part Number	Description	RRP exclu.	RRP inclu.
000-14317-001	 Replacement Rotary knob for Simrad NSS evo3 & Zeus ³ MFDs	20.59	24.91
000-13760-001	 NSS16 evo3 & Zeus ³ /S-16 Mounting Bracket (Metal)	64.88	78.50
000-13759-001	 Metal mounting bracket and knobs for NSS12 evo3/3S & Zeus ³ /S-12	61.79	74.77
000-13758-001	 NSS9 evo3/3S, Cruise 9 & Zeus ³ /S 9 Mounting Bracket (Plastic)	33.98	41.12
000-13756-001	 NSS16 EVO3 & ZEUS3 - 16 DASH MOUNT KIT	33.98	41.12
000-13755-001	 NSS12 EVO3 & ZEUS3 - 12 DASH MOUNT KIT	25.74	31.15
000-13754-001	 NSS9 EVO3 & ZEUS3 - 9 DASH MOUNT KIT	21.62	26.16
000-13753-001	 NSS7 EVO3 & ZEUS3 - 7 DASH MOUNT KIT	19.56	23.67
000-13752-001	 NSS16 EVO3 & ZEUS3 - 16 EDGE BEZELS	23.68	28.65
000-13751-001	 NSS12 EVO3 & ZEUS3 - 12 EDGE BEZELS	19.56	23.67
000-13750-001	 NSS9 EVO3 & ZEUS3 - 9 EDGE BEZELS	17.50	21.17
000-13749-001	 NSS7 EVO3 & ZEUS3 - 7 EDGE BEZELS	15.44	18.68
000-13748-001	 NSS EVO3 & ZEUS3 CHART CARD DOOR	13.38	16.19
000-13743-001	 NSS16 evo3 Sun cover	33.98	41.12

Part Number		Description	RRP exclu.	RRP inclu.
000-13742-001		NSS12 evo3 Sun cover	29.86	36.13
000-13741-001		NSS9 EVO3 SUN COVER	27.80	33.64
000-13740-001		NSS7 EVO3 SUN COVER	17.50	21.17
000-13702-001		Gimbal mounting bracket for Simrad GO9, NSS7 evo3, and B&G Vulcan9, Zeus3 7 (Plastic)	30.89	37.38
000-00128-001		Simrad NSE, BSM-1, cable de alimentación (conector de 4 Pines a 4 hilos para alimentación, control de encendido y alarma externa) 2 m	37.39	45.24
000-10467-001		Simrad NSS Palomillas de montaje y arandelas (2 ud)	14.73	17.82

GO

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13532-001		SIMRAD GO5 XSE BOAT BLDR 6 PK,NO XDCR	565.47	684.22
000-12451-001		SIMRAD GO5 XSE: No Transducer. navigation display for the recreational power boater who is looking for an all in one navigation product for cruising, fishing and watersports. GO5's compact size makes it an ideal choice for small runabout boats with limited dash space. Includes a C-MAP Insight Pro SD card.	565.47	684.22
000-14448-001		SIMRAD GO7 XSR 7-inch chartplotter and radar display with global basemap.	771.47	933.48
000-14446-001		SIMRAD GO7 XSR 7-inch chartplotter and radar display with HDI transducer.	822.97	995.79
000-14839-001		SIMRAD GO7 XSR 7-inch chart plotter and radar display with Active Imaging 3-in-1 transducer.	925.97	1120.42
000-14083-001		SIMRAD GO7 XSR 7-inch chartplotter and radar display with global basemap for Boat Builders	771.47	933.48
000-14823-001		GO7 XSR NO XDCR BOAT BLDR,NETWORKABLE	1028.97	1245.05
000-14444-001		Simrad GO9 XSE Multi-function display with built in Echosounder, GPS and Wi-Fi. Super-bright, 9 inch multi-touch widescreen display with NMEA 2000 and radar interface.	1183.47	1432.00
000-14841-001		Simrad GO9 XSE Active Imaging. Multi-function display with built in Echosounder, GPS and Wi-Fi. Super-bright, 9 inch multi-touch widescreen display with NMEA 2000 and radar interface. Includes Active Imaging 3-in-1 transducer.	1337.97	1618.94
000-14445-001		Simrad GO9 XSE Multi-function display with built in Echosounder, GPS and Wi-Fi. Super-bright, 9 inch multi-touch widescreen display with NMEA 2000 and radar interface. Includes Medium / DownScan transducer	1234.97	1494.31
000-15618-001		GO9 XSE,ROW,AI-3IN1,HALO20+ BUNDLE	3279.00	3967.59
000-13213-001		Simrad GO9 XSE Multi-function display with built in Echosounder, GPS and Wi-Fi. Super-bright, 9 inch multi-touch widescreen display with NMEA 2000 and radar interface. Boat Builder.	1183.47	1432.00
000-14442-001		SIMRAD GO12 XSE ROW NOXD 12-inch chartplotter and radar display with global basemap.	2316.47	2802.93
000-14835-001		SIMRAD GO12 XSE 12-inch chartplotter and radar display with Active Imaging 3-in-1 transducer.	2470.97	2989.87
000-14825-001		SIMRAD GO12 XSE 12-inch Chartplotter and radar display with C-MAP. No Transducer	2573.97	3114.50
000-14143-001		SIMRAD GO12 XSE 12-inch Chartplotter and radar display with C-MAP. No Transducer	2316.47	2802.93

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-15643-001		Simrad RS100 VHF radio. Includes NRS-1, HS100 handset and SP100 speaker	899.00	1087.79


Part Number		Description	RRP exclu.	RRP inclu.
000-13942-001		Xsonic P79 Plastic 600 W In-Hull 50/200 Khz Depth Only : Black 9 pin connector: Cable length 10 m (33.0 ft).	137.50	166.38
000-13945-001		XSONIC AIRMAR B117 Boat Builder 8 pack: Zero Degree Tilt: Price is per individual unit: Cable length 10 m (33.0 ft)	229.00	277.09
000-15792-001		Simrad RS100-B VHF radio & AIS system. Includes NRS-2, HS100 handset, SP100 speaker and GPS-500 antenna	1499.00	1813.79
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	30.89	37.38
000-13285-001		IS42 Digital Display: Multi-purpose sailing instrument and autopilot display with a 4.1-inch colour screen, optically bonded for zero condensation and featuring transfective LCD technology for exceptional contrast and visibility in all lighting conditions. 8mm mounting height matches other Simrad MFD's and system components.	492.34	595.73
000-15621-001		NAC-D AUTOPILOT COMPUTER	1000.00	1210.00
000-13915-001		XSONIC P319 Plastic Low Profile 600 W Thru Hull 50/200Khz Depth/Temp: Black 9 pin connector: Cable length 10 m (33.0 ft)	159.00	192.39
000-00099-006		Extension cable for LSS-1, LSS-HD and TotalScan transducers.3m (10ft) *For optimum performance do not use more than 1 extension per installation.	81.25	98.31
000-13946-001		XSONIC AIRMAR B45. Black 9 pin connector 10m (33 ft) cable. The B45 is Airmar's smallest, bronze, thru-hull stem, offering quality design at an economical price. The classic housing is streamlined to deflect aerated water from the transducer's face, providing solid echo returns.	299.00	361.79
000-13922-001		XSONIC Airmar® B150M Thru-Hull Transducer 20-degree: Black 9 pin connector: Cable length 10 m (33.0 ft).	495.00	598.95
000-13921-001		XSONIC Airmar® B150M Thru-Hull Transducer 12-degree: black 9 pin connector: Cable length 10 m (33.0 ft).	495.00	598.95
000-13920-001		XSONIC Airmar® B150M Thru-Hull Transducer 0-degree: Black 9 pin connector: Cable length 10 m (33.0 ft)	495.00	598.95
000-13313-001		Connects 7 pin blue plug transducers to the 9 pin XSONIC black sockets on displays.	30.89	37.38
000-13291-001		AP44 VRF medium capacity pack. Comprising of AP44 controller, Precision 9 compass, Pump-2 and NAC-2 autopilot computer.	2058.97	2491.35
000-13562-001		AP44 VRF high capacity pack. Comprising of AP44 controller, Precision-9 compass, RPU-160 pump and NAC-3 autopilot computer	2884.00	3489.64
000-13964-001		B258 Bronze 1 kW Thru Hull 50/200 Khz Depth/Temp w/HS Fairing Block - Beamwidth: 50 kHz—15° x 21°, 200 kHz—3° x 5°. - Four Elements. - Q at 50 kHz—9, Q at 200 kHz—15. 9 Pin black connector: Cable length 10.1 m (33.0 ft)	785.00	949.85
000-13335-001		NAC-2 Autopilot Core Pack: Comprising of the low-current NAC-2 autopilot computer, Precision-9 compass and RF-25 rudder feedback unit.	1543.97	1868.20

Part Number		Description	RRP exclu.	RRP inclu.
000-13336-001		NAC-3 Autopilot Core Pack: Comprising of the high-current NAC-3 autopilot computer, Precision-9 compass and RF-25 rudder feedback unit.	2266.00	2741.86
000-13337-001		NAC-2 VRF Core Pack: Comprising of the low-current NAC-2 autopilot computer and Precision-9 compass.	1286.47	1556.63
000-13338-001		NAC-3 VRF Core Pack: Comprising of the high-current NAC-3 autopilot computer and Precision-9 compass.	2008.50	2430.29
000-10402-001		Volvo EVC Kit for IPS (includes SG05, RC42, Volvo Gateway)	3600.00	4356.00
000-13907-001		XSONIC Bronze HDI XDCR 20 TILT 50/200 455/800: Black 9 Pin connector: Cable length 10 m (33.0 ft)	531.38	642.97
000-13906-001		XSONIC Bronze HDI XDCR 12 TILT 50/200 455/800: Black 9 Pin connector: Cable length 10 m (33.0 ft)	531.38	642.97
000-11748-001		Outboard Pilot Hydraulic Pack: Includes Point-1 AP Heading and GPS Sensor, NAC-1 Autopilot Computer, PUMP-1 – 0.8L reversible hydraulic pump, hydraulic fitting kit, Standby-Auto button and Micro-C network components.	1234.97	1494.31
000-11750-001		DrivePilot Hydraulic Pack: Includes Precision-9 Heading Sensor, NAC-1 Autopilot Computer, PUMP-1 Hydraulic Pump – 0.8L reversible hydraulic pump, Standby-Auto button and Micro-C network components.	1749.97	2117.46
000-13905-001		Bronze HDI XDCR 0 TILT 50/200 455/800: Black 9 Pin pin connector: Cable length 10 m (33.0 ft)	531.38	642.97
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1543.97	1868.20
000-13786-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (20° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	419.00	506.99
000-13785-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	419.00	506.99
000-13784-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	419.00	506.99
000-13913-001		SS75H Stainless steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (20° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	850.00	1028.50
000-13912-001		SS75H Stainless Steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	850.00	1028.50
000-13911-001		SS75H Stainless Steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	850.00	1028.50

Part Number		Description	RRP exclu.	RRP inclu.
000-13910-001		XSONIC SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (20° tilt) : Black 9 Pin connector: Cable length 10 m (33.0 ft)	950.00	1149.50
000-13909-001		XSONIC SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	950.00	1149.50
000-13908-001		Xsonic SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	950.00	1149.50
000-13918-001		XSONIC SS164 Stainless Steel low profile thru-hull 1 kW 50/200 kHz with 22/20° 6/6° array beamwidths and 20° tilt Depth/Temp -12m: Black 9 pin connector: Cable length 10 m (33.0 ft)	1263.90	1529.32
000-13917-001		XSONIC SS164 Stainless Steel Low Profile Thru Hull 1kW 50/200 Khz Depth/Temp (12° tilt) - Black 9 Pin connector: Cable length 10 m (33.0 ft)	1263.90	1529.32
000-13916-001		XSONIC SS164 Stainless SteelLow Profile Thru Hull 1kW 50/200 Khz Depth/Temp (0° tilt) - Black 9 pin connector: Cable length 10 m (33.0 ft)	1263.90	1529.32
000-13782-001		XSONIC SS175H-W/20 Stainless Steel 20 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft)	1648.90	1995.17
000-13781-001		XSONIC SS175H-W/12 Stainless Steel 12 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft)	1648.90	1995.17
000-13780-001		XSONIC SS175H-W/0 Stainless Steel 0 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft)	1648.90	1995.17
000-13779-001		XSONIC SS175M 20 degree Medium CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1358.50	1643.79
000-13778-001		XSONIC SS175M 12 degree Medium CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1358.50	1643.79
000-13777-001		XSONIC SS175M 0 degree Medium CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1358.50	1643.79
000-14537-001		Simrad HALO20 24 NM 20-inch pulse compression radar.	1949.00	2358.29
000-14536-001		Simrad HALO20+ 36 NM 20-inch pulse compression radar, 60 RPM, VelocityTrack™,Dual Range.	2299.00	2781.79
000-13776-001		XSONIC SS175L 20 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1639.00	1983.19


Part Number		Description	RRP exclu.	RRP inclu.
000-13775-001		XSONIC SS175L 12 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1639.00	1983.19
000-13774-001		XSONIC SS175L 0 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1639.00	1983.19
000-14535-001		Simrad HALO 24" Pulse compression dome radar, with industry-first 60 RPM operation. Built in VelocityTrack™ Doppler technology, simultaneous short and long-range coverage up to 48 nautical miles from one compact 24-inch dome antenna.	2575.00	3115.75
000-11469-001		Simrad HALO-3 Pulse Compression Radar. With 3 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	5665.00	6854.65
000-11470-001		Simrad HALO-4 Pulse Compression Radar. With 4 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	6180.00	7477.80
000-11471-001		Simrad HALO-6 Pulse Compression Radar. With 6 ft antenna, RI-12 Interface module and 20 m (66 ft) cable.	6695.00	8100.95
000-14489-001		Active Imaging 3-IN-1 Transducer: Active Imaging 3-IN-1 combines the new Active Imaging scanning sonar with a traditional Medium/High CHIRP sonar element for easy single transducer installation. 7.6 m (25 ft) cable with 9 pin connector.	338.77	409.91
000-14490-001		Active Imaging transducer: Provides Active Imaging technology for SideScan and DownScan: 7.6 m (25 ft) cable with 9 pin connector	287.37	347.72
000-14814-001		Active Imaging 3-IN-1 Transducer: Active Imaging 3-IN-1 combines the new Active Imaging scanning sonar with a traditional Medium/High CHIRP sonar element for easy single transducer installation. 1.8 m (6 ft) cable with 9 pin connector.	338.77	409.91
000-14473-001		Simrad RS40-B fixed-mount DSC VHF Radio with integrated AIS transmitter and receiver, GPS, and wireless handset support.	999.00	1208.79
000-14818-001		Simrad RS40-B AND GPS-500 KIT: Fixed-mount DSC VHF Radio with integrated AIS transmitter and receiver, wireless handset support. Includes GPS-500 GPS antenna	1099.00	1329.79
000-14470-001		Simrad RS40 marine VHF radio with DSC and AIS receive	513.97	621.90
000-12395-001		StructureScan 3D Module and Transom mount transducer	1028.97	1245.05
000-13714-001		Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	401.70	486.06
000-13703-001		AUTO-STBY BUTTON METAL	45.32	54.84
000-11852-001		AIRMAR IDST800L 235F B-122-RETR 6M	658.90	797.27
000-10960-001		DST800 Depth/Speed/Temp Sensor. Bronze thru-hull housing.	427.90	517.76
000-12602-001		Flat mount bracket for StructureScan 3D Skimmer(r) transducer and TotalScan Skimmer.	61.78	74.75

Part Number		Description	RRP exclu.	RRP inclu.
000-11738-001		DT800 Depth Sensor. Plastic thru-hull housing.	328.90	397.97
22098586		ST800-Transductor Velocidad/Temperatura. Pasivo de plástico para conexión DT800	109.00	131.89
000-12371-001		Panel mount kit for GO7 & Vulcan 7 multi-function displays: This kit is for mounting the display in to a panel or dashboard. The kit includes a cutout template, a gasket and mounting hardware kit.	13.00	15.73
000-14491-001		Simrad RS20S Class D DSC VHF Radio: Entry level VHF radio with NMEA2000 connectivity for GPS position, backlight control and night mode grouping with Simrad MFD's. Compliant with 2018 EU regulations.	318.27	385.11
000-12901-001		HDI SKIMMER LOW/HIGH 455/800 with 9pin xSonic connector. Boat Builder 6 Pack.	266.20	322.11
000-12568-001		TotalScan™ Skimmer Mid/High/StructureScan	338.77	409.91
000-11029-001		StructureScan HD™ transductor pasacascos de plástico	637.24	771.06
000-13919-001		XSONIC P66 Plastic transom mount transducer 50/200kHz Black 9 Pin connector. : Cable length 10 m (33.0 ft)	164.95	199.59
000-13998-001		XSONIC AIRMAR TM185 M : 9 Pin Connector. Cable length 10 m (33.0 ft)	1199.00	1450.79
000-13997-001		XSONIC AIRMAR TM185 HW TM185HW Wide Beam - CHIRPS across the following bandwidths: —High-Frequency: 150-250 kHz, 25° Constant Beamwidth - Depth & fast-response water-temperature sensor • Urethane housing and stainless steel mounting bracket - Boat Size: 8 m to 12 m (25' to 40') - Boat Type: Outboards and I/O - Hull Type: Fiberglass, Wood, Metal -Can retrofit to existing TM258, TM260, TM265, and TM275 bracket. : Cable length 10 m (33.0 ft)	1199.00	1450.79
000-13944-001		Airmar® TM 150 TRANSOM MOUNT XDRC: Black 9 pin connector: Cable length 10 m (33.0 ft).	328.90	397.97
000-14259-001		TotalScan thru hull transducer with Low and High CHIRP	719.97	871.16
000-12728-001		HDI Skimmer MED/HIGH 455/800 transducer. 9 pin Black xSonic Connector. Cable Length 6 m (20 ft)	135.91	164.45
000-12569-001		HDI SKIMMER LOW/HIGH 455/800 with 9pin xSonic connector. Cable Length 6 m (20 ft)	266.20	322.11
000-14257-001		TotalScan thru hull transducer with Medium and High CHIRP	719.97	871.16
000-0106-72		HST-WSBL - 83/200kHz Skimmer® de montaje en popa con sensor interno de temperatura. Conector azul.	71.65	86.69

Part Number		Description	RRP exclu.	RRP inclu.
000-0106-77		HST-DFSBL - 50/200 kHz Skimmer® de montaje en popa con sensor interno de temperatura. Conector azul.	144.46	174.79
000-10977-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	266.20	322.11
000-10976-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	135.91	164.45
000-0119-79		N2K-T-RD - Conector en T NMEA 2000® para la conexión de equipos adicionales a la red	21.28	25.75
000-12612-001		New low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network. This replaces 000-10996-001	50.99	61.69
000-10760-001		Kit de cables NMEA2000	84.98	102.82
000-0127-53		N2KEXT-6RD - Cable NMEA 2000® de 1.8m para conexión a equipos adicionales o como extensión de cable de red	47.38	57.33
000-0119-86		N2KEXT-15RD - Cable NMEA 2000® de 4.5m para conexión a equipos adicionales o como extensión de cable de red	53.16	64.32
000-0119-83		N2KEXT-25RD - Cable NMEA 2000® de 7.5m para conexión a equipos adicionales o como extensión de cable de red	74.47	90.11
000-0119-75		N2K-PWR-RD - NMEA 2000® cable de alimentación. Incluye cable y conector en T	60.51	73.22
000-0127-52		TR-120-KIT - Set de terminadores, 1 macho y 1 hembra NMEA 2000®	21.22	25.67
000-12374-001		Flush mount O'ring type seal for use with the Flush mount kit for GO7 & Vulcan 7 displays.	22.00	26.62
000-12373-001		Replacement panel / dashboard gasket for GO7 & Vulcan 7 displays	11.00	13.31
000-12366-001		FLUSH MOUNT KIT, GO7 & VULCAN 7 Note: If flush mounting the Go7 or Vulcan 7 you may need the specific sun cover for the flush mount installation method. For GO7 please order 000-12368-001 or for Vulcan order 000-12370-001).	30.59	37.02
000-13963-001		NAIS-500 + NSPL500 kit. Includes GPS500 antenna and 1.8 m (6ft) Micro-C cable and T connector.	1028.97	1245.05
000-12607-001		The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	622.02	752.64
000-11043-001		GS25 Antenna with built in rate compass. 10 Hz position update rate. Build in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	265.74	321.55
000-10652-001		Sensor de viento Triton / IS20 / IS40 con cable de 20m	483.00	584.43

Part Number		Description	RRP exclu.	RRP inclu.
000-11518-001		Fluid Level Sensor: Transmits the tank level from a suitable tank level sender unit on the the NMEA 2000 network. Replaces EP-65	101.97	123.38
000-10029-001		NEP-2 Expansor de puertos de red	287.78	348.22
000-11674-001		ForwardScan™ transducer kit with Sleeve and plug with 10m (33ft) Cable	719.97	871.16
000-12364-001		SIMRAD OP50 wired remote controller. (Portrait mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	410.97	497.27
000-12512-001		SIMRAD OP50 wired Remote controller. (Landscape mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	410.97	497.27
000-12249-001		AIS V5035 Class A Transceiver	2200.00	2662.00
000-13284-001		ForwardScan Long Stem transducer with Sleeve & Plug. With 10m (33ft) Cable	1028.97	1245.05

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-14230-001		Bezel for Simrad GO7 XSR and B&G Vulcan 7R	16.47	19.93
000-14229-001		Dash mount kit for Simrad GO7 XSR and B&G Vulcan 7R	20.59	24.91
000-14227-001		GO7 XSR, P3007, I3007 Suncover	20.59	24.91
000-13702-001		Gimbal mounting bracket for Simrad GO9, NSS7 evo3, and B&G Vulcan9, Zeus3 7 (Plastic)	30.89	37.38
000-13700-001		Replacement bezel for Simrad GO9 or B&G Vulcan9.	16.47	19.93
000-13699-001		Dash mount kit for Simrad GO9 and B&G Vulcan 9.	20.59	24.91
000-13698-001		Suncover for Simrad GO9 XSE	25.74	31.15
000-13171-001		GO5,V5 PWR/N2K CABLE	36.04	43.61
000-13170-001		GO5,V5,BEZEL	10.29	12.45
000-13169-001		GO5,V5,DASH MOUNT KIT	13.38	16.19

Part Number		Description	RRP exclu.	RRP inclu.
000-00128-001		Simrad NSE, BSM-1, cable de alimentación (conector de 4 Pines a 4 hilos para alimentación, control de encendido y alarma externa) 2 m	37.39	45.24
000-10467-001		Simrad NSS Palomillas de montaje y arandelas (2 ud)	14.73	17.82
000-10027-001		QUICK RELEASE BRACKET: MARK/ELITE/TI/GO/3005	25.21	30.51
000-12728-001		HDI Skimmer MED/HIGH 455/800 transducer. 9 pin Black xSonic Connector. Cable Length 6 m (20 ft)	135.91	164.45
000-12367-001		SUNCOVER,GO7	18.54	22.43
000-12373-001		Replacement panel / dashboard gasket for GO7 & Vulcan 7 displays	11.00	13.31
000-12372-001		Mounting Bracket GO7 XSR and Vulcan 7R	27.81	33.65

Cruise

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-14998-001		SIMRAD Cruise-5,ROW Base Chart,83/200 XDCR	390.37	472.35
000-14999-001		SIMRAD Cruise-7,ROW Base Chart,83/200 XDCR	513.97	621.90
000-15000-001		SIMRAD Cruise-9,ROW Base Chart,83/200 XDCR	668.47	808.85

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-14414-001		8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	51.49	62.30
000-14068-001		7 PIN Transducer adapter to HOOK2/HOOK Reveal, Cruise	30.89	37.38
000-14069-001		xSONIC Transducer to HOOK2/Cruise Adapter	30.89	37.38
000-15072-001		Cruise-9,Dash mount kit, includes template, gasket and corner clips	20.60	24.93
000-15071-001		Cruise-7,Dash mount kit, includes template, gasket and corner clips	15.45	18.69
000-15070-001		Cruise-5,Dash mount kit, includes template, gasket and corner clips	15.45	18.69
000-15069-001		Cruise-9 Sun Cover	30.90	37.39
000-15068-001		Cruise-7Sun Cover	25.75	31.16
000-15067-001		Cruise-5 Sun Cover	20.60	24.93
000-15053-001		CRUISE/HOOK2 83/200 Skimmer Transducer	72.09	87.23
000-14169-001		HOOK2 4"/5" Cruise 5" Bracket Swivel Adapter	13.38	16.19

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-15091-001		Cruise corner bezel, chart card seal	15.45	18.69
000-15053-001		CRUISE/HOOK2 83/200 Skimmer Transducer	72.09	87.23
000-14317-001		Replacement Rotary knob for Simrad NSS evo3 & Zeus³ MFDs	20.59	24.91


Part Number	Description	RRP exclu.	RRP inclu.
000-14172-001	 HOOK2, Hook Reveal, Cruise Push fit power cable	20.59	24.91

Remotes

Main Products

Part Number	Description	RRP exclu.	RRP inclu.
000-12364-001	 SIMRAD OP50 wired remote controller. (Portrait mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	410.97	497.27
000-12512-001	 SIMRAD OP50 wired Remote controller. (Landscape mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	410.97	497.27

Accessories

Part Number	Description	RRP exclu.	RRP inclu.
000-12745-001	 OP50/ZC2 Flush mount bracket kit	82.39	99.69
000-0119-79	 N2K-T-RD - Conector en T NMEA 2000® para la conexión de equipos adicionales a la red	21.28	25.75
000-12612-001	 New low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network. This replaces 000-10996-001	50.99	61.69
000-0119-88	 N2KEXT-2RD - Cable NMEA 2000® de 0.6m para conexión a equipos adicionales o como extensión de cable de red	30.05	36.35
000-0127-53	 N2KEXT-6RD - Cable NMEA 2000® de 1.8m para conexión a equipos adicionales o como extensión de cable de red	47.38	57.33
000-0119-86	 N2KEXT-15RD - Cable NMEA 2000® de 4.5m para conexión a equipos adicionales o como extensión de cable de red	53.16	64.32

Spare Parts

Part Number	Description	RRP exclu.	RRP inclu.
000-00139-001	 Simrad NSE/OP40 control rotatorio	14.73	17.82
000-12744-001	 OP50/ZC2 DASH KIT (GASKET BEZEL SCREW)	13.38	16.19
000-12743-001	 OP50/ZC2 SUNCOVER	13.38	16.19
000-0119-79	 N2K-T-RD - Conector en T NMEA 2000® para la conexión de equipos adicionales a la red	21.28	25.75
000-0119-88	 N2KEXT-2RD - Cable NMEA 2000® de 0.6m para conexión a equipos adicionales o como extensión de cable de red	30.05	36.35

R2009/R3016

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-12186-001		R2009 Radar Control Unit 9": The Simrad R2009 is a dedicated Radar Control Unit with integrated 9-inch portrait display, compatible with a range of Simrad radar solutions including Halo™ Pulse Compression, Broadband 3G™/4G™, and HD Digital Radar.	1499.00	1813.79
000-12188-001		The Simrad R3016 is a dedicated Radar Control Unit with integrated 16-inch widescreen display, compatible with a range of Simrad radar solutions including Halo™ Pulse Compression, Broadband 3G™/4G™, and HD Digital Radar.	3499.00	4233.79
000-13958-001		O2000 Radar remote controller for R2000, R3000 and R5000 PRO radars.	400.00	484.00
000-15716-001		Simrad R2009 HALO20 kit is a dedicated 9" portrait Radar Control Unit and HALO20 Pulse Compression Radar. Kit includes R2009 radar control unit, HALO20 Radome and Interconnection cable 20m (66 ft).	2999.00	3628.79
000-15717-001		Simrad R2009 HALO20+ kit is a dedicated 9" portrait Radar Control Unit and HALO20+ Pulse Compression Radar. Kit includes R2009 radar control unit, HALO20+ Radome and Interconnection cable 20m (66 ft).	3299.00	3991.79
000-15439-001		Simrad R2009 HALO24 kit is a dedicated 9" portrait Radar Control Unit and HALO24 Pulse Compression Radar. Kit includes R2009 radar control unit, HALO24 Radome and Interconnection cable 20m (66 ft).	3550.00	4295.50
000-15440-001		Simrad R3016 HALO24 kit is a dedicated 16" widescreen Radar Control Unit and HALO24 Pulse Compression Radar. Kit includes R3016 radar control unit, HALO24 Radome and Interconnection cable 20m (66 ft).	5250.00	6352.50
000-12194-001		Simrad R2009 HALO™-3 kit is a dedicated 9" portrait Radar Control Unit and HALO-3 Pulse Compression Radar. Kit includes R2009 radar control unit, Halo pedestal and 3ft antenna, RI-12 interface, Interconnection cable 20m (66 ft), 1.8 m (6 ft) Ethernet cable	5699.00	6895.79
000-12198-001		Simrad R3016 HALO™-3 kit is a dedicated 16" widescreen Radar Control Unit and HALO-3 Pulse Compression Radar. Kit includes R3016 radar control unit, Halo pedestal and 3ft antenna, RI-12 interface, Interconnection cable 20m (66 ft), 1.8 m (6 ft) Ethernet cable.	6999.00	8468.79
000-12199-001		Simrad R3016 HALO™-4 kit is a dedicated 16" widescreen Radar Control Unit and HALO-4 Pulse Compression Radar. Kit includes R3016 radar control unit, Halo pedestal and 4 ft antenna, RI-12 interface, Interconnection cable 20m (66 ft), 1.8 m (6 ft) Ethernet cable.	7499.00	9073.79
000-12200-001		Simrad R3016 HALO™-6 kit is a dedicated 16" widescreen Radar Control Unit and HALO-6 Pulse Compression Radar. Kit includes R3016 radar control unit, Halo pedestal and 6 ft antenna, RI-12 interface, Interconnection cable 20m (66 ft), 1.8 m (6 ft) Ethernet cable.	7999.00	9678.79
000-12195-001		Simrad R3016 10 kW 4 foot antenna radar kit is a dedicated 16" widescreen Radar Control Unit and 10 kW HD Radar. Kit includes R3016 radar control unit, 10 kW pedestal and 4 ft antenna, 10 kW radar processor, Interconnection cable 20m (66 ft), 1.8 m (6 ft) Ethernet cable and 5 pin yellow to RJ45 adapter cable	6999.00	8468.79
000-12196-001		Simrad R3016 10 kW 6 foot antenna radar kit is a dedicated 16" widescreen Radar Control Unit and 10 kW HD Radar. Kit includes R3016 radar control unit, 10 kW pedestal and 6 ft antenna, 10 kW radar processor, Interconnection cable 20m (66 ft), 1.8 m (6 ft) Ethernet cable and 5 pin yellow to RJ45 adapter cable	7400.00	8954.00
000-12197-001		Simrad R3016 25 kW 7 foot antenna radar kit is a dedicated 16" widescreen Radar Control Unit and 25 kW HD Radar. Kit includes R3016 radar control unit, 25 kW pedestal and 4 ft antenna, 25 kW radar processor, Interconnection cable 20m (66 ft), 1.8 m (6 ft) Ethernet cable and 5 pin yellow to RJ45 adapter cable	10999.00	13308.79

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-13958-001		O2000 Radar remote controller for R2000, R3000 and R5000 PRO radars.	400.00	484.00

Part Number		Description	RRP exclu.	RRP inclu.
000-15585-001		HS75 : New GPS Compass for light commercial market, patrol, fishing, workboat and other Non-SOLAS applications. Supports GPS, GLONASS, Galileo, BeiDou, QZSS	1980.00	2395.80
000-14537-001		Simrad HALO20 24 NM 20-inch pulse compression radar.	1949.00	2358.29
000-14536-001		Simrad HALO20+ 36 NM 20-inch pulse compression radar, 60 RPM, VelocityTrack™, Dual Range.	2299.00	2781.79
000-14535-001		Simrad HALO 24" Pulse compression dome radar, with industry-first 60 RPM operation. Built in VelocityTrack™ Doppler technology, simultaneous short and long-range coverage up to 48 nautical miles from one compact 24-inch dome antenna.	2575.00	3115.75
000-11469-001		Simrad HALO-3 Pulse Compression Radar. With 3 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	5665.00	6854.65
000-11470-001		Simrad HALO-4 Pulse Compression Radar. With 4 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	6180.00	7477.80
000-11471-001		Simrad HALO-6 Pulse Compression Radar. With 6 ft antenna, RI-12 Interface module and 20 m (66 ft) cable.	6695.00	8100.95
000-11247-001		NSO evo2 NMEA0183/Touch Monitor serial cable 2 m (6.5 ft) Eight core cable. Four for NMEA0183 and four for RS422 serial. Also for R2009 NMEA 0183 Serial cable	19.26	23.31
000-12393-001		High speed NMEA 0183 Serial cable 2m (6 ft)	27.00	32.67
AA010093		Cable de radar de 20 m 10/25 kW	439.00	531.19
AA010094		Cable de radar de 30 m 10/25 kW	505.00	611.05
000-10905-001		CABLE,BB RADAR,EXTERNAL,5M	72.10	87.24
AA010211		Broadband Cable de antena radar - 10 m (33 ft)	105.00	127.05
AA010213		Broadband Cable de antena radar - 30 m (98 ft)	219.00	264.99
000-10904-001		CABLE,BB RADAR,EXT EXTENSION,2M	61.80	74.78
000-11466-001		ANTENNA, RADAR, HALO, 6FT	1751.00	2118.71
000-11465-001		ANTENNA, RADAR, HALO, 4FT	1236.00	1495.56
000-11464-001		ANTENNA, RADAR, HALO, 3FT	721.00	872.41

Part Number		Description	RRP exclu.	RRP inclu.
000-12612-001		New low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network. This replaces 000-10996-001	50.99	61.69
000-0119-88		N2KEXT-2RD - Cable NMEA 2000® de 0.6m para conexión a equipos adicionales o como extensión de cable de red	30.05	36.35
000-0119-86		N2KEXT-15RD - Cable NMEA 2000® de 4.5m para conexión a equipos adicionales o como extensión de cable de red	53.16	64.32
000-0119-83		N2KEXT-25RD - Cable NMEA 2000® de 7.5m para conexión a equipos adicionales o como extensión de cable de red	74.47	90.11
000-12607-001		The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	622.02	752.64
000-12308-001		HS60 GPS COMPASS	869.00	1051.49
000-11478-001		TXL-10S-6 10 kW 6 ft open array low emission radar kit. With 10 kW HD radar pedestal, 6ft antenna, 20 m (65 ft) cable, Radar processor, Ethernet cable Yellow MM 2 m (6.5 ft), Ethernet adapter cable RJ45 - 5 Pin yellow.	4944.00	5982.24
000-11477-001		TXL-10S-4: 10 kW 4 ft open array low emission radar kit. With 10 kW HD radar pedestal, 4ft antenna, 20 m (65 ft) antenna cable, Radar processor, Ethernet cable Yellow MM 2 m (6.5 ft), Ethernet adapter cable RJ45 - 5 Pin yellow.	4635.00	5608.35
000-11476-001		TXL-25S-7 LOW Emission 25kW radar kit. With 25 kW HD radar pedestal, 7 ft antenna, 20 m (65 ft) antenna cable, Radar processor, Ethernet cable Yellow MM 2 m (6.5 ft), Ethernet adapter cable RJ45 - 5 Pin yellow.	9536.77	11539.49
000-11043-001		GS25 Antenna with built in rate compass. 10 Hz position update rate. Build in rate compass is perfect for for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	265.74	321.55
24006694		AT10HD Conversor de NMEA 0183 a SimNet y viceversa, solo de datos de RUMBO, diseñado para conexión a Radares para función MARPA	100.10	121.12
000-0127-51		Cable Ethernet Amarillo 5 Pin 2 m (6.5 ft)	35.82	43.35
000-0127-29		Cable Ethernet Amarillo 5 Pin 4.5 m (15 ft)	53.20	64.37
000-0127-30		Cable Ethernet Amarillo 5 Pin 7.7 m (25 ft)	74.47	90.11
000-0127-37		Cable Ethernet Amarillo 5 Pin 15.2 m (50 ft)	106.39	128.73
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45M / 5PinF	22.66	27.42

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-12412-001		S2016 & R3016 Bracket mounting kit.	27.00	32.67
000-12414-001		SUNCOVER S2016 & R3016	21.00	25.41
000-12520-001		BEZEL ASSEMBLY EDGE S2016 & R3016	15.50	18.76
000-12519-001		BEZEL ASSEMBLY EDGE S2009 & R2009	13.50	16.34
000-12413-001		SUNCOVER S2009 & R2009	54.00	65.34

Halo

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-14537-001		Simrad HALO20 24 NM 20-inch pulse compression radar.	1949.00	2358.29
000-15361-001		Simrad HALO20 24 NM 20-inch pulse compression radar. BOATBUILDER	1949.00	2358.29
000-14536-001		Simrad HALO20+ 36 NM 20-inch pulse compression radar, 60 RPM, VelocityTrack™, Dual Range.	2299.00	2781.79
000-15357-001		Simrad HALO20+ 36 NM 20-inch pulse compression radar, 60 RPM, VelocityTrack™, Dual Range. BOATBUILDER	2299.00	2781.79
000-14535-001		Simrad HALO 24" Pulse compression dome radar, with industry-first 60 RPM operation. Built in VelocityTrack™ Doppler technology, simultaneous short and long-range coverage up to 48 nautical miles from one compact 24-inch dome antenna.	2575.00	3115.75
000-14967-001		Simrad HALO 24" BOATBUILDER: Pulse compression dome radar, with industry-first 60 RPM operation. Built in VelocityTrack™ Doppler technology, simultaneous short and long-range coverage up to 48 nautical miles from one compact 24-inch dome antenna.	2575.00	3115.75
000-11469-001		Simrad HALO-3 Pulse Compression Radar. With 3 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	5665.00	6854.65
000-11470-001		Simrad HALO-4 Pulse Compression Radar. With 4 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	6180.00	7477.80
000-11471-001		Simrad HALO-6 Pulse Compression Radar. With 6 ft antenna, RI-12 Interface module and 20 m (66 ft) cable.	6695.00	8100.95

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-15585-001		HS75 : New GPS Compass for light commercial market, patrol, fishing, workboat and other Non-SOLAS applications. Supports GPS, GLONASS, Galileo, BeiDou, QZSS	1980.00	2395.80
000-15469-001		CABLE, BB, EXTENSION, 5M HALO DOME	82.64	99.99
000-14551-001		CABLE, LEGACY 3G/4G TO HALO DOME	60.77	73.53
000-14550-001		Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays	225.57	272.94
000-14549-001		Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays	169.95	205.64
000-14548-001		Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	108.15	130.86
000-14547-001		Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays	72.10	87.24
LMB-A1		LMB-A1 Soporte de montaje en backstay (aft) para Broadband	1725.00	2087.25

Part Number		Description	RRP exclu.	RRP inclu.
PT2001		PT2001 PowerTower for HALO 20/20+ and Broadband Dome Radars - 350mm (14") white composite	439.00	531.19
PT2004		PT2004 PowerTower for HALO 20/20+ and Broadband Dome Radars - 150mm (6") white composite	385.00	465.85
PT3010		PT3010 Base de inclinación de 4° para PowerTower de BR24	119.00	143.99
000-10905-001		CABLE,BB RADAR,EXTERNAL,5M	72.10	87.24
AA010211		Broadband Cable de antena radar - 10 m (33 ft)	105.00	127.05
AA010213		Broadband Cable de antena radar - 30 m (98 ft)	219.00	264.99
000-10904-001		CABLE,BB RADAR,EXT EXTENSION,2M	61.80	74.78
000-11466-001		ANTENNA, RADAR, HALO, 6FT	1751.00	2118.71
000-11465-001		ANTENNA, RADAR, HALO, 4FT	1236.00	1495.56
000-11464-001		ANTENNA, RADAR, HALO, 3FT	721.00	872.41
000-10795-001		SC20 Mast mount kit for HALO 20/20+ and Broadband Dome Radars	360.50	436.21
000-12612-001		New low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network. This replaces 000-10996-001	50.99	61.69
000-0119-88		N2KEXT-2RD - Cable NMEA 2000® de 0.6m para conexión a equipos adicionales o como extensión de cable de red	30.05	36.35
000-0119-86		N2KEXT-15RD - Cable NMEA 2000® de 4.5m para conexión a equipos adicionales o como extensión de cable de red	53.16	64.32
000-0119-83		N2KEXT-25RD - Cable NMEA 2000® de 7.5m para conexión a equipos adicionales o como extensión de cable de red	74.47	90.11
000-12607-001		The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	622.02	752.64

Part Number	Description	RRP exclu.	RRP inclu.
000-12308-001	 HS60 GPS COMPASS	869.00	1051.49
000-11246-001	 RJ45-Yellow Round Ethernet adapter cable RJ45M / 5PinF	22.66	27.42

Spare Parts

Part Number	Description	RRP exclu.	RRP inclu.
000-14552-001	 Halo Dome radar Ethernet adapter cable, RJ45 TO 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot	39.66	47.98
000-14548-001	 Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	108.15	130.86
000-12515-001	HALO SPARE,ANT MOUNT KIT	37.79	45.73
000-12514-001	 HALO Pedestal, Spare mounting kit. Includes -4 x Bolt, HEX, M12x35, 316 s/s: -4 x Washer, Flat, M12x36x3, 316 s/s: -4 x Washer, Spring, M12, 316 s/s: -8 x Washer, Isolating M12x38 Nylon	61.62	74.57
AA010212	 Broadband Cable de antena radar - 20 m (66 ft)	165.00	199.65
000-11466-001	 ANTENNA, RADAR, HALO, 6FT	1751.00	2118.71
000-11465-001	 ANTENNA, RADAR, HALO, 4FT	1236.00	1495.56
000-11464-001	 ANTENNA, RADAR, HALO, 3FT	721.00	872.41
000-0119-79	 N2K-T-RD - Conector en T NMEA 2000® para la conexión de equipos adicionales a la red	21.28	25.75
000-0127-53	 N2KEXT-6RD - Cable NMEA 2000® de 1.8m para conexión a equipos adicionales o como extensión de cable de red	47.38	57.33
000-11246-001	 RJ45-Yellow Round Ethernet adapter cable RJ45M / 5PinF	22.66	27.42

HD Radar

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-11478-001		TXL-10S-6 10 kW 6 ft open array low emission radar kit. With 10 kW HD radar pedestal, 6ft antenna, 20 m (65 ft) cable, Radar processor, Ethernet cable Yellow MM 2 m (6.5 ft), Ethernet adapter cable RJ45 - 5 Pin yellow.	4944.00	5982.24
000-11477-001		TXL-10S-4: 10 kW 4 ft open array low emission radar kit. With 10 kW HD radar pedestal, 4ft antenna, 20 m (65 ft) antenna cable, Radar processor, Ethernet cable Yellow MM 2 m (6.5 ft), Ethernet adapter cable RJ45 - 5 Pin yellow.	4635.00	5608.35
000-11476-001		TXL-25S-7 LOW Emission 25kW radar kit. With 25 kW HD radar pedestal, 7 ft antenna, 20 m (65 ft) antenna cable, Radar processor, Ethernet cable Yellow MM 2 m (6.5 ft), Ethernet adapter cable RJ45 - 5 Pin yellow.	9536.77	11539.49

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-15585-001		HS75 : New GPS Compass for light commercial market, patrol, fishing, workboat and other Non-SOLAS applications. Supports GPS, GLONASS, Galileo, BeiDou, QZSS	1980.00	2395.80
AA010093		Cable de radar de 20 m 10/25 kW	439.00	531.19
AA010094		Cable de radar de 30 m 10/25 kW	505.00	611.05
000-10438-001		RJ45 to 5 pin yellow female Ethernet adapter	33.99	41.13
000-12612-001		New low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network. This replaces 000-10996-001	50.99	61.69
000-0119-88		N2KEXT-2RD - Cable NMEA 2000® de 0.6m para conexión a equipos adicionales o como extensión de cable de red	30.05	36.35
000-0119-86		N2KEXT-15RD - Cable NMEA 2000® de 4.5m para conexión a equipos adicionales o como extensión de cable de red	53.16	64.32
000-0119-83		N2KEXT-25RD - Cable NMEA 2000® de 7.5m para conexión a equipos adicionales o como extensión de cable de red	74.47	90.11
000-12607-001		The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	622.02	752.64
000-12308-001		HS60 GPS COMPASS	869.00	1051.49
000-11043-001		GS25 Antenna with built in rate compass. 10 Hz position update rate. Build in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	265.74	321.55
24006694		AT10HD Conversor de NMEA 0183 a SimNet y viceversa, solo de datos de RUMBO, diseñado para conexión a Radares para función MARPA	100.10	121.12
000-0127-51		Cable Ethernet Amarillo 5 Pin 2 m (6.5 ft)	35.82	43.35

Part Number		Description	RRP exclu.	RRP inclu.
000-0127-29		Cable Ethernet Amarillo 5 Pin 4.5 m (15 ft)	53.20	64.37
000-0127-30		Cable Ethernet Amarillo 5 Pin 7.7 m (25 ft)	74.47	90.11
000-0127-37		Cable Ethernet Amarillo 5 Pin 15.2 m (50 ft)	106.39	128.73
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45M / 5PinF	22.66	27.42
Spare Parts				
Part Number		Description	RRP exclu.	RRP inclu.
000-12593-001		Navico 25 kW radar processor WinCE	616.97	746.53
000-12592-001		Navico 10 kW radar processor WinCE	616.97	746.53
AA010093		Cable de radar de 20 m 10/25 kW	439.00	531.19
AA010094		Cable de radar de 30 m 10/25 kW	505.00	611.05
000-10438-001		RJ45 to 5 pin yellow female Ethernet adapter	33.99	41.13

S2009/S2016

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-12185-001		Simrad S2009 Dedicated Fish Finder, 9-inch portrait display. fish-finder with integrated Broadband Sounder™ module and CHIRP technology	999.00	1208.79
000-12187-001		S2016 Dedicated fish-finder with Broadband Sounder™ module and CHIRP technology. 16" Widescreen LCD display	2999.00	3628.79

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	30.89	37.38
000-15585-001		HS75 : New GPS Compass for light commercial market, patrol, fishing, workboat and other Non-SOLAS applications. Supports GPS, GLONASS, Galileo, BeiDou, QZSS	1980.00	2395.80
000-0099-93		XT-12BL 12ft blue 7 pin transducer extension Cable: 3.65 m (12 ft)	46.23	55.93
000-0099-94		XT-20BL - Extensión de cable de 6m para transductores con conector azul (50 kHz ó 200 kHz)	46.23	55.93
000-10046-001		Cable adaptador, 7 pines AZUL a cable pelado - para BSM-1	23.48	28.42
000-00022-001		Adapter cable, 7 pin BLUE Male to 6 pin: For connecting a older Northstar/Navman 6 pin transducer to 7 Pin connector on an MFD	55.52	67.18
000-0106-73		PD-WBL - 83/200 kHz Skimmer® interior o montaje sobre motor. Sólo profundidad. Conector azul.	85.11	102.98
000-11247-001		NSO evo2 NMEA0183/Touch Monitor serial cable 2 m (6.5 ft) Eight core cable. Four for NMEA0183 and four for RS422 serial. Also for R2009 NMEA 0183 Serial cable	19.26	23.31
000-12411-001		S2009 & R2009 Bracket mount kit: Includes bracket, 2 x Knobs and Screws	27.00	32.67
000-0106-72		HST-WSBL - 83/200kHz Skimmer® de montaje en popa con sensor interno de temperatura. Conector azul.	71.65	86.69
000-0106-77		HST-DFSBL - 50/200 kHz Skimmer® de montaje en popa con sensor interno de temperatura. Conector azul.	144.46	174.79
000-10977-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	266.20	322.11
000-10976-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	135.91	164.45

Part Number		Description	RRP exclu.	RRP inclu.
000-12612-001		New low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network. This replaces 000-10996-001	50.99	61.69
000-0119-88		N2KEXT-2RD - Cable NMEA 2000® de 0.6m para conexión a equipos adicionales o como extensión de cable de red	30.05	36.35
000-0119-86		N2KEXT-15RD - Cable NMEA 2000® de 4.5m para conexión a equipos adicionales o como extensión de cable de red	53.16	64.32
000-0119-83		N2KEXT-25RD - Cable NMEA 2000® de 7.5m para conexión a equipos adicionales o como extensión de cable de red	74.47	90.11
000-12308-001		HS60 GPS COMPASS	869.00	1051.49
000-0127-51		Cable Ethernet Amarillo 5 Pin 2 m (6.5 ft)	35.82	43.35
000-0127-29		Cable Ethernet Amarillo 5 Pin 4.5 m (15 ft)	53.20	64.37
000-0127-30		Cable Ethernet Amarillo 5 Pin 7.7 m (25 ft)	74.47	90.11
000-0127-37		Cable Ethernet Amarillo 5 Pin 15.2 m (50 ft)	106.39	128.73

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-12412-001		S2016 & R3016 Bracket mounting kit.	27.00	32.67
000-12520-001		BEZEL ASSEMBLY EDGE S2016 & R3016	15.50	18.76
000-12519-001		BEZEL ASSEMBLY EDGE S2009 & R2009	13.50	16.34
000-12413-001		SUNCOVER S2009 & R2009	54.00	65.34

Sonar Modules

Main Products


Part Number		Description	RRP exclu.	RRP inclu.
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft)	616.97	746.53
000-13260-001		S5100 high-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1543.97	1868.20
000-12395-001		StructureScan 3D Module and Transom mount transducer	1028.97	1245.05
000-12397-001		StructureScan 3D module. NO TRANSDUCER. Transom mount and through hull transducers available.	616.97	746.53



Accessories


Part Number		Description	RRP exclu.	RRP inclu.
000-13942-001		Xsonic P79 Plastic 600 W In-Hull 50/200 Khz Depth Only : Black 9 pin connector: Cable length 10 m (33.0 ft).	137.50	166.38
000-13945-001		XSONIC AIRMAR B117 Boat Builder 8 pack: Zero Degree Tilt: Price is per individual unit: Cable length 10 m (33.0 ft)	229.00	277.09
000-13915-001		XSONIC P319 Plastic Low Profile 600 W Thru Hull 50/200Khz Depth/Temp: Black 9 pin connector: Cable length 10 m (33.0 ft)	159.00	192.39
000-00099-006		Extension cable for LSS-1, LSS-HD and TotalScan transducers.3m (10ft) *For optimum performance do not use more than 1 extension per installation.	81.25	98.31
000-13946-001		XSONIC AIRMAR B45. Black 9 pin connector 10m (33 ft) cable. The B45 is Airmar's smallest, bronze, thru-hull stem, offering quality design at an economical price. The classic housing is streamlined to deflect aerated water from the transducer's face, providing solid echo returns.	299.00	361.79
000-13922-001		XSONIC Airmar® B150M Thru-Hull Transducer 20-degree: Black 9 pin connector: Cable length 10 m (33.0 ft).	495.00	598.95
000-13921-001		XSONIC Airmar® B150M Thru-Hull Transducer 12-degree: black 9 pin connector: Cable length 10 m (33.0 ft).	495.00	598.95
000-13920-001		XSONIC Airmar® B150M Thru-Hull Transducer 0-degree: Black 9 pin connector: Cable length 10 m (33.0 ft)	495.00	598.95
000-13964-001		B258 Bronze 1 kW Thru Hull 50/200 Khz Depth/Temp w/HS Fairing Block - Beamwidth: 50 kHz—15° x 21°, 200 kHz—3° x 5°. - Four Elements. - Q at 50 kHz—9, Q at 200 kHz—15. 9 Pin black connector: Cable length 10.1 m (33.0 ft)	785.00	949.85
000-13914-001		XSONIC AIRMAR M260. The M260 is a plastic/urethane, in-hull Broadband transducer, ideal for smaller sportfishing and commercial vessels 8 m (25 ft) and up, fishing in depths of less than 900 m (3000 ft). Black 9 Pin connector	1098.90	1329.67
000-13262-001		XSONIC PIGTAIL XDCR WIRING BLOCK ADAPTER	184.37	223.09

Part Number		Description	RRP exclu.	RRP inclu.
000-13907-001		XSONIC Bronze HDI XDCR 20 TILT 50/200 455/800: Black 9 Pin connector: Cable length 10 m (33.0 ft)	531.38	642.97
000-13906-001		XSONIC Bronze HDI XDCR 12 TILT 50/200 455/800: Black 9 Pin connector: Cable length 10 m (33.0 ft)	531.38	642.97
000-12752-001		Transducer Extension Cables for StructureScan® 3D - 10ft (3m)	102.99	124.62
000-13905-001		Bronze HDI XDCR 0 TILT 50/200 455/800: Black 9 Pin pin connector: Cable length 10 m (33.0 ft)	531.38	642.97
000-0099-93		XT-12BL 12ft blue 7 pin transducer extension Cable: 3.65 m (12 ft)	46.23	55.93
000-13786-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (20° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	419.00	506.99
000-0099-94		XT-20BL - Extensión de cable de 6m para transductores con conector azul (50 kHz ó 200 kHz)	46.23	55.93
000-10046-001		Cable adaptador, 7 pines AZUL a cable pelado - para BSM-1	23.48	28.42
000-13785-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	419.00	506.99
000-13784-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	419.00	506.99
000-00022-001		Adapter cable, 7 pin BLUE Male to 6 pin: For connecting a older Northstar/Navman 6 pin transducer to 7 Pin connector on an MFD	55.52	67.18
000-13913-001		SS75H Stainless steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (20° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	850.00	1028.50
000-13912-001		SS75H Stainless Steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	850.00	1028.50
000-13911-001		SS75H Stainless Steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	850.00	1028.50
000-13910-001		XSONIC SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (20° tilt) : Black 9 Pin connector: Cable length 10 m (33.0 ft)	950.00	1149.50
000-13909-001		XSONIC SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	950.00	1149.50

Part Number		Description	RRP exclu.	RRP inclu.
000-13908-001		Xsonic SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	950.00	1149.50
000-13918-001		XSONIC SS164 Stainless Steel low profile thru-hull 1 kW 50/200 kHz with 22/20° 6/6° array beamwidths and 20° tilt Depth/Temp -12m: Black 9 pin connector: Cable length 10 m (33.0 ft)	1263.90	1529.32
000-13917-001		XSONIC SS164 Stainless Steel Low Profile Thru Hull 1kW 50/200 Khz Depth/Temp (12° tilt) - Black 9 Pin connector: Cable length 10 m (33.0 ft)	1263.90	1529.32
000-13916-001		XSONIC SS164 Stainless SteelLow Profile Thru Hull 1kW 50/200 Khz Depth/Temp (0° tilt) - Black 9 pin connector: Cable length 10 m (33.0 ft)	1263.90	1529.32
000-13782-001		XSONIC SS175H-W/20 Stainless Steel 20 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft)	1648.90	1995.17
000-13781-001		XSONIC SS175H-W/12 Stainless Steel 12 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft)	1648.90	1995.17
000-13780-001		XSONIC SS175H-W/0 Stainless Steel 0 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft)	1648.90	1995.17
000-13779-001		XSONIC SS175M 20 degree Medium CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1358.50	1643.79
000-13778-001		XSONIC SS175M 12 degree Medium CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1358.50	1643.79
000-13777-001		XSONIC SS175M 0 degree Medium CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1358.50	1643.79
000-13776-001		XSONIC SS175L 20 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1639.00	1983.19
000-13775-001		XSONIC SS175L 12 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1639.00	1983.19
000-13774-001		XSONIC SS175L 0 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1639.00	1983.19
000-13783-001		Xsonic SS260 Stainless Steel 1 kW Thru Hull 50/200Khz Depth/Temp w/HS Fairing Block . - Beamwidth 50 kHz—19°, 200 kHz—6°.- Seven elements. - Q at 50 kHz—8, Q at 200 kHz—8: Black 9 pin connector: Cable length 10 m (33.0 ft)	1299.00	1571.79
000-13940-001		XSONIC AIRMAR PM275LH-W: Dual Black 9 pin connectors: Cable length 10 m (33.0 ft)	2198.90	2660.67

Part Number		Description	RRP exclu.	RRP inclu.
000-13771-001		XSONIC B275LH-W AIRMAR Bronze Through hull :DualBlack 9 pin connectors: Cable length 10 m (33.0 ft)	1999.00	2418.79
000-13772-001		XSONIC CM275LH-W CHESTMOUNT: Dual Black 9 pin connectors: Cable length 10 m (33.0 ft)	2088.90	2527.57
000-13773-001		XSONIC R509LHW The new Broadband transducers represent the next generation of technology that will allow fishermen to unlock new secrets in fishfinding. These transducers are designed for use specifically with the NSSevo3 and S5100 high performance sounder module: Cable length 10 m (33.0 ft)	4999.00	6048.79
000-13941-001		CM599LH-W AIRMAR CHESTMOUNT: Dual Black 9 pin connector: Cable length 10 m (33.0 ft)	4550.00	5505.50
000-0099-95		TS-1BL - Sensor de temperatura con conector azul (no conectable a red)	81.25	98.31
000-0106-73		PD-WBL - 83/200 kHz Skimmer® interior o montaje sobre motor. Sólo profundidad. Conector azul.	85.11	102.98
000-0106-74		PDT-WBL - 83/200 kHz Skimmer® para montaje sobre motor con sensor interno de temperatura. Conector azul	92.45	111.87
000-0106-89		PDRT-WBL - 83/200 kHz Skimmer® interior o montaje sobre motor con sensor remoto de temperatura y conector azul	85.11	102.98
000-10722-001		TM265LH CHIRP TRANSDUCER 7-PIN BLUE	1868.90	2261.37
000-13522-001		TotalScan and StructureScan 3D Plastic Replacement Bracket	60.77	73.53
000-12603-001		StructureScan 3D & HD Metal Replacement Bracket	61.78	74.75
000-12602-001		Flat mount bracket for StructureScan 3D Skimmer(r) transducer and TotalScan Skimmer.	61.78	74.75
000-10377-001		TA-BSM2 Cable adaptador transductor - 7 PIN AZUL HEMBRA a cable pelado para BSM-2	21.53	26.05
000-11040-001		LSS-1 XDCR TO LSS-2 MODULE ADAPTOR	108.90	131.77
000-11029-001		StructureScan HD™ transductor pasacascos de plástico	637.24	771.06
000-10874-001		LSS-HD Skimmer Mount Transducer Bracket	61.78	74.75

Part Number		Description	RRP exclu.	RRP inclu.
000-13919-001		XSONIC P66 Plastic transom mount transducer 50/200kHz Black 9 Pin connector. : Cable length 10 m (33.0 ft)	164.95	199.59
000-13944-001		Airmar® TM 150 TRANSOM MOUNT XDCR: Black 9 pin connector: Cable length 10 m (33.0 ft).	328.90	397.97
000-13904-001		XSONIC TM260 Plastic transom-mount. 50/200Khz with diplexer. Depth/temp. 50Khz @ 19 deg; 200Khz @ 6 deg. - Black 9 pin connector: Cable length 10 m (33.0 ft)	1249.00	1511.29
000-13770-001		XSONIC TM275LH-W Urethane, Transom-mounted, 42-65 kHz/150-250 kHz Dual Channel CHIRP transducer (Wide Angle): Dual Black 9 pin connectors: Cable length 10 m (33.0 ft)	2143.90	2594.12
000-0106-72		HST-WSBL - 83/200kHz Skimmer® de montaje en popa con sensor interno de temperatura. Conector azul.	71.65	86.69
000-0106-77		HST-DFSBL - 50/200 kHz Skimmer® de montaje en popa con sensor interno de temperatura. Conector azul.	144.46	174.79
000-10977-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	266.20	322.11
000-10976-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	135.91	164.45
000-10802-001		Transductor de popa StructureScan™ HD	287.37	347.72
000-12396-001		STRUCTURESCAN 3D XDCR Cable length 6.0 m (20 ft)	410.97	497.27
000-14255-001		StructureScan 3D thru hull transducer with Medium and High CHIRP. Cable length 6.0 m (20 ft)	1440.97	1743.57
000-14254-001		StructureScan 3D thru hull transducer with Low and High CHIRP. Cable length 7.6 m (25 ft)	1440.97	1743.57
000-13559-001		StructureScan 3D Transducer Stainless Steel Thru-Hull Single. Cable length 7.6 m (25 ft)	1440.97	1743.57
000-13560-001		StructureScan 3D Stainless Steel Dual Thru-Hull Transducer. Cable length 7.6 m (25 ft)	2470.97	2989.87
000-11459-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer. (Single). Cable length 7.6 m (25 ft)	905.27	1095.37
000-11460-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer with Y-cable. (pair). Cable length 7.6 m (25 ft)	1471.77	1780.84
000-0127-51		Cable Ethernet Amarillo 5 Pin 2 m (6.5 ft)	35.82	43.35


Part Number		Description	RRP exclu.	RRP inclu.
000-0127-29		Cable Ethernet Amarillo 5 Pin 4.5 m (15 ft)	53.20	64.37
000-0127-30		Cable Ethernet Amarillo 5 Pin 7.7 m (25 ft)	74.47	90.11
000-0127-37		Cable Ethernet Amarillo 5 Pin 15.2 m (50 ft)	106.39	128.73
000-13284-001		ForwardScan Long Stem transducer with Sleeve & Plug. With 10m (33ft) Cable	1028.97	1245.05
Spare Parts				
Part Number		Description	RRP exclu.	RRP inclu.
000-13313-001		Connects 7 pin blue plug transducers to the 9 pin XSONIC black sockets on displays.	30.89	37.38
000-00128-001		Simrad NSE, BSM-1, cable de alimentación (conector de 4 Pines a 4 hilos para alimentación, control de encendido y alarma externa) 2 m	37.39	45.24
000-10874-001		LSS-HD Skimmer Mount Transducer Bracket	61.78	74.75
000-10411-001		BSM-2 Power cable 2 m (6.5 ft)	36.30	43.92
000-10414-001		BSM-2 Terminal block	31.90	38.60
000-10802-001		Transductor de popa StructureScan™ HD	287.37	347.72
000-0119-86		N2KEXT-15RD - Cable NMEA 2000® de 4.5m para conexión a equipos adicionales o como extensión de cable de red	53.16	64.32
000-12396-001		STRUCTURESCAN 3D XDCR Cable length 6.0 m (20 ft)	410.97	497.27
000-0127-29		Cable Ethernet Amarillo 5 Pin 4.5 m (15 ft)	53.20	64.37

Hull Mnt XDCR

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13942-001		Xsonic P79 Plastic 600 W In-Hull 50/200 Khz Depth Only : Black 9 pin connector: Cable length 10 m (33.0 ft).	137.50	166.38
000-13945-001		XSONIC AIRMAR B117 Boat Builder 8 pack: Zero Degree Tilt: Price is per individual unit: Cable length 10 m (33.0 ft)	229.00	277.09
000-13915-001		XSONIC P319 Plastic Low Profile 600 W Thru Hull 50/200Khz Depth/Temp: Black 9 pin connector: Cable length 10 m (33.0 ft)	159.00	192.39
000-13946-001		XSONIC AIRMAR B45. Black 9 pin connector 10m (33 ft) cable. The B45 is Airmar's smallest, bronze, thru-hull stem, offering quality design at an economical price. The classic housing is streamlined to deflect aerated water from the transducer's face, providing solid echo returns.	299.00	361.79
000-13922-001		XSONIC Airmar® B150M Thru-Hull Transducer 20-degree: Black 9 pin connector: Cable length 10 m (33.0 ft).	495.00	598.95
000-13921-001		XSONIC Airmar® B150M Thru-Hull Transducer 12-degree: black 9 pin connector: Cable length 10 m (33.0 ft).	495.00	598.95
000-13920-001		XSONIC Airmar® B150M Thru-Hull Transducer 0-degree: Black 9 pin connector: Cable length 10 m (33.0 ft)	495.00	598.95
000-14804-001		XSONIC B744V Bronze 600 W Smart Thru Hull 50/200 Khz Depth/Temp w/HS Fairing Block : Black 9 pin connector: Cable length 10 m (33.0 ft)	625.00	756.25
000-13964-001		B258 Bronze 1 kW Thru Hull 50/200 Khz Depth/Temp w/HS Fairing Block - Beamwidth: 50 kHz—15° x 21°, 200 kHz—3° x 5°. - Four Elements. - Q at 50 kHz—9, Q at 200 kHz—15. 9 Pin black connector: Cable length 10.1 m (33.0 ft)	785.00	949.85
000-14562-001		XSONIC AIRMAR B285H-W: 9 Pin black connector: Cable length 10.1 m (33.0 ft):	2299.00	2781.79
000-14561-001		XSONIC AIRMAR B285M: Black 9 Pin connector: Cable length 10 m (33.0 ft)	1799.00	2176.79
000-13914-001		XSONIC AIRMAR M260. The M260 is a plastic/urethane, in-hull Broadband transducer, ideal for smaller sportfishing and commercial vessels 8 m (25 ft) and up, fishing in depths of less than 900 m (3000 ft). Black 9 Pin connector	1098.90	1329.67
000-13907-001		XSONIC Bronze HDI XDCR 20 TILT 50/200 455/800: Black 9 Pin connector: Cable length 10 m (33.0 ft)	531.38	642.97
000-13906-001		XSONIC Bronze HDI XDCR 12 TILT 50/200 455/800: Black 9 Pin connector: Cable length 10 m (33.0 ft)	531.38	642.97
000-13905-001		Bronze HDI XDCR 0 TILT 50/200 455/800: Black 9 Pin pin connector: Cable length 10 m (33.0 ft)	531.38	642.97
000-13786-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (20° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	419.00	506.99

Part Number		Description	RRP exclu.	RRP inclu.
000-15861-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (20° tilt) : Black 9 pin connector: Cable length 1.8 m (6 ft). Boat builder only	419.00	506.99
000-13785-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	419.00	506.99
000-13784-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	419.00	506.99
000-15862-001		XSONIC SS60 Stainless Steel 600 W Thru-Hull 50/200 Khz Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 1.8 m (6 ft). Boat builder only.	419.00	506.99
000-13913-001		SS75H Stainless steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (20° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	850.00	1028.50
000-13912-001		SS75H Stainless Steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	850.00	1028.50
000-13911-001		SS75H Stainless Steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	850.00	1028.50
000-13910-001		XSONIC SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (20° tilt) : Black 9 Pin connector: Cable length 10 m (33.0 ft)	950.00	1149.50
000-13909-001		XSONIC SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	950.00	1149.50
000-13908-001		Xsonic SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft)	950.00	1149.50
000-13918-001		XSONIC SS164 Stainless Steel low profile thru-hull 1 kW 50/200 kHz with 22/20° 6/6° array beamwidths and 20° tilt Depth/Temp -12m: Black 9 pin connector: Cable length 10 m (33.0 ft)	1263.90	1529.32
000-13917-001		XSONIC SS164 Stainless Steel Low Profile Thru Hull 1kW 50/200 Khz Depth/Temp (12° tilt) - Black 9 Pin connector: Cable length 10 m (33.0 ft)	1263.90	1529.32
000-13916-001		XSONIC SS164 Stainless SteelLow Profile Thru Hull 1kW 50/200 Khz Depth/Temp (0° tilt) - Black 9 pin connector: Cable length 10 m (33.0 ft)	1263.90	1529.32
000-13782-001		XSONIC SS175H-W/20 Stainless Steel 20 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft)	1648.90	1995.17
000-15863-001		XSONIC SS175H-W/20 Stainless Steel 20 Degree: Black 9 pin connector: Cable length 1.8 m (6 ft). Boat builder only	1648.90	1995.17

Part Number		Description	RRP exclu.	RRP inclu.
000-13781-001		XSONIC SS175H-W/12 Stainless Steel 12 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft)	1648.90	1995.17
000-15864-001		XSONIC SS175H-W/12 Stainless Steel 12 Degree: Black 9 pin connector: Cable length 1.8 m (6 ft). Boat builder only	1648.90	1995.17
000-13780-001		XSONIC SS175H-W/0 Stainless Steel 0 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft)	1648.90	1995.17
000-15865-001		XSONIC SS175H-W/0 Stainless Steel 0 Degree: Black 9 pin connector: Cable length 1.8 m (6 ft). Boat builder only.	1648.90	1995.17
000-13779-001		XSONIC SS175M 20 degree Medium CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1358.50	1643.79
000-15866-001		XSONIC SS175M 20 degree Medium CHIRP through-hull transducer. Black 9 pin connector: Cable length 1.8 m (6 ft). Boat builder only	1358.50	1643.79
000-13778-001		XSONIC SS175M 12 degree Medium CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1358.50	1643.79
000-13777-001		XSONIC SS175M 0 degree Medium CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1358.50	1643.79
000-15867-001		XSONIC SS175M 0 degree Medium CHIRP through hull transducer. Black 9 pin connector: Cable length 1.8 m (6 ft). Boat builder only.	1358.50	1643.79
000-13776-001		XSONIC SS175L 20 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1639.00	1983.19
000-13775-001		XSONIC SS175L 12 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1639.00	1983.19
000-13774-001		XSONIC SS175L 0 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft)	1639.00	1983.19
000-13783-001		Xsonic SS260 Stainless Steel 1 kW Thru Hull 50/200Khz Depth/Temp w/HS Fairing Block . - Beamwidth 50 kHz—19°, 200 kHz—6°.- Seven elements. - Q at 50 kHz—8, Q at 200 kHz—8: Black 9 pin connector: Cable length 10 m (33.0 ft)	1299.00	1571.79
000-13940-001		XSONIC AIRMAR PM275LH-W: Dual Black 9 pin connectors: Cable length 10 m (33.0 ft)	2198.90	2660.67
000-13771-001		XSONIC B275LH-W AIRMAR Bronze Through hull :DualBlack 9 pin connectors: Cable length 10 m (33.0 ft)	1999.00	2418.79
000-13772-001		XSONIC CM275LH-W CHESTMOUNT: Dual Black 9 pin connectors: Cable length 10 m (33.0 ft)	2088.90	2527.57

Part Number		Description	RRP exclu.	RRP inclu.
000-13773-001		XSONIC R509LHW The new Broadband transducers represent the next generation of technology that will allow fishermen to unlock new secrets in fishfinding. These transducers are designed for use specifically with the NSSevo3 and S5100 high performance sounder module: Cable length 10 m (33.0 ft)	4999.00	6048.79
000-13941-001		CM599LH-W AIRMAR CHESTMOUNT: Dual Black 9 pin connector: Cable length 10 m (33.0 ft)	4550.00	5505.50
000-13999-001		XSONIC AIRMAR PM411L-WM: Black 9 Pin connector: Cable length 10 m (33.0 ft)	5499.00	6653.79
000-0099-95		TS-1BL - Sensor de temperatura con conector azul (no conectable a red)	81.25	98.31
000-0106-73		PD-WBL - 83/200 kHz Skimmer® interior o montaje sobre motor. Sólo profundidad. Conector azul.	85.11	102.98
000-0106-74		PDT-WBL - 83/200 kHz Skimmer® para montaje sobre motor con sensor interno de temperatura. Conector azul	92.45	111.87
000-0106-89		PDRT-WBL - 83/200 kHz Skimmer® interior o montaje sobre motor con sensor remoto de temperatura y conector azul	85.11	102.98

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	30.89	37.38
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	30.89	37.38
000-13890-001		9 PIN 10 m (30 ft) 24PK EXT CBL. Boat builder OEM 24 Pack. Price is for individual item.	41.20	49.85
000-13313-001		Connects 7 pin blue plug transducers to the 9 pin XSONIC black sockets on displays.	30.89	37.38
000-13262-001		XSONIC PIGTAIL XDCR WIRING BLOCK ADAPTER	184.37	223.09
000-0099-93		XT-12BL 12ft blue 7 pin transducer extension Cable: 3.65 m (12 ft)	46.23	55.93
000-0099-94		XT-20BL - Extensión de cable de 6m para transductores con conector azul (50 kHz ó 200 kHz)	46.23	55.93

Active Imaging

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-14489-001		Active Imaging 3-IN-1 Transducer: Active Imaging 3-IN-1 combines the new Active Imaging scanning sonar with a traditional Medium/High CHIRP sonar element for easy single transducer installation. 7.6 m (25 ft) cable with 9 pin connector.	338.77	409.91
000-14490-001		Active Imaging transducer: Provides Active Imaging technology for SideScan and DownScan: 7.6 m (25 ft) cable with 9 pin connector	287.37	347.72
000-14814-001		Active Imaging 3-IN-1 Transducer: Active Imaging 3-IN-1 combines the new Active Imaging scanning sonar with a traditional Medium/High CHIRP sonar element for easy single transducer installation. 1.8 m (6 ft) cable with 9 pin connector.	338.77	409.91

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-00099-006		Extension cable for LSS-1, LSS-HD and TotalScan transducers.3m (10ft) *For optimum performance do not use more than 1 extension per installation.	81.25	98.31
000-12602-001		Flat mount bracket for StructureScan 3D Skimmer(r) transducer and TotalScan Skimmer.	61.78	74.75

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-12603-001		StructureScan 3D & HD Metal Replacement Bracket	61.78	74.75

LiveSight™

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-14458-001		LIVESIGHT TRANSDUCER WITH MOUNTS	1149.00	1390.29
000-14899-001		PSI-1 Performance Sonar Interface, a sonar module that enables LiveSight™ Sonar support on HDS Carbon displays.	383.80	464.40
000-14960-001		LiveSight transducer + Ice hole mounting kit	1499.00	1813.79
000-14963-001		LIVESIGHT REPLACEMENT ICE MOUNT	299.00	361.79
000-14961-001		LIVESIGHT THRU HULL REPLACEMENT FAIRING	179.00	216.59
000-14897-001		LIVESIGHT DOWN THRU HULL TRANSDUCER	1799.00	2176.79

Spare Parts

Part Number	Description	RRP exclu.	RRP inclu.
000-14959-001	LIVESIGHT REPLACEMENT MOUNTS	79.99	96.79
000-14961-001	LIVESIGHT THRU HULL REPLACEMENT FAIRING	179.00	216.59

StructureScan™

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-10802-001		Transductor de popa StructureScan™ HD	287.37	347.72
000-12396-001		STRUCTURESCAN 3D XDCR Cable length 6.0 m (20 ft)	410.97	497.27
000-14255-001		StructureScan 3D thru hull transducer with Medium and High CHIRP. Cable length 6.0 m (20 ft)	1440.97	1743.57
000-14254-001		StructureScan 3D thru hull transducer with Low and High CHIRP. Cable length 7.6 m (25 ft)	1440.97	1743.57
000-13559-001		StructureScan 3D Transducer Stainless Steel Thru-Hull Single. Cable length 7.6 m (25 ft)	1440.97	1743.57
000-13560-001		StructureScan 3D Stainless Steel Dual Thru-Hull Transducer. Cable length 7.6 m (25 ft)	2470.97	2989.87
000-11459-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer. (Single). Cable length 7.6 m (25 ft)	905.27	1095.37
000-11460-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer with Y-cable. (pair). Cable length 7.6 m (25 ft)	1471.77	1780.84

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-00099-006		Extension cable for LSS-1, LSS-HD and TotalScan transducers.3m (10ft) *For optimum performance do not use more than 1 extension per installation.	81.25	98.31
000-12752-001		Transducer Extension Cables for StructureScan® 3D - 10ft (3m)	102.99	124.62
000-12397-001		StructureScan 3D module. NO TRANSDUCER. Transom mount and through hull transducers available.	616.97	746.53
000-13581-001		STRUCTURESCAN 3D THRUHULL FAIRING BLOCK	101.97	123.38
000-10874-001		LSS-HD Skimmer Mount Transducer Bracket	61.78	74.75

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-14256-001		Replacement fairing block for combined StructureScan 3D and CHIRP thru-hull transducers	101.97	123.38
000-11224-001		FAIRING LSS HD BRONZE TRANSDUCER SPARE	97.64	118.15

TotalScan™


Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-12568-001		TotalScan™ Skimmer Mid/High/StructureScan	338.77	409.91
000-13887-001		TotalScan™ Skimmer Mid/High/StructureScan HD with 2m (6ft) transducer cable	338.77	409.91
000-13884-001		TotalScan™ Skimmer Mid/High/StructureScan HD with 2m (6ft) transducer cable. Boat Builder 24 pack. Price is per transducer.	153.47	185.70
000-14259-001		TotalScan thru hull transducer with Low and High CHIRP	719.97	871.16
000-14257-001		TotalScan thru hull transducer with Medium and High CHIRP	719.97	871.16
000-14260-001		TOTALSCAN THRU HULL SINGLE FAIRING Block	101.97	123.38

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-00099-006		Extension cable for LSS-1, LSS-HD and TotalScan transducers.3m (10ft) *For optimum performance do not use more than 1 extension per installation.	81.25	98.31
000-13522-001		TotalScan and StructureScan 3D Plastic Replacement Bracket	60.77	73.53
000-12603-001		StructureScan 3D & HD Metal Replacement Bracket	61.78	74.75
000-12602-001		Flat mount bracket for StructureScan 3D Skimmer(r) transducer and TotalScan Skimmer.	61.78	74.75

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-12603-001		StructureScan 3D & HD Metal Replacement Bracket	61.78	74.75
000-14260-001		TOTALSCAN THRU HULL SINGLE FAIRING Block	101.97	123.38

ForwardScan™

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13578-001		ForwardScan Long Stem housing only.	194.67	235.55
000-11674-001		ForwardScan™ transducer kit with Sleeve and plug with 10m (33ft) Cable	719.97	871.16
000-11675-001		ForwardScan™ transducer - No sleeve or plug. With 10m (33ft) Cable	513.97	621.90
000-13284-001		ForwardScan Long Stem transducer with Sleeve & Plug. With 10m (33ft) Cable	1028.97	1245.05

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-00099-006		Extension cable for LSS-1, LSS-HD and TotalScan transducers.3m (10ft) *For optimum performance do not use more than 1 extension per installation.	81.25	98.31

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-13579-001		FORWARDSCAN LS FAIRING ONLY	50.47	61.07
000-11669-001		FORWARDSCAN SLEEVE AND PLUG-NO XDCR	204.97	248.01
000-12231-001		FORWARDSCAN FAIRING BLOCK	41.15	49.79
000-12230-001		FORWARDSCAN PLUG ONLY	30.85	37.33
000-12232-001		FORWARDSCAN O-RING (Color of supplied O-Ring may vary from shown)	6.13	7.42
000-13578-001		ForwardScan Long Stem housing only.	194.67	235.55
000-11675-001		ForwardScan™ transducer - No sleeve or plug. With 10m (33ft) Cable	513.97	621.90

Transom XDCRs

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-10722-001		TM265LH CHIRP TRANSDUCER 7-PIN BLUE	1868.90	2261.37
000-15482-001		AIRMAR TM165HW XDCR: TM165HW Wide-beam Chirp-ready Transom Mount	649.99	786.49
000-12901-001		HDI SKIMMER LOW/HIGH 455/800 with 9pin xSonic connector. Boat Builder 6 Pack.	266.20	322.11
000-13919-001		XSONIC P66 Plastic transom mount transducer 50/200kHz Black 9 Pin connector. : Cable length 10 m (33.0 ft)	164.95	199.59
000-13998-001		XSONIC AIRMAR TM185 M : 9 Pin Connector. Cable length 10 m (33.0 ft)	1199.00	1450.79
000-13997-001		XSONIC AIRMAR TM185 HW TM185HW Wide Beam - CHIRPS across the following bandwidths: —High-Frequency: 150-250 kHz, 25° Constant Beamwidth - Depth & fast-response water-temperature sensor • Urethane housing and stainless steel mounting bracket - Boat Size: 8 m to 12 m (25' to 40') - Boat Type: Outboards and I/O - Hull Type: Fiberglass, Wood, Metal -Can retrofit to existing TM258, TM260, TM265, and TM275 bracket. : Cable length 10 m (33.0 ft)	1199.00	1450.79
000-13944-001		Airmar® TM 150 TRANSOM MOUNT XDCR: Black 9 pin connector: Cable length 10 m (33.0 ft).	328.90	397.97
000-13904-001		XSONIC TM260 Plastic transom-mount. 50/200Khz with diplexer. Depth/temp. 50Khz @ 19 deg; 200Khz @ 6 deg. - Black 9 pin connector: Cable length 10 m (33.0 ft)	1249.00	1511.29
000-13770-001		XSONIC TM275LH-W Urethane, Transom-mounted, 42-65 kHz/150-250 kHz Dual Channel CHIRP transducer (Wide Angle): Dual Black 9 pin connectors: Cable length 10 m (33.0 ft)	2143.90	2594.12
000-12728-001		HDI Skimmer MED/HIGH 455/800 transducer. 9 pin Black xSonic Connector. Cable Length 6 m (20 ft)	135.91	164.45
000-13888-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 1.8 m (6ft)	135.91	164.45
000-12569-001		HDI SKIMMER LOW/HIGH 455/800 with 9pin xSonic connector. Cable Length 6 m (20 ft)	266.20	322.11
000-13885-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 1.8 m (6ft). Boat builder 24 pack. Price is per transducer.	33.99	41.13
000-11743-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	266.20	322.11
000-0106-72		HST-WSBL - 83/200kHz Skimmer® de montaje en popa con sensor interno de temperatura. Conector azul.	71.65	86.69

Part Number		Description	RRP exclu.	RRP inclu.
000-0106-77		HST-DFSBL - 50/200 kHz Skimmer® de montaje en popa con sensor interno de temperatura. Conector azul.	144.46	174.79
000-0099-97		ST-TBL - Sensor con rueda de corredera/temperatura. Montaje en popa. Conector azul (no conectable a red)	97.92	118.48
000-10977-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	266.20	322.11
000-10976-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	135.91	164.45
000-12902-001		HDI Skimmer MED/HIGH 455/800 transducer. 9 pin Black xSonic Connector. Price is per transducer.	135.91	164.45

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	30.89	37.38
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	30.89	37.38
000-13890-001		9 PIN 10 m (30 ft) 24PK EXT CBL. Boat builder OEM 24 Pack. Price is for individual item.	41.20	49.85
000-13262-001		XSONIC PIGTAIL XDCR WIRING BLOCK ADAPTER	184.37	223.09
000-0099-93		XT-12BL 12ft blue 7 pin transducer extension Cable: 3.65 m (12 ft)	46.23	55.93
000-0099-94		XT-20BL - Extensión de cable de 6m para transductores con conector azul (50 kHz ó 200 kHz)	46.23	55.93
000-0099-95		TS-1BL - Sensor de temperatura con conector azul (no conectable a red)	81.25	98.31
000-10392-001		Kit montaje transductor 50/200kHz Skimmer™	23.22	28.09
000-0099-06		HS-WS-SS Mtg Kit - Kit para el montaje en popa de transductores skimmer de 83/200 kHz	23.22	28.09
000-0099-97		ST-TBL - Sensor con rueda de corredera/temperatura. Montaje en popa. Conector azul (no conectable a red)	97.92	118.48

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-10392-001		Kit montaje transductor 50/200kHz Skimmer™	23.22	28.09

Part Number	Description	RRP exclu. RRP inclu.	
000-10262-001	 Soporte de montaje de transductor DSI para montaje en popa.	34.81	42.12

Cables

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	30.89	37.38
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	30.89	37.38
000-00099-006		Extension cable for LSS-1, LSS-HD and TotalScan transducers.3m (10ft) *For optimum performance do not use more than 1 extension per installation.	81.25	98.31
000-13890-001		9 PIN 10 m (30 ft) 24PK EXT CBL. Boat builder OEM 24 Pack. Price is for individual item.	41.20	49.85
000-13313-001		Connects 7 pin blue plug transducers to the 9 pin XSONIC black sockets on displays.	30.89	37.38
000-15813-001		AI2-IN-1 XD 9 PIN Y-CBL + 83/200 POD KIT	338.77	409.91
000-15812-001		AI2-IN-1 XD 9 PIN Y-CBL + 83/200 SKM KIT	338.77	409.91
000-14414-001		8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	51.49	62.30
000-14068-001		7 PIN Transducer adapter to HOOK2/HOOK Reveal, Cruise	30.89	37.38
000-14069-001		xSONIC Transducer to HOOK2/Cruise Adapter	30.89	37.38
000-13262-001		XSONIC PIGTAIL XDCR WIRING BLOCK ADAPTER	184.37	223.09
000-12752-001		Transducer Extension Cables for StructureScan® 3D - 10ft (3m)	102.99	124.62
000-13891-001		7 Pin 10 m (30 ft) 24PK EXT CBL: Price is for one cable	41.20	49.85
000-0099-93		XT-12BL 12ft blue 7 pin transducer extension Cable: 3.65 m (12 ft)	46.23	55.93
000-0099-94		XT-20BL - Extensión de cable de 6m para transductores con conector azul (50 kHz ó 200 kHz)	46.23	55.93
000-10046-001		Cable adaptador, 7 pines AZUL a cable pelado - para BSM-1	23.48	28.42
000-00022-001		Adapter cable, 7 pin BLUE Male to 6 pin: For connecting a older Northstar/Navman 6 pin transducer to 7 Pin connector on an MFD	55.52	67.18

System Packs

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13291-001		AP44 VRF medium capacity pack. Comprising of AP44 controller, Precision 9 compass, Pump-2 and NAC-2 autopilot computer.	2058.97	2491.35
000-13562-001		AP44 VRF high capacity pack. Comprising of AP44 controller, Precision-9 compass, RPU-160 pump and NAC-3 autopilot computer	2884.00	3489.64
000-13335-001		NAC-2 Autopilot Core Pack: Comprising of the low-current NAC-2 autopilot computer, Precision-9 compass and RF-25 rudder feedback unit.	1543.97	1868.20
000-13336-001		NAC-3 Autopilot Core Pack: Comprising of the high-current NAC-3 autopilot computer, Precision-9 compass and RF-25 rudder feedback unit.	2266.00	2741.86
000-13337-001		NAC-2 VRF Core Pack: Comprising of the low-current NAC-2 autopilot computer and Precision-9 compass.	1286.47	1556.63
000-13338-001		NAC-3 VRF Core Pack: Comprising of the high-current NAC-3 autopilot computer and Precision-9 compass.	2008.50	2430.29
000-11748-001		Outboard Pilot Hydraulic Pack: Includes Point-1 AP Heading and GPS Sensor, NAC-1 Autopilot Computer, PUMP-1 – 0.8L reversible hydraulic pump, hydraulic fitting kit, Standby-Auto button and Micro-C network components.	1234.97	1494.31
000-11750-001		DrivePilot Hydraulic Pack: Includes Precision-9 Heading Sensor, NAC-1 Autopilot Computer, PUMP-1 Hydraulic Pump – 0.8L reversible hydraulic pump, Standby-Auto button and Micro-C network components.	1749.97	2117.46
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1543.97	1868.20

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-15444-001		PUMP-2: 12V DC: Reversible hydraulic gear pump. Flow rate: 800 cc (49 cu.in) / min. For cylinder displacement of 80 cc - 250 cc (4.9 - 15.2 cu.in) (NAC-2 / AC12 required).	675.00	816.75
000-15445-001		PUMP-3: 12V DC: Reversible hydraulic gear pump. 1600 cc (98 cu.in) / min. For cylinder displacement of 160-550 cc (9.8 - 33.5 cu.in) (NAC-3 / AC42 required).	820.00	992.20
000-15446-001		PUMP-4: 12V DC: Reversible hydraulic gear pump. 3.0 litres (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.) (NAC-3 / AC42 required)	1200.00	1452.00
000-15447-001		PUMP-5: 24V DC: Reversible hydraulic gear pump. 3.0 litres (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.) (NAC-3 / AC42 required)	1200.00	1452.00
000-13766-001		RPU160 All Region: Reversible Pump. For Cylinder Displacement of 160-550 cc (9.8 - 33.5 cu. in.) (NAC-3 required). 12V DC	779.71	943.45
000-13767-001		RPU300 All Region, 12 V: Drive Unit Complete. For Cylinder Displacement of 290 - 960 cc (17.7 - 58.5 cu. in.) (NAC-3 / AC42 required)	1074.29	1299.89

Part Number		Description	RRP exclu.	RRP inclu.
000-13697-001		SD10 Mechanical Drive unit for NAC-2 Autopilot computers. The Drive will suit sailboats 25'-37" with 6' steering cable with electromagnetic clutch with override function, built in Rudder feedback and 12 V power supply	1337.97	1618.94
21119896		DD15 Unidad compacta mecánica para veleros 30'-40' con embrague electromagnético, respuesta de timón RF300 y alimentación 12 V (necesita AC42) Pedir barra de unión según necesidad.	2145.00	2595.45
RAM-T2-12V		Hydraulic Ram T2 12V: High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	1934.00	2340.14
RAM-T2-24V		Unidad de potencia. Tipo 2, funcionamiento a 24Volts.	1934.00	2340.14
000-15585-001		HS75 : New GPS Compass for light commercial market, patrol, fishing, workboat and other Non-SOLAS applications. Supports GPS, GLONASS, Galileo, BeiDou, QZSS	1980.00	2395.80
RAM-T3-24V		Unidad de potencia. Tipo 3, funcionamiento a 24Volts.	2598.00	3143.58
RAM-T4-24V		Unidad de potencia doble, de giro continuo. Tipo 4, funcionamiento a 24Volts.	8668.00	10488.28
RAM-T1-12V		Unidad de potencia hidráulica "Tipo 1", 12 voltios.	1590.00	1923.90
22014286		RF25 - Unidad de respuesta timón con 5,5 m de cable SimNet	290.40	351.38
21116272		Verado Fittings Kit	203.50	246.24
VERHOSEKIT-6FT		Verado Hose Kit - 6 ft	202.81	245.40
22096820		AP24/AP28/IS20 Optional Mounting Bracket	108.90	131.77
000-14439-001		The RF40 is a medium-duty rudder feedback unit for use with NAC-1 and NAC-2 autopilot. 15 m (50 ft cable)	299.11	361.93
000-11497-001		90 DEGREE BEZEL FOR HELM DRIVE	20.39	24.68
000-11772-001		VERADO FITTING KIT PUMPS-1,2,3,4,5	361.43	437.33
000-13894-001		The AP48 Autopilot Controller is a premium dedicated control head for Continuum autopilot systems, enhanced with modern glass helm styling.	978.50	1183.99
000-13289-001		AP44 Autopilot controller: Rotary dial course adjuster, optically bonded 4.1-inch color display	565.47	684.22
000-13287-001		OP12 Autopilot Controller.	329.60	398.82

Part Number	Description	RRP exclu.	RRP inclu.
000-12316-001	 WR10 Wireless Autopilot remote and Base station.	452.07	547.00
000-12607-001	 The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	622.02	752.64
000-10185-001	 NF80 Non Follow Up unidad remota con pantalla, cable de conexión de 6m, conector T, frontal, manual de usuario e instalación, junta para montaje empotrado, tornillos de montaje. Botones de Modo y posibilidad de tomar el control. Cambia el rumbo en modo Auto.	700.00	847.00
000-10183-001	 FU80 Follow UP unidad remota con pantalla, cable de conexión de 6m, conector T, frontal, manual de usuario e instalación, junta para montaje empotrado, tornillos de montaje. Botones de Modo y posibilidad de tomar el control. Cambia el rumbo en modo Auto.	700.00	847.00
000-10184-001	 QS80 Quickstick unidad remota con pantalla, cable de conexión de 6m, conector T, frontal, manual de usuario e instalación, junta para montaje empotrado, tornillos de montaje. Botones de Modo y posibilidad de tomar el control. Cambia el rumbo en modo Auto.	700.00	847.00
000-12308-001	 HS60 GPS COMPASS	869.00	1051.49
23241227	 S35 Palanca de gobierno NFU, con dos juegos de micro-interruptores y pulsadores iluminados. Con el pulsador "mode" iluminado se podrá utilizar la servo dirección, o cambiar el rumbo. Montaje exterior, protección IP56 (estanco).	495.00	598.95
000-10756-001	 RF25N - Unidad de respuesta timón con 5 m de cable NMEA2000	299.11	361.93
20193744	 RF300 Unidad de respuesta de timón con 10m de cable	268.40	324.76
22011415	 RF45X Unidad de respuesta de timón reforzada, con salida para indicador del ángulo de timón, varilla de transmisión y caja de conexiones con 2m. de cable.	581.00	703.01
20188074	 LF3000: unidad de respuesta lineal: para usar con sistemas fueraborda si se requiere ángulo de timón, Requiere LFI3000Mk2 que se pedirá por separado.	372.90	451.21
20188082	 LFI3000Mk2: se requiere para aplicación fueraborda junto con LF3000	141.90	171.70
20187423	 LF3000 Kit Seastar. Para series 5345 Cyl. Adaptador especialmente diseñado para cilindros de dirección Teleflex HC5345. Evita daños en el LF3000.	97.90	118.46

Spare Parts

Part Number	Description	RRP exclu.	RRP inclu.
000-11770-001	 PUMP-1 Hydraulic Pump – 0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci	618.00	747.78
000-15444-001	 PUMP-2: 12V DC: Reversible hydraulic gear pump. Flow rate: 800 cc (49 cu.in) / min. For cylinder displacement of 80 cc - 250 cc (4.9 - 15.2 cu.in) (NAC-2 / AC12 required).	675.00	816.75

Part Number		Description	RRP exclu.	RRP inclu.
000-15445-001		PUMP-3: 12V DC: Reversible hydraulic gear pump. 1600 cc (98 cu.in) / min. For cylinder displacement of 160-550 cc (9.8 - 33.5 cu.in) (NAC-3 / AC42 required).	820.00	992.20
000-13766-001		RPU160 All Region: Reversible Pump. For Cylinder Displacement of 160-550 cc (9.8 - 33.5 cu. in). (NAC-3 required). 12V DC	779.71	943.45
000-13249-001		The low-current NAC-2 autopilot computer is ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 metres (33 feet) in length. Also provides solenoid output.	874.47	1058.11
000-13250-001		The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	1543.97	1868.20
000-13703-001		AUTO-STBY BUTTON METAL	45.32	54.84
22096986		AC12 y AC42 Cubierta de conexiones	20.90	25.29
SIMKIT-1		Kit-1 Inicio SimnetIncluye:• 24005845 Cable SimNet 5 m • 24006298 Multiconector SimNet de 7 tomas• 24005894 Conector SimNet con terminador de red• 24005902 Cable de alimentación SimNet de 2 m con terminador de red	125.40	151.73
000-12612-001		New low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.This replaces 000-10996-001	50.99	61.69
000-10760-001		Kit de cables NMEA2000	84.98	102.82
000-0119-86		N2KEXT-15RD - Cable NMEA 2000® de 4.5m para conexión a equipos adicionales o como extensión de cable de red	53.16	64.32
000-0119-75		N2K-PWR-RD - NMEA 2000® cable de alimentación. Incluye cable y conector en T	60.51	73.22
000-0127-52		TR-120-KIT - Set de terminadores, 1 macho y 1 hembra NMEA 2000®	21.22	25.67
000-13289-001		AP44 Autopilot controller: Rotary dial course adjuster, optically bonded 4.1-inch color display	565.47	684.22
000-12607-001		The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	622.02	752.64
000-10756-001		RF25N - Unidad de respuesta timón con 5 m de cable NMEA2000	299.11	361.93
20193744		RF300 Unidad de respuesta de timón con 10m de cable	268.40	324.76

Computers

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-15621-001		NAC-D AUTOPILOT COMPUTER	1000.00	1210.00
000-15804-001		Steer-by-wire Volvo EVC Kit for IPS (includes NAC-D, Precision 9, Volvo Gateway)	3800.00	4598.00
000-15805-001		Steer-by-wire Autopilot Pack for Yamaha Helm Master (includes NAC-D, Yamaha gateway and Precision 9 heading sensor).	3100.00	3751.00
000-15597-001		Volvo Gateway	2500.00	3025.00
000-15598-001		AUTOPILOT GATEWAY FOR YAMAHA	1400.00	1694.00
000-13249-001		The low-current NAC-2 autopilot computer is ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 metres (33 feet) in length. Also provides solenoid output.	874.47	1058.11
000-13563-001		NAC-2 AUTOPILOT COMPUTER BB 6 PACK	874.47	1058.11
000-14902-001		NAC-2 Boat Builder six pack (NO CABLES) Price is per Unit	853.87	1033.18
000-13250-001		The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	1543.97	1868.20
000-13564-001		NAC-3 AUTOPILOT COMPUTER BB 6 PACK	1543.97	1868.20
000-13789-001		NAC-3 COMPUTER, DOCK&GO KIT W/CABLE, Boat Builder 6PK	1749.97	2117.46
000-10402-001		Volvo EVC Kit for IPS (includes SG05, RC42, Volvo Gateway)	3600.00	4356.00
24006793		SG05 AUTOPILOT COMPUTER VOLVO/YAMAHA	950.00	1149.50
000-10906-001		SG-05 CAN-bus Autopilot for Optimus and Optimus 360 Steering Systems by Seastar	978.50	1183.99
000-11286-001		SG05 Autopilot Pack for Yamaha Helm Master (includes SG05, Yamaha gateway and Precision 9 heading sensor).	3000.00	3630.00
000-11114-001		SG05, SIMNET VOLVO GATEWAY, 5-PACK, BB ONLY	978.91	1184.48
000-11769-001		NAC-1 Autopilot Computer – The brains behind the Outboard Pilot and Drive Pilot systems. It contains the steering computer and electronics for the drive unit motor and clutch.	678.77	821.31

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-13697-001		SD10 Mechanical Drive unit for NAC-2 Autopilot computers. The Drive will suit sailboats 25'-37' with 6' steering cable with electromagnetic clutch with override function, built in Rudder feedback and 12 V power supply	1337.97	1618.94
21119896		DD15 Unidad compacta mecánica para veleros 30'-40' con embrague electromagnético, respuesta de timón RF300 y alimentación 12 V (necesita AC42) Pedir barra de unión según necesidad.	2145.00	2595.45
RAM-T2-12V		Hydraulic Ram T2 12V: High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	1934.00	2340.14
RAM-T2-24V		Unidad de potencia. Tipo 2, funcionamiento a 24Volts.	1934.00	2340.14
000-15585-001		HS75 : New GPS Compass for light commercial market, patrol, fishing, workboat and other Non-SOLAS applications. Supports GPS, GLONASS, Galileo, BeiDou, QZSS	1980.00	2395.80
RAM-T3-24V		Unidad de potencia. Tipo 3, funcionamiento a 24Volts.	2598.00	3143.58
RAM-T4-24V		Unidad de potencia doble, de giro continuo. Tipo 4, funcionamiento a 24Volts.	8668.00	10488.28
RAM-T1-12V		Unidad de potencia hidráulica "Tipo 1", 12 voltios.	1590.00	1923.90
000-14268-001		Water proof 4-core cable joiner,20A.	25.75	31.16
22014286		RF25 - Unidad de respuesta timón con 5,5 m de cable SimNet	290.40	351.38
21116272		Verado Fittings Kit	203.50	246.24
VERHOSEKIT-6FT		Verado Hose Kit - 6 ft	202.81	245.40
22096820		AP24/AP28/IS20 Optional Mounting Bracket	108.90	131.77
000-14439-001		The RF40 is a medium-duty rudder feedback unit for use with NAC-1 and NAC-2 autopilot. 15 m (50 ft cable)	299.11	361.93
000-12259-001		MICRO-C NETWORK POWER ISOLATOR: Boat builder	37.39	45.24
000-13894-001		The AP48 Autopilot Controller is a premium dedicated control head for Continuum autopilot systems, enhanced with modern glass helm styling.	978.50	1183.99
000-13289-001		AP44 Autopilot controller: Rotary dial course adjuster, optically bonded 4.1-inch color display	565.47	684.22

Part Number	Description	RRP exclu.	RRP inclu.
000-13290-001	 AP44 Autopilot Controller boat builder six pack (price is per individual unit)	565.47	684.22
000-13287-001	 OP12 Autopilot Controller.	329.60	398.82
000-13288-001	 OP12 Autopilot Controller: Six pack (price is per individual unit)	329.60	398.82
000-12316-001	 WR10 Wireless Autopilot remote and Base station.	452.07	547.00
000-12607-001	 The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	622.02	752.64
000-12694-001	 The Precision-9 Compass. Outputs Heading (20 Hz.), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	622.02	752.64
000-12308-001	 HS60 GPS COMPASS	869.00	1051.49
20193744	 RF300 Unidad de respuesta de timón con 10m de cable	268.40	324.76
20188074	 LF3000: unidad de respuesta lineal: para usar con sistemas fueraborda si se requiere ángulo de timón, Requiere LFI3000Mk2 que se pedirá por separado.	372.90	451.21
20188082	 LFI3000Mk2: se requiere para aplicación fueraborda junto con LF3000	141.90	171.70
20187423	 LF3000 Kit Seastar. Para series 5345 Cyl. Adaptador especialmente diseñado para cilindros de dirección Teleflex HC5345. Evita daños en el LF3000.	97.90	118.46

Spare Parts

Part Number	Description	RRP exclu.	RRP inclu.
000-14798-001	 NAC-2 Rudder feedback cable: Used to connect resistive rudder feedback units to either NAC-1 or NAC-2. 3 Pin connector to 3 bare wires. 2 m (6.5 ft)	36.05	43.62
000-14463-001	NAC-1/NAC-2 DRIVE CABLE - 2M	36.05	43.62
22096986	 AC12 y AC42 Cubierta de conexiones	20.90	25.29

Controllers

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13894-001		The AP48 Autopilot Controller is a premium dedicated control head for Continuum autopilot systems, enhanced with modern glass helm styling.	978.50	1183.99
000-13289-001		AP44 Autopilot controller: Rotary dial course adjuster, optically bonded 4.1-inch color display	565.47	684.22
000-13290-001		AP44 Autopilot Controller boat builder six pack (price is per individual unit)	565.47	684.22
000-13287-001		OP12 Autopilot Controller.	329.60	398.82
000-13288-001		OP12 Autopilot Controller: Six pack (price is per individual unit)	329.60	398.82
000-12316-001		WR10 Wireless Autopilot remote and Base station.	452.07	547.00
000-10185-001		NF80 Non Follow Up unidad remota con pantalla, cable de conexión de 6m, conector T, frontal, manual de usuario e instalación, junta para montaje empotrado, tornillos de montaje. Botones de Modo y posibilidad de tomar el control. Cambia el rumbo en modo Auto.	700.00	847.00
000-10183-001		FU80 Follow UP unidad remota con pantalla, cable de conexión de 6m, conector T, frontal, manual de usuario e instalación, junta para montaje empotrado, tornillos de montaje. Botones de Modo y posibilidad de tomar el control. Cambia el rumbo en modo Auto.	700.00	847.00
000-10184-001		QS80 Quickstick unidad remota con pantalla, cable de conexión de 6m, conector T, frontal, manual de usuario e instalación, junta para montaje empotrado, tornillos de montaje. Botones de Modo y posibilidad de tomar el control. Cambia el rumbo en modo Auto.	700.00	847.00
23241227		S35 Palanca de gobierno NFU, con dos juegos de micro-interruptores y pulsadores iluminados. Con el pulsador "mode" iluminado se podrá utilizar la servo dirección, o cambiar el rumbo. Montaje exterior, protección IP56 (estanco).	495.00	598.95

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-13250-001		The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	1543.97	1868.20
000-13335-001		NAC-2 Autopilot Core Pack: Comprising of the low-current NAC-2 autopilot computer, Precision-9 compass and RF-25 rudder feedback unit.	1543.97	1868.20
000-13336-001		NAC-3 Autopilot Core Pack: Comprising of the high-current NAC-3 autopilot computer, Precision-9 compass and RF-25 rudder feedback unit.	2266.00	2741.86
000-13337-001		NAC-2 VRF Core Pack: Comprising of the low-current NAC-2 autopilot computer and Precision-9 compass.	1286.47	1556.63


Part Number		Description	RRP exclu.	RRP inclu.
000-13338-001		NAC-3 VRF Core Pack: Comprising of the high-current NAC-3 autopilot computer and Precision-9 compass.	2008.50	2430.29
000-10402-001		Volvo EVC Kit for IPS (includes SG05, RC42, Volvo Gateway)	3600.00	4356.00
000-15585-001		HS75 : New GPS Compass for light commercial market, patrol, fishing, workboat and other Non-SOLAS applications. Supports GPS, GLONASS, Galileo, BeiDou, QZSS	1980.00	2395.80
000-14074-001		A2004/AP48 MOUNTING BRKT KIT	37.08	44.87
000-12360-001		WRIST STRAP FOR WR10 REMOTE CONTROLLER	22.66	27.42
22014286		RF25 - Unidad de respuesta timón con 5,5 m de cable SimNet	290.40	351.38
21116272		Verado Fittings Kit	203.50	246.24
VERHOSEKIT-6FT		Verado Hose Kit - 6 ft	202.81	245.40
22096820		AP24/AP28/IS20 Optional Mounting Bracket	108.90	131.77
22096630		AP24/AP28/IS20 Accesorios de montaje, incluye las esquinas.	31.90	38.60
000-10589-001		NF80/FU80/QS80 Kit montaje empotrado	132.00	159.72
000-10863-001		OP10 CLIP MOUNT KIT	28.00	33.88
000-10160-001		AP24/IS20/IS70 Sun Cover	10.20	12.34
20193744		RF300 Unidad de respuesta de timón con 10m de cable	268.40	324.76
20188074		LF3000: unidad de respuesta lineal: para usar con sistemas fueraborda si se requiere ángulo de timón, Requiere LFI3000Mk2 que se pedirá por separado.	372.90	451.21
20188082		LFI3000Mk2: se requiere para aplicación fueraborda junto con LF3000	141.90	171.70
20187423		LF3000 Kit Seastar. Para series 5345 Cyl. Adaptador especialmente diseñado para cilindros de dirección Teleflex HC5345. Evita daños en el LF3000.	97.90	118.46

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-14075-001		A2004 / AP48 Dash mounting kit: Includes dash seal, 4x 1/2" Phillips pan head screws, 2x Bezels, screw mount jig tool.	37.08	44.87
000-14073-001		Suncover for A2004/AP48 autopilot controllers	22.66	27.42
000-13952-001		INSTALL KIT TRITON2 PILOT/OP12	13.60	16.45
000-13951-001		INSTALL KIT AP44	13.60	16.45
000-13725-001		Suncover for Simrad OP12 and B&G Triton² Pilot controllers	13.60	16.45
000-13724-001		SUNCOVER,AP44 DISPLAY	13.60	16.45
000-10863-001		OP10 CLIP MOUNT KIT	28.00	33.88

Sensors

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-15585-001		HS75 : New GPS Compass for light commercial market, patrol, fishing, workboat and other Non-SOLAS applications. Supports GPS, GLONASS, Galileo, BeiDou, QZSS	1980.00	2395.80
000-14439-001		The RF40 is a medium-duty rudder feedback unit for use with NAC-1 and NAC-2 autopilot. 15 m (50 ft cable)	299.11	361.93
000-12607-001		The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	622.02	752.64
000-12694-001		The Precision-9 Compass. Outputs Heading (20 Hz.), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	622.02	752.64
000-12308-001		HS60 GPS COMPASS	869.00	1051.49
000-10756-001		RF25N - Unidad de respuesta timón con 5 m de cable NMEA2000	299.11	361.93
000-10482-001		RF25 10-Pack. Rudder feedback Unit W/5M SIMNET CBL. Boat builder pack. Price is for one unit.	322.91	390.72
20193744		RF300 Unidad de respuesta de timón con 10m de cable	268.40	324.76
22011415		RF45X Unidad de respuesta de timón reforzada, con salida para indicador del ángulo de timón, varilla de transmisión y caja de conexiones con 2m. de cable.	581.00	703.01
20188074		LF3000: unidad de respuesta lineal: para usar con sistemas fueraborda si se requiere ángulo de timón, Requiere LFI3000Mk2 que se pedirá por separado.	372.90	451.21
20188082		LFI3000Mk2: se requiere para aplicación fueraborda junto con LF3000	141.90	171.70
20187423		LF3000 Kit Seastar. Para series 5345 Cyl. Adaptador especialmente diseñado para cilindros de dirección Teleflex HC5345. Evita daños en el LF3000.	97.90	118.46

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-15687-001		Surface mount kit for HS75 Antenna	90.00	108.90
000-15686-001		Pole Mount Kit for HS75	75.00	90.75
000-10640-001		HS70 Power / NMEA0183 cable, 15m	347.00	419.87
000-10641-001		HS70 programming cable	347.00	419.87
000-10937-001		HS70 SERIAL-TO-N2K ADAPTER	143.00	173.03

Part Number	Description	RRP exclu.	RRP inclu.
000-0124-69	 Kit básico NMEA 2000® - incluye cable de alimentación, cable de 60cm, cable de 4,5m, 2 x conectores T, terminadores de red	84.98	102.82
000-0127-45	 Kit adaptador de SimNet a N2K - Conecta un dispositivo SimNet con una red NMEA 2000®; incluye adaptador SimNet a N2k macho, conector unión Simnet en línea, conector T NMEA2000®.	118.51	143.40

Spare Parts

Part Number	Description	RRP exclu.	RRP inclu.
AA010212	 Broadband Cable de antena radar - 20 m (66 ft)	165.00	199.65
20187225	 LF3000 Varilla central de la unidad de referencia de timón lineal	33.28	40.27
20193454	 RF300 Varilla de unión del timón	64.90	78.53
20193678	 RF300 Palanca del sensor de timón.	64.90	78.53
000-10641-001	 HS70 programming cable	347.00	419.87
000-10937-001	 HS70 SERIAL-TO-N2K ADAPTER	143.00	173.03
22011183	 RF45 TRANSMISSION LINK ASS'Y	152.00	183.92

Pumps/Drives

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-11770-001		PUMP-1 Hydraulic Pump – 0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci	618.00	747.78
000-15444-001		PUMP-2: 12V DC: Reversible hydraulic gear pump. Flow rate: 800 cc (49 cu.in) / min. For cylinder displacement of 80 cc - 250 cc (4.9 - 15.2 cu.in) (NAC-2 / AC12 required).	675.00	816.75
000-15445-001		PUMP-3: 12V DC: Reversible hydraulic gear pump. 1600 cc (98 cu.in) / min. For cylinder displacement of 160-550 cc (9.8 - 33.5 cu.in) (NAC-3 / AC42 required).	820.00	992.20
000-15446-001		PUMP-4: 12V DC: Reversible hydraulic gear pump. 3.0 litres (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.) (NAC-3 / AC42 required)	1200.00	1452.00
000-15447-001		PUMP-5: 24V DC: Reversible hydraulic gear pump. 3.0 litres (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.) (NAC-3 / AC42 required)	1200.00	1452.00
000-13766-001		RPU160 All Region: Reversible Pump. For Cylinder Displacement of 160-550 cc (9.8 - 33.5 cu. in.) (NAC-3 required). 12V DC	779.71	943.45
000-13767-001		RPU300 All Region, 12 V: Drive Unit Complete. For Cylinder Displacement of 290 - 960 cc (17.7 - 58.5 cu. in.) (NAC-3 / AC42 required)	1074.29	1299.89
000-11771-001		HELM-1 FOR NAC-1 & NAC-2	1127.85	1364.70
000-13697-001		SD10 Mechanical Drive unit for NAC-2 Autopilot computers. The Drive will suit sailboats 25'-37' with 6' steering cable with electromagnetic clutch with override function, built in Rudder feedback and 12 V power supply	1337.97	1618.94
21119896		DD15 Unidad compacta mecánica para veleros 30'-40' con embrague electromagnético, respuesta de timón RF300 y alimentación 12 V (necesita AC42) Pedir barra de unión según necesidad.	2145.00	2595.45
000-10907-001		Helm Drive Straight shaft, type S. (Steering Wheel not included)	1127.34	1364.08
000-13902-001		HYDRAULIC RAM T0 12V: High power, efficient drive units for maximum power with minimum consumption Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure Fully Integrated (T0, T1 and T2 units) hydraulic system, no external hoses, reservoirs etc. Always remember to use the fully laden displacement of your boat when selecting a pilot. Typically a yacht fully provisioned with the water and fuel tanks full, can be as much as 20% above the designed displacement. If your boat falls between two pilot types, choose the larger pilot type - an under rated pilot may not be able to perform adequately when you need it most.	1440.97	1743.57
RAM-T2-12V		Hydraulic Ram T2 12V: High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	1934.00	2340.14
RAM-T2-24V		Unidad de potencia. Tipo 2, funcionamiento a 24Volts.	1934.00	2340.14
000-13788-001		Hydraulic Ram T3 12V	2675.94	3237.89
RAM-T3-24V		Unidad de potencia. Tipo 3, funcionamiento a 24Volts.	2598.00	3143.58

Part Number	Description	RRP exclu.	RRP inclu.
RAM-T4-24V	 Unidad de potencia doble, de giro continuo. Tipo 4, funcionamiento a 24Volts.	8668.00	10488.28
RAM-T1-12V	 Unidad de potencia hidráulica "Tipo 1", 12 voltios.	1590.00	1923.90

Accessories

Part Number	Description	RRP exclu.	RRP inclu.
21116272	 Verado Fittings Kit	203.50	246.24
VERHOSEKIT-6FT	 Verado Hose Kit - 6 ft	202.81	245.40
44172096	 DL2030 Barra de unión para DD15. Longitud 200-300 mm. 7.9" – 11.8".	262.90	318.11
44172088	 DL3040 Barra de unión para DD15. Longitud 300-400 mm. 11.8" - 15.7".	262.90	318.11
44172104	 DL4050 Barra de unión para DD15. Longitud 400-500 mm. 15.7" - 19.7".	262.90	318.11
000-11497-001	 90 DEGREE BEZEL FOR HELM DRIVE	20.39	24.68
000-11772-001	 VERADO FITTING KIT PUMPS-1,2,3,4,5	361.43	437.33

Spare Parts

Part Number	Description	RRP exclu.	RRP inclu.
000-15858-001	 Autopilot pump brush kit for PUMP-1,2,3,4 & 5	65.00	78.65
20997953	 RPU80/100/150/160/200 Kit de juntas	90.20	109.14
21101258	 RPU80/160/300 Racores de fijación EU (3 pcs)	141.90	171.70
21118617	 Escobillas, 2 unidades, RPU80, FRACMO	53.90	65.22
21118633	 Escobillas, 2 unidades, (RPU160) FRACMO	64.90	78.53




Part Number		Description	RRP exclu.	RRP inclu.
21118625		Escobillas, 2 unidades, RPU300, FRACMO	64.90	78.53
21118666		Escobillas, 2 unidades, LEMAC RPU80/160	75.90	91.84
21118682		Escobillas, 2 unidades, RPU300, LEMAC, Largas	81.40	98.49
PMP-SPRS-T1		Kit de repuesto para PMP T1/T2 a 12Volts.	162.00	196.02
PMP-SPRS-T3		Kit de repuesto para PMP T3 a 24Volts.	162.00	196.02
RAM-BRSH-T1		Juego de escobillas de recambio para T1 y T2	43.00	52.03
RAM-BRSH-T2		Juego de escobillas de recambio para T3 y T4 (Para el T4 se precisan dos juegos)	56.00	67.76
000-10409-001		SPARES KIT FOR T1/T2 BLACK RAMS	366.68	443.68



Tiller pilots

Main Products




Part Number		Description	RRP exclu.	RRP inclu.
TP10		Piloto de Caña TP10	438.90	531.07
TP22		Piloto de Caña TP22 – SimNet/NMEA	570.90	690.79
TP32		Piloto de Caña TP32 – SimNet/NMEA	708.40	857.16

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
CB1		Soporte mamparo: 135-240mm	78.10	94.50
TB30		Codo instalación: 30mm	37.40	45.25
TB60		Codo instalación: 60mm	37.40	45.25
TB90		Codo instalación: 90mm	37.40	45.25
TB120		Codo instalación: 1200mm	37.40	45.25
PB30		Soporte pedestal: 30mm	58.30	70.54
PB60		Soporte pedestal: 60mm	58.30	70.54
PB90		Soporte pedestal: 90mm	58.30	70.54
PRE30		Barra de extensión: 30mm	23.10	27.95
PRE60		Barra de extensión: 60mm	23.10	27.95
PRE90		Barra de extensión: 90mm	23.10	27.95
PRE120		Barra de extensión: 120mm	31.90	38.60

Part Number		Description	RRP exclu.	RRP inclu.
PRE150		Barra de extensión: 150mm	31.90	38.60
PRE300		Barra de extensión: 300mm	37.40	45.25
SKT100		SKT100	74.80	90.51

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
TPPK21		TP10 MAIN PCB	151.80	183.68
TPPK22		TP32 DRIVE ASSY	403.70	488.48
TPPK29		TPXX TILLER PIN AND CUP	12.10	14.64
TPPK32		PUSH ROD END CAP (PACK OF 5)	29.70	35.94
TPPK321		TP32/22 PLUG, SOCKET & MOUNTING PIN	144.10	174.36
TPPK325		TP32/22 PCB COVER & SEAL	28.60	34.61

Commercial

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13895-001		The A2004 is a dedicated autopilot controller designed to meet the needs of professional mariners aboard a variety of commercial vessels. It features a proven Simrad interface, presented on a wide-angle and zero-fog colour display.	950.00	1149.50
000-13899-001		A2004 Autopilot pack with A2004 controller, AC70 Autopilot computer and RF300 rudder feedback.	2200.00	2662.00
000-13900-001		A2004 Autopilot pack with A2004 controller, AC70 Autopilot computer, RF300 rudder feedback and Precision 9 compass.	2800.00	3388.00
000-13901-001		A2004 Autopilot pack with A2004 controller, AC70 Autopilot computer, RF300 rudder feedback and HS75 GPS compass.	4180.00	5057.80
000-10186-001		AC70 Procesador de piloto para motor reversible o electroválvulas, 1 puerto NMEA 0183 RX/TX, conector en T, cable de alimentación de red 2m con terminador , cable de red 0.6m macho/hembra. Terminador 120 ohmios macho. Manual de instalación y accesorios de montaje. Alimentación 12-24 VDC.	1416.00	1713.36
000-15039-001		NEW AP70 MK2 Professional Autopilot basic pack. Kit contains AP70 MK2 controller, AC70 computer and RF300 rudder feedback	3040.00	3678.40
000-15041-001		NEW AP70 MK2 Professional Autopilot controller IMO starter kit. Contains AP70K2 Controller, AC85 Cabinet and SI80 PCB	2930.00	3545.30
000-15042-001		NEW AP70 MK2 Professional Autopilot controller. IMO Analog Pack. Includes AP70 MK2 controller and AC80A Computer	3535.00	4277.35
000-15040-001		NEW AP70 MK2 Professional Autopilot solenoid pack. Kit contains AP70 MK2 controller, AC80S Computer and RF45X rudder feedback.	4085.00	4942.85
000-14958-001		NEW AP70 MK2 Professional Autopilot controller. AP70 MK2 will replace the AP70 and AP80 controllers	1500.00	1815.00
000-10191-001		AD80 Interface de gobierno Analógico para timón o hélice transversal, cable NMEA 2000 0.6m macho/macho, conector en T y accesorios de montaje.	1050.00	1270.50
000-10192-001		SD80 Interface para electroválvulas o gobierno proporcional para timón o hélices transversales, cable NMEA 2000 0.6m macho/macho, conector en T y accesorios de montaje.	1050.00	1270.50
000-10425-001		SI80 Interface de interconexión de señales con 4 puertos NMEA 0183 RX/TX y alimentación de red 12VDC y terminador integrado, cable NMEA 2000 0.6m macho/macho, conector en T y accesorios de montaje. Alimentación 12-24 VDC.	970.00	1173.70

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-15585-001		HS75 : New GPS Compass for light commercial market, patrol, fishing, workboat and other Non-SOLAS applications. Supports GPS, GLONASS, Galileo, BeiDou, QZSS	1980.00	2395.80

Part Number	Description	RRP exclu.	RRP inclu.
000-10588-001	 SI80 PCB. Tarjeta de interconexión de señales con 4 puertos NMEA 0183 RX/TX y alimentación de red 12VDC y terminador integrado	809.00	978.89
000-14073-001	 Suncover for A2004/AP48 autopilot controllers	22.66	27.42
000-13895-001	 The A2004 is a dedicated autopilot controller designed to meet the needs of professional mariners aboard a variety of commercial vessels. It features a proven Simrad interface, presented on a wide-angle and zero-fog colour display.	950.00	1149.50
000-10186-001	 AC70 Procesador de piloto para motor reversible o electroválvulas, 1 puerto NMEA 0183 RX/TX, conector en T, cable de alimentación de red 2m con terminador , cable de red 0.6m macho/hembra. Terminador 120 ohmios macho. Manual de instalación y accesorios de montaje. Alimentación 12-24 VDC.	1416.00	1713.36
000-10191-001	 AD80 Interface de gobierno Analógico para timón o hélice transversal, cable NMEA 2000 0.6m macho/macho, conector en T y accesorios de montaje.	1050.00	1270.50
000-10192-001	 SD80 Interface para electroválvulas o gobierno proporcional para timón o hélices transversales, cable NMEA 2000 0.6m macho/macho, conector en T y accesorios de montaje.	1050.00	1270.50
000-10425-001	 SI80 Interface de interconexión de señales con 4 puertos NMEA 0183 RX/TX y alimentación de red 12VDC y terminador integrado, cable NMEA 2000 0.6m macho/macho, conector en T y accesorios de montaje. Alimentación 12-24 VDC.	970.00	1173.70
22014286	 RF25 - Unidad de respuesta timón con 5,5 m de cable SimNet	290.40	351.38
22096820	 AP24/AP28/IS20 Optional Mounting Bracket	108.90	131.77
000-10587-001	 SD80 PCB . Interface para electroválvulas o gobierno proporcional para timón o hélices transversales	809.00	978.89
000-10586-001	 AD80 PCB. Interface de gobierno Analógico para timón o hélice transversal	809.00	978.89
000-10590-001	 AP70 / AP80 Soporte de montaje opcional	160.00	193.60
000-10597-001	 AP70 Tapa de protección	44.00	53.24
000-0119-79	 N2K-T-RD - Conector en T NMEA 2000® para la conexión de equipos adicionales a la red	21.28	25.75
000-0127-53	 N2KEXT-6RD - Cable NMEA 2000® de 1.8m para conexión a equipos adicionales o como extensión de cable de red	47.38	57.33
000-12316-001	 WR10 Wireless Autopilot remote and Base station.	452.07	547.00

Part Number	Description	RRP exclu.	RRP inclu.
000-12607-001	 The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	622.02	752.64
000-10185-001	 NF80 Non Follow Up unidad remota con pantalla, cable de conexión de 6m, conector T, frontal, manual de usuario e instalación, junta para montaje empotrado, tornillos de montaje. Botones de Modo y posibilidad de tomar el control. Cambia el rumbo en modo Auto.	700.00	847.00
000-10183-001	 FU80 Follow UP unidad remota con pantalla, cable de conexión de 6m, conector T, frontal, manual de usuario e instalación, junta para montaje empotrado, tornillos de montaje. Botones de Modo y posibilidad de tomar el control. Cambia el rumbo en modo Auto.	700.00	847.00
000-10184-001	 QS80 Quickstick unidad remota con pantalla, cable de conexión de 6m, conector T, frontal, manual de usuario e instalación, junta para montaje empotrado, tornillos de montaje. Botones de Modo y posibilidad de tomar el control. Cambia el rumbo en modo Auto.	700.00	847.00
23241227	 S35 Palanca de gobierno NFU, con dos juegos de micro-interruptores y pulsadores iluminados. Con el pulsador "mode" iluminado se podrá utilizar la servo dirección, o cambiar el rumbo. Montaje exterior, protección IP56 (estanco).	495.00	598.95
000-10756-001	 RF25N - Unidad de respuesta timón con 5 m de cable NMEA2000	299.11	361.93
20193744	 RF300 Unidad de respuesta de timón con 10m de cable	268.40	324.76
22011415	 RF45X Unidad de respuesta de timón reforzada, con salida para indicador del ángulo de timón, varilla de transmisión y caja de conexiones con 2m. de cable.	581.00	703.01

Spare Parts

Part Number	Description	RRP exclu.	RRP inclu.
000-10588-001	 SI80 PCB. Tarjeta de interconexión de señales con 4 puertos NMEA 0183 RX/TX y alimentación de red 12VDC y terminador integrado	809.00	978.89
000-14075-001	A2004 / AP48 Dash mounting kit: Includes dash seal, 4x 1/2" Phillips pan head screws, 2x Bezels, screw mount jig tool.	37.08	44.87
000-14074-001	 A2004/AP48 MOUNTING BRKT KIT	37.08	44.87
000-10186-001	 AC70 Procesador de piloto para motor reversible o electroválvulas, 1 puerto NMEA 0183 RX/TX, conector en T, cable de alimentación de red 2m con terminador, cable de red 0.6m macho/hembra. Terminador 120 ohmios macho. Manual de instalación y accesorios de montaje. Alimentación 12-24 VDC.	1416.00	1713.36
000-10191-001	 AD80 Interface de gobierno Analógico para timón o hélice transversal, cable NMEA 2000 0.6m macho/macho, conector en T y accesorios de montaje.	1050.00	1270.50
000-10192-001	 SD80 Interface para electroválvulas o gobierno proporcional para timón o hélices transversales, cable NMEA 2000 0.6m macho/macho, conector en T y accesorios de montaje.	1050.00	1270.50
22096820	 AP24/AP28/IS20 Optional Mounting Bracket	108.90	131.77

Part Number		Description	RRP exclu.	RRP inclu.
22096630		AP24/AP28/IS20 Accesorios de montaje, incluye las esquinas.	31.90	38.60
22096986		AC12 y AC42 Cubierta de conexiones	20.90	25.29
000-10590-001		AP70 / AP80 Soporte de montaje opcional	160.00	193.60
000-10597-001		AP70 Tapa de protección	44.00	53.24
000-0119-79		N2K-T-RD - Conector en T NMEA 2000® para la conexión de equipos adicionales a la red	21.28	25.75
000-12612-001		New low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network. This replaces 000-10996-001	50.99	61.69
000-0127-53		N2KEXT-6RD - Cable NMEA 2000® de 1.8m para conexión a equipos adicionales o como extensión de cable de red	47.38	57.33
000-0127-52		TR-120-KIT - Set de terminadores, 1 macho y 1 hembra NMEA 2000®	21.22	25.67
24005729		Cable de SimNet a Micro-C (macho) para conectar productos NMEA 2000® a SimNet 0.5 m	35.20	42.59

AIS Class A

Main Products

Part Number	Description	RRP exclu.	RRP inclu.
000-12249-001	 AIS V5035 Class A Transceiver	2200.00	2662.00

Accessories

Part Number	Description	RRP exclu.	RRP inclu.
000-12329-001	 V5035 AIS 3-PIN POWER CABLE	60.00	72.60
000-12328-001	 V5035 AIS 37-PIN EXT CABLE	60.00	72.60
000-12327-001	 V5035 AIS U BRACKET WITH MOUNTING KIT	60.00	72.60
000-12326-001	 V5035 AIS GPS ANT W 10M CABLE	120.00	145.20
000-12325-001	 V5035 AIS PILOT PLUG	95.00	114.95
000-12324-001	 V5035 AIS JUNCTION BOX	200.00	242.00

AIS Class B

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-14380-001		The V3100 Class B AIS is designed to meet the needs of light commercial vessels and workboats operating in high-traffic areas. SOTDMA technology and increased transmission power enhance transmission frequency, reliability, and range compared to standard Class B AIS. This 'black-box' solution integrates with Simrad displays, and features industry-standard connectivity.	846.00	1023.66
000-13609-001		NAIS-500 class B AIS with GPS-500 GPS antenna	771.47	933.48
000-13963-001		NAIS-500 + NSPL500 kit. Includes GPS500 antenna and 1.8 m (6ft) Micro-C cable and T connector.	1028.97	1245.05
000-13612-001		NSPL-500 AIS/VHF antenna splitter	256.47	310.33
000-13610-001		NAIS-500, NSPL-500, GPS(SPLIT CABLE) Boat Builder pack	1101.07	1332.29

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-15859-001		VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	73.10	88.45
000-14968-001		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	82.40	99.70
AA000355		Antena VHF de fibra de 2.4 m, instalación rápida (para LVR-250, LVR-880)	70.40	85.18
AA000358		Antena VHF de fibra de 1m, instalación rápida (para LVR-250, LVR-880)	38.50	46.59
AA000223		Soporte rotula Nylon (para uso con LVR-250, LVR-880) con 5m de cable	34.10	41.26
AA000224		Soporte rotula en INOX (para uso con LVR-250, LVR-880) con 5m de cable	66.00	79.86
AA000352		Antena de acero tipo varilla para mástil. 1.1 m, sin cable	45.10	54.57
AA000400		VHF extensión cable 5 m (16 ft) con conectores PL259	27.50	33.28
AA000401		VHF cable de mástil 30 m (98 ft) para antena VHF 1720	66.00	79.86
000-0119-79		N2K-T-RD - Conector en T NMEA 2000® para la conexión de equipos adicionales a la red	21.28	25.75

Part Number		Description	RRP exclu.	RRP inclu.
000-0119-88		N2KEXT-2RD - Cable NMEA 2000® de 0.6m para conexión a equipos adicionales o como extensión de cable de red	30.05	36.35
000-0127-53		N2KEXT-6RD - Cable NMEA 2000® de 1.8m para conexión a equipos adicionales o como extensión de cable de red	47.38	57.33
000-0119-86		N2KEXT-15RD - Cable NMEA 2000® de 4.5m para conexión a equipos adicionales o como extensión de cable de red	53.16	64.32
000-0124-69		Kit básico NMEA 2000® - incluye cable de alimentación, cable de 60cm, cable de 4,5m, 2 x conectores T, terminadores de red	84.98	102.82
000-13612-001		NSPL-500 AIS/VHF antenna splitter	256.47	310.33

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-14807-001		V3100 NMEA 0183 cable 1.8 m (6ft)	30.00	36.30
000-14806-001		V3100 Power cable, 1.8 m (6ft)	30.00	36.30
000-13613-001		GPS-500: GPS antenna for NAIS-500 AIS transceiver. 10 m (33 ft) cable with SMA connector	143.17	173.24


RS100

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-15643-001		Simrad RS100 VHF radio. Includes NRS-1, HS100 handset and SP100 speaker	899.00	1087.79
000-15792-001		Simrad RS100-B VHF radio & AIS system. Includes NRS-2, HS100 handset, SP100 speaker and GPS-500 antenna	1499.00	1813.79
000-15647-001		Simrad HS100 wired handset and speaker for HS100/HS100-B VHF radios	349.00	422.29

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-15859-001		VHF ANTENNA, 1 Meter Back Fiberglass Stainless Steel, Quick fit fitting.	73.10	88.45
000-15803-001		Wireless dipole antenna for NRS-1, NRS-2 and Information Display	19.00	22.99
000-15657-001		NRS-1/ NRS-2 WiFi cable with bulkhead mount, 6 m (19.7 ft)	119.00	143.99
000-15656-001		HS100/H100 Handset cable with bulkhead mount 20m (65.5 ft)	99.00	119.79
000-15651-001		SPEAKER, SP100, WIRED	89.00	107.69
000-15649-001		Simrad HS100 wired handset for HS100/HS100-B VHF radios	289.00	349.69
000-14968-001		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	82.40	99.70
000-14924-001		HS100/H100 Handset Extension Cable 10 m (33 ft)	51.49	62.30
000-14475-001		Simrad HS40: Wireless handset for the RS40 VHF radio: HS40 duplicates the radios display and controls, enabling remote control access to all key functions	194.67	235.55
000-13614-001		GPS-500 BB. GPS for NAIS-500 Boat builder only. Antenna has a connected 0.6 m (2 ft) fly lead + 10 m (33 ft cable)	169.95	205.64
000-13613-001		GPS-500: GPS antenna for NAIS-500 AIS transceiver. 10 m (33 ft) cable with SMA connector	143.17	173.24
LSH80		Altavoz megáfono estanco (80hms)	179.00	216.59

Part Number		Description	RRP exclu.	RRP inclu.
AA000355		Antena VHF de fibra de 2.4 m, instalación rápida (para LVR-250, LVR-880)	70.40	85.18
AA000358		Antena VHF de fibra de 1m, instalación rápida (para LVR-250, LVR-880)	38.50	46.59
AA000223		Soporte rotula Nylon (para uso con LVR-250, LVR-880) con 5m de cable	34.10	41.26
AA000224		Soporte rotula en INOX (para uso con LVR-250, LVR-880) con 5m de cable	66.00	79.86
AA000352		Antena de acero tipo varilla para mástil. 1.1 m, sin cable	45.10	54.57
AA000400		VHF extensión cable 5 m (16 ft) con conectores PL259	27.50	33.28
AA000401		VHF cable de mástil 30 m (98 ft) para antena VHF 1720	66.00	79.86
000-0119-79		N2K-T-RD - Conector en T NMEA 2000® para la conexión de equipos adicionales a la red	21.28	25.75
000-11670-001		5M ANT. CABLE,FAST FIT CONNECTORS,BB	36.82	44.56
000-0119-88		N2KEXT-2RD - Cable NMEA 2000® de 0.6m para conexión a equipos adicionales o como extensión de cable de red	30.05	36.35
000-0127-53		N2KEXT-6RD - Cable NMEA 2000® de 1.8m para conexión a equipos adicionales o como extensión de cable de red	47.38	57.33
000-0119-86		N2KEXT-15RD - Cable NMEA 2000® de 4.5m para conexión a equipos adicionales o como extensión de cable de red	53.16	64.32
000-11612-001		FAST FIT CONNECTOR FOR ANT. CABLE,BB	7.93	9.60
000-11611-001		15M ANT. CABLE,FAST FIT CONNECTORS,BB	56.08	67.86
000-11610-001		10M ANT. CABLE,FAST FIT CONNECTORS,BB	46.45	56.21
000-11609-001		2M ANT. CABLE,FAST FIT CONNECTORS,BB	30.02	36.33
000-11608-001		1M ANT. CABLE,FAST FIT CONNECTORS,BB	25.49	30.85
000-11607-001		0,5M ANT. CABLE,FAST FIT CONNECTORS,BB	22.66	27.42

Part Number	Description	RRP exclu.	RRP inclu.
000-0124-69	 Kit básico NMEA 2000® - incluye cable de alimentación, cable de 60cm, cable de 4,5m, 2 x conectores T, terminadores de red	84.98	102.82
000-13612-001	 NSPL-500 AIS/VHF antenna splitter	256.47	310.33

Spare Parts

Part Number	Description	RRP exclu.	RRP inclu.
000-15803-001	 Wireless dipole antenna for NRS-1, NRS-2 and Information Display	19.00	22.99
000-15651-001	 SPEAKER,SP100,WIRED	89.00	107.69
000-15649-001	 Simrad HS100 wired handset for HS100/HS100-B VHF radios	289.00	349.69
000-15642-001	 NRS-2 VHF marine VHF radio with built in AIS transceiver: Black box only	1249.00	1511.29
000-15641-001	 NRS-1 VHF marine VHF radio: Black box only	699.00	845.79
000-13613-001	 GPS-500: GPS antenna for NAIS-500 AIS transceiver. 10 m (33 ft) cable with SMA connector	143.17	173.24

RS40 VHF

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-14473-001		Simrad RS40-B fixed-mount DSC VHF Radio with integrated AIS transmitter and receiver, GPS, and wireless handset support.	999.00	1208.79
000-14818-001		Simrad RS40-B AND GPS-500 KIT: Fixed-mount DSC VHF Radio with integrated AIS transmitter and receiver, wireless handset support. Includes GPS-500 GPS antenna	1099.00	1329.79
000-14470-001		Simrad RS40 marine VHF radio with DSC and AIS receive	513.97	621.90
000-14475-001		Simrad HS40: Wireless handset for the RS40 VHF radio: HS40 duplicates the radios display and controls, enabling remote control access to all key functions	194.67	235.55

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-15651-001		SPEAKER, SP100, WIRED	89.00	107.69
000-14968-001		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	82.40	99.70
000-14924-001		HS100/H100 Handset Extension Cable 10 m (33 ft)	51.49	62.30
000-14923-001		VHF Fist Mic Extension cable 5 m (16.5 ft): Includes dash mounting plate.	41.19	49.84
000-14066-001		NAVICO, VHF INTERFACE BOX, TYPE 6	82.39	99.69
000-14475-001		Simrad HS40: Wireless handset for the RS40 VHF radio: HS40 duplicates the radios display and controls, enabling remote control access to all key functions	194.67	235.55
000-13613-001		GPS-500: GPS antenna for NAIS-500 AIS transceiver. 10 m (33 ft) cable with SMA connector	143.17	173.24
LSH80		Altavoz megáfono estanco (80hms)	179.00	216.59
AA000355		Antena VHF de fibra de 2.4 m, instalación rápida (para LVR-250, LVR-880)	70.40	85.18
AA000358		Antena VHF de fibra de 1m, instalación rápida (para LVR-250, LVR-880)	38.50	46.59
AA000223		Soporte rotula Nylon (para uso con LVR-250, LVR-880) con 5m de cable	34.10	41.26
AA000224		Soporte rotula en INOX (para uso con LVR-250, LVR-880) con 5m de cable	66.00	79.86

Part Number		Description	RRP exclu.	RRP inclu.
AA000400		VHF extensión cable 5 m (16 ft) con conectores PL259	27.50	33.28
000-13612-001		NSPL-500 AIS/VHF antenna splitter	256.47	310.33
Spare Parts				
000-14925-001		HS40/H60 VHF Wireless handset Inductive charging cradle	51.49	62.30
000-14921-001		Simrad RS40 Remote Mountable Fist Mic. Can be connected to the front or rear of the radio, and optional extension cable allows the radio and mic to be mounted in seperate locations.	72.09	87.23
000-14919-001		RS40/V60 Fist Mic mounting clip	8.23	9.96
000-14917-001		RS40/V60 VHF Mounting bracket with Knobs and Screws	25.74	31.15
000-14915-001		RS40/V60 VHF Flush Mounting kit.:Includes teplate, Gasket, Bezels and screws	11.32	13.70
000-14912-001		RS40 VHF Suncover	20.59	24.91
000-13613-001		GPS-500: GPS antenna for NAIS-500 AIS transceiver. 10 m (33 ft) cable with SMA connector	143.17	173.24



RS20S

Main Products


Part Number	Description	RRP exclu.	RRP inclu.
000-14491-001	 Simrad RS20S Class D DSC VHF Radio: Entry level VHF radio with NMEA2000 connectivity for GPS position, backlight control and night mode grouping with Simrad MFD's. Compliant with 2018 EU regulations.	318.27	385.11

Accessories

Part Number	Description	RRP exclu.	RRP inclu.
000-15859-001	 VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	73.10	88.45
000-14968-001	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	82.40	99.70
000-14066-001	 NAVICO, VHF INTERFACE BOX, TYPE 6	82.39	99.69
000-14059-001	VHF, FLUSH MOUNT KIT, RS20/V20	11.32	13.70
000-14055-001	 VHF, SUNCOVER, RS20	20.59	24.91
000-13613-001	 GPS-500: GPS antenna for NAIS-500 AIS transceiver. 10 m (33 ft) cable with SMA connector	143.17	173.24
985-10702-001	VHF INTERFACE BOX, VI-10	205.00	248.05
LSH80	 Altavoz megáfono estanco (80hms)	179.00	216.59
AA000355	 Antena VHF de fibra de 2.4 m, instalación rápida (para LVR-250, LVR-880)	70.40	85.18
AA000358	 Antena VHF de fibra de 1m, instalación rápida (para LVR-250, LVR-880)	38.50	46.59
AA000223	 Soporte rotula Nylon (para uso con LVR-250, LVR-880) con 5m de cable	34.10	41.26
AA000224	 Soporte rotula en INOX (para uso con LVR-250, LVR-880) con 5m de cable	66.00	79.86
AA000352	 Antena de acero tipo varilla para mástil. 1.1 m, sin cable	45.10	54.57
AA000400	 VHF extensión cable 5 m (16 ft) con conectores PL259	27.50	33.28
AA000401	 VHF cable de mástil 30 m (98 ft) para antena VHF 1720	66.00	79.86

Part Number		Description	RRP exclu.	RRP inclu.
000-10367-001		VMC-1 Soporte Micro (con Iman) para RS10 y RS25	8.24	9.97
000-10378-001		VKIT-9 Kit de montaje empotrado para RS10 y RS25	10.58	12.80
000-11645-001		RS35 FLUSH MOUNT BRACKET (BOATBUILDER)	33.99	41.13
000-11670-001		5M ANT. CABLE,FAST FIT CONNECTORS,BB	36.82	44.56
000-11567-001		SUN COVER FOR RS35	22.66	27.42
000-11612-001		FAST FIT CONNECTOR FOR ANT. CABLE,BB	7.93	9.60
000-11611-001		15M ANT. CABLE,FAST FIT CONNECTORS,BB	56.08	67.86
000-11610-001		10M ANT. CABLE,FAST FIT CONNECTORS,BB	46.45	56.21
000-11609-001		2M ANT. CABLE,FAST FIT CONNECTORS,BB	30.02	36.33
000-11608-001		1M ANT. CABLE,FAST FIT CONNECTORS,BB	25.49	30.85
000-11607-001		0,5M ANT. CABLE,FAST FIT CONNECTORS,BB	22.66	27.42

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-14263-001		VHF,MOUNT BRACKET KNOBS,RS20,V20	15.44	18.68
000-14262-001		VHF,MIC CLIP FOR RS20,V20	8.23	9.96
000-14261-001		VHF,MOUNTING BRACKET,RS20/V20	30.89	37.38
000-14055-001		VHF,SUNCOVER,RS20	20.59	24.91
000-10367-001		VMC-1 Soporte Micro (con Iman) para RS10 y RS25	8.24	9.97
000-10378-001		VKIT-9 Kit de montaje empotrado para RS10 y RS25	10.58	12.80
000-11567-001		SUN COVER FOR RS35	22.66	27.42

WIFI-1

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-11068-001		GOFREE WIFI-1 MODULO WIRELESS	225.57	272.94
000-10933-001		GOFREE WIFI1 WIRELESS MODULE BOATBUILDER	225.57	272.94

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-11447-001		GOFREE WIFI1 POWER CABLE	30.90	37.39

Track Accessories

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-14039-001		YANMAR J1939 ADAPTER HARNESS	40.17	48.61
000-14040-001		CAT J1939 ADAPTER HARNESS	97.85	118.40
000-12629-001		Track / BoatConnect Entry Sensor Kit: The entry sensor can be mounted to a boat's door or hatch. This sensor will detect when the door has been opened, and the system will alert of a door opening. comes with a 10 m (33 ft) cable.	60.77	73.53
000-12628-001		Track / BoatConnect Temperature sensor kit. The temperature sensor will monitor the air temperature inside the boat. The system can send alerts for low or high temperatures. 10 m (33 ft) cable	81.37	98.46

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-14039-001		YANMAR J1939 ADAPTER HARNESS	40.17	48.61
000-14040-001		CAT J1939 ADAPTER HARNESS	97.85	118.40

IS42

Main Products

Part Number	Description	RRP exclu.	RRP inclu.
000-14479-001	 Simrad IS42J is a 4.1-inch colour display that offers a clear view of engine status and performance for up to two J1939 diesel engines. More than a standalone gauge, the IS42J also bridges the gap between those engines and your boat's NMEA 2000® network. This enables engine monitoring from other Simrad gauges and displays.	822.97	995.79
000-13285-001	 IS42 Digital Display: Multi-purpose sailing instrument and autopilot display with a 4.1-inch colour screen, optically bonded for zero condensation and featuring transreflective LCD technology for exceptional contrast and visibility in all lighting conditions. 8mm mounting height matches other Simrad MFD's and system components.	492.34	595.73
000-13293-002	 IS42 Speed / Depth pack. IS42 Gauge, DST810 transducer	924.00	1118.04
000-13286-001	 IS42 Digital Display: Six pack (price is per individual unit)	492.34	595.73

Accessories

Part Number	Description	RRP exclu.	RRP inclu.
000-13285-001	 IS42 Digital Display: Multi-purpose sailing instrument and autopilot display with a 4.1-inch colour screen, optically bonded for zero condensation and featuring transreflective LCD technology for exceptional contrast and visibility in all lighting conditions. 8mm mounting height matches other Simrad MFD's and system components.	492.34	595.73
000-14039-001	 YANMAR J1939 ADAPTER HARNESS	40.17	48.61
000-14040-001	 CAT J1939 ADAPTER HARNESS	97.85	118.40
000-14383-001	 WS320 (wireless) wind sensor with wireless interface for connection to NMEA 2000® networks.	627.27	759.00
000-14382-001	 WS310 (wired) wind sensor with 20 m (65.5 ft) mast cable and interface for connection to NMEA 2000® networks	518.09	626.89
000-14376-001	 NMEA 2000 Micro-C Medium duty cable. 2 m (6.5 ft) Low loss 18 gauge cable recommended for network backbone runs	59.74	72.29
000-14377-001	 NMEA 2000 Micro-C Medium duty cable. 6 m (19.7 ft) Low loss 18 gauge cable recommended for network backbone runs	66.95	81.01
000-14378-001	 NMEA 2000 Micro-C Medium duty cable. 10 m (33 ft) Low loss 18 gauge cable recommended for network backbone runs	92.70	112.17
000-14379-001	 NMEA 2000 Micro-C Medium duty cable. 20 m (65.6 ft) Low loss 18-gauge cable recommended for network backbone runs resulting in a more robust network. Cables are identified by orange locking collars.	108.15	130.86
000-01119-79	 N2K-T-RD - Conector en T NMEA 2000® para la conexión de equipos adicionales a la red	21.28	25.75
000-12612-001	 New low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network. This replaces 000-10996-001	50.99	61.69

Part Number		Description	RRP exclu.	RRP inclu.
000-10760-001		Kit de cables NMEA2000	84.98	102.82
000-0119-88		N2KEXT-2RD - Cable NMEA 2000® de 0.6m para conexión a equipos adicionales o como extensión de cable de red	30.05	36.35
000-0127-53		N2KEXT-6RD - Cable NMEA 2000® de 1.8m para conexión a equipos adicionales o como extensión de cable de red	47.38	57.33
000-0119-86		N2KEXT-15RD - Cable NMEA 2000® de 4.5m para conexión a equipos adicionales o como extensión de cable de red	53.16	64.32
000-0119-83		N2KEXT-25RD - Cable NMEA 2000® de 7.5m para conexión a equipos adicionales o como extensión de cable de red	74.47	90.11

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-15735-001		DST-810 Depth/Speed/Temp Sensor. Plastic thru-hull housing.	369.00	446.49
000-13285-001		IS42 Digital Display: Multi-purpose sailing instrument and autopilot display with a 4.1-inch colour screen, optically bonded for zero condensation and featuring transreflective LCD technology for exceptional contrast and visibility in all lighting conditions. 8mm mounting height matches other Simrad MFD's and system components.	492.34	595.73
000-13950-001		INSTALL KIT TRITON2/IS42	13.60	16.45
000-13723-001		Suncover for Simrad IS42 Display	13.60	16.45

IS35

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13334-001		Easily visible day or night, the IS35 is optically bonded for zero condensation. Connected by NMEA2000, the IS35 automatically detects and displays the most relevant information on a series of pre-set or customisable data pages.	359.47	434.96

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-11773-001		IS35 GAUGE SUNCOVER	12.36	14.96

Transducers

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-15735-001		DST-810 Depth/Speed/Temp Sensor. Plastic thru-hull housing.	369.00	446.49
000-15736-001		DST-810 Depth/Speed/Temp Sensor. Bronze thru-hull housing	469.00	567.49
000-14391-001		WS310 Wired Wind Sensor Only	431.57	522.20
000-14383-001		WS320 (wireless) wind sensor with wireless interface for connection to NMEA 2000® networks.	627.27	759.00
000-14382-001		WS310 (wired) wind sensor with 20 m (65.5 ft) mast cable and interface for connection to NMEA 2000® networks	518.09	626.89
000-11741-001		120WX Weather Station. Wind, Temperature, Barometric Sensor. Comes with a 6 m (19.8 ft) cable	832.76	1007.63
000-11852-001		AIRMAR IDST800L 235F B-122-RETR 6M	658.90	797.27
000-10960-001		DST800 Depth/Speed/Temp Sensor. Bronze thru-hull housing.	427.90	517.76
000-11738-001		DT800 Depth Sensor. Plastic thru-hull housing.	328.90	397.97
22098586		ST800-Transductor Velocidad/Temperatura. Pasivo de plástico para conexión DT800	109.00	131.89
000-10163-001		SIMRAD WS80 Sensor de viento ultrasónico sin partes móviles, de gran fiabilidad y robustez. Conexión NMEA0183. Funcionamiento hasta -52°C.	3980.00	4815.80

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-14396-001		WS300/700 20 meter (65') mast cable with pre-installed connectors	78.28	94.72
000-14389-001		WS310 Wired Interface. Converts Serial to NMEA 2000. Includes network T-connector	91.67	110.92
24006421		Cable para sensor de viento de 35 m (SimNet)	99.00	119.79

Part Number		Description	RRP exclu.	RRP inclu.
24006405		Cable para sensor de viento de 20 m (SimNet)	66.00	79.86

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-14396-001		WS300/700 20 meter (65') mast cable with pre-installed connectors	78.28	94.72
000-14389-001		WS310 Wired Interface. Converts Serial to NMEA 2000. Includes network T-connector	91.67	110.92
000-14388-001		The WS320 Wireless Interface: Receives wireless signals from the WS320 and converts to NMEA 2000	169.95	205.64
000-14391-001		WS310 Wired Wind Sensor Only	431.57	522.20
000-10568-001		Accessory plug assembly for DST800	22.66	27.42
000-10567-001		P617V DST HSG VLV KIT	50.99	61.69
000-0119-79		N2K-T-RD - Conector en T NMEA 2000® para la conexión de equipos adicionales a la red	21.28	25.75
000-11740-001		120WX 6M WEATHER STATION CABLE (NMEA2000 to Device cable)	56.65	68.55
000-11739-001		120WX WIND SENS, W/WIND, TEMP, BARO, NO CABL	787.44	952.80
000-0127-53		N2KEXT-6RD - Cable NMEA 2000® de 1.8m para conexión a equipos adicionales o como extensión de cable de red	47.38	57.33

SonicHub

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-12302-001		New SonicHub@2 Marine Audio Server SonicHub2 is a drop-in replacement for the existing SonicHub Utilizing the same footprint, same connections and Same User Interface on Lowrance/Simrad/B&G displays. SonicHub2 will operate on the newly implemented NMEA 2000@ Audio/Entertainment standard.	359.47	434.96
000-12305-001		SIM,6.5" SPEAKERS PAIR	87.55	105.94

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-11049-001		FUSION 20M REMOTE EXTENSION CABLE	70.51	85.32
000-12305-001		SIM,6.5" SPEAKERS PAIR	87.55	105.94

Sensors


Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-14563-001		ST850 Speed/Temperature Sensor. Plastic thru-hull housing. NMEA 2000® version	513.97	621.90
000-11043-001		GS25 Antenna with built in rate compass. 10 Hz position update rate. Build in rate compass is perfect for for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	265.74	321.55
000-11042-001		GS25 Antenna BB MODULE 6 PACK with built in rate compass. 10 Hz position update rate.	243.60	294.75
000-11517-001		Fuel flow sensor, with 10 ft cable and T-connector	225.47	272.82
000-11518-001		Fluid Level Sensor: Transmits the tank level from a suitable tank level sender unit on the the NMEA 2000 network. Replaces EP-65	101.97	123.38
000-11519-001		Speed through the water sensor: Transom-mount paddle wheel 3.1 m (10ft) cable with Micro-C connector.	112.17	135.72
000-11520-001		Temperature Sensor: Replaces EP-80:	112.17	135.72
000-11521-001		Thru-Hull Temperature Sensor: Replaces EP-80	108.90	131.77
000-11522-001		Fuel Data Manager: Replaces EP-85. Monitors Fuel Rate/Fuel Flow from NMEA 2000 engines, and accumulates Fuel Rate into Fuel Used. Outputs seasonal, trip and total fuel used.	112.17	135.72
000-11523-001		Pressure Sensor: Replaces EP-90:	112.17	135.72

Accessories


Part Number		Description	RRP exclu.	RRP inclu.
000-0124-69		Kit básico NMEA 2000® - incluye cable de alimentación, cable de 60cm, cable de 4,5m, 2 x conectores T, terminadores de red	84.98	102.82

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-11148-001		POLE MOUNT GS25/ZG100/POINT-1	28.89	34.96

NMEA2000

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-10064-001		TR-120F Black OEM BULK 100 PK	10.61	12.84
000-14376-001		NMEA 2000 Micro-C Medium duty cable. 2 m (6.5 ft) Low loss 18 gauge cable recommended for network backbone runs	59.74	72.29
000-14377-001		NMEA 2000 Micro-C Medium duty cable. 6 m (19.7 ft) Low loss 18 gauge cable recommended for network backbone runs	66.95	81.01
000-14378-001		NMEA 2000 Micro-C Medium duty cable. 10 m (33 ft) Low loss 18 gauge cable recommended for network backbone runs	92.70	112.17
000-14379-001		NMEA 2000 Micro-C Medium duty cable. 20 m (65.6 ft) Low loss 18-gauge cable recommended for network backbone runs resulting in a more robust network. Cables are identified by orange locking collars.	108.15	130.86
000-0119-79		N2K-T-RD - Conector en T NMEA 2000® para la conexión de equipos adicionales a la red	21.28	25.75
000-12612-001		New low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network. This replaces 000-10996-001	50.99	61.69
000-10760-001		Kit de cables NMEA2000	84.98	102.82
000-0119-88		N2KEXT-2RD - Cable NMEA 2000® de 0.6m para conexión a equipos adicionales o como extensión de cable de red	30.05	36.35
000-0127-53		N2KEXT-6RD - Cable NMEA 2000® de 1.8m para conexión a equipos adicionales o como extensión de cable de red	47.38	57.33
000-0119-86		N2KEXT-15RD - Cable NMEA 2000® de 4.5m para conexión a equipos adicionales o como extensión de cable de red	53.16	64.32
000-0119-83		N2KEXT-25RD - Cable NMEA 2000® de 7.5m para conexión a equipos adicionales o como extensión de cable de red	74.47	90.11
000-0119-75		N2K-PWR-RD - NMEA 2000® cable de alimentación. Incluye cable y conector en T	60.51	73.22
000-0127-52		TR-120-KIT - Set de terminadores, 1 macho y 1 hembra NMEA 2000®	21.22	25.67
000-10828-001		NMEA2000 Network Interface Bridge is designed to isolate power in sections of the NMEA2000 network. Use for interfacing to other N2k networks such as C-Zone, or split a very large network so power can be supplied to each section. Each port provides network termination.	305.91	370.15
000-12259-001		MICRO-C NETWORK POWER ISOLATOR: Boat builder	37.39	45.24
000-10757-001		Cable de Simnet a Micro-C de 20m	90.64	109.67

Part Number		Description	RRP exclu.	RRP inclu.
000-10758-001		Cable de Simnet a Micro-C de 35m	124.63	150.80
000-0120-62		Cable de interconexión para motores Evinrude. 4,5m y conector en T	112.17	135.72
000-0120-37		Cable de interconexión para motores Yamaha. 4,5m y conector en T	112.17	135.72
000-0124-69		Kit básico NMEA 2000® - incluye cable de alimentación, cable de 60cm, cable de 4,5m, 2 x conectores T, terminadores de red	84.98	102.82
000-0127-45		Kit adaptador de SimNet a N2K - Conecta un dispositivo SimNet con una red NMEA 2000®; incluye adaptador SimNet a N2k macho, conector unión Simnet en línea, conector T NMEA2000®.	118.51	143.40
000-10063-001		N2K-T,MICRO-C,T-JOINER,OEM,100 PK	21.28	25.75
000-10068-001		N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® cable for network extension or connection to additional network device OEM 50 pack	30.05	36.35
000-10069-001		N2KEXT-6RD - 1.8 m (6 ft) NMEA 2000® cable for network extension or connection to additional network device OEM 100 pack	47.38	57.33
000-10070-001		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for network extension or connection to additional network device OEM 50 Pack	53.16	64.32
000-10071-001		N2KEXT-25RD - 7.58 m (25-ft) NMEA 2000® cable for network backbone extension only OEM 20 Pack	74.47	90.11
000-10170-001		N2K-PWR,MICRO-C,POWER CABLE,OEM,25 PK	55.48	67.13
000-10065-001		TR-120M Black OEM BULK 100 PK	10.61	12.84
000-10652-001		Sensor de viento Triton / IS20 / IS40 con cable de 20m	483.00	584.43

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-0124-69		Kit básico NMEA 2000® - incluye cable de alimentación, cable de 60cm, cable de 4,5m, 2 x conectores T, terminadores de red	84.98	102.82

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-13714-001		Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	401.70	486.06
44172260		Unión SimNet sin terminador - Amarillo	16.50	19.97

Part Number		Description	RRP exclu.	RRP inclu.
000-10573-001	 Missing Image	IS20 Wind vane mast bracket	65.92	79.76
000-0119-79		N2K-T-RD - Conector en T NMEA 2000® para la conexión de equipos adicionales a la red	21.28	25.75
000-0119-88		N2KEXT-2RD - Cable NMEA 2000® de 0.6m para conexión a equipos adicionales o como extensión de cable de red	30.05	36.35
000-0119-86		N2KEXT-15RD - Cable NMEA 2000® de 4.5m para conexión a equipos adicionales o como extensión de cable de red	53.16	64.32
000-0119-75		N2K-PWR-RD - NMEA 2000® cable de alimentación. Incluye cable y conector en T	60.51	73.22
000-0127-52		TR-120-KIT - Set de terminadores, 1 macho y 1 hembra NMEA 2000®	21.22	25.67
000-10757-001		Cable de Simnet a Micro-C de 20m	90.64	109.67
24005729		Cable de SimNet a Micro-C (macho) para conectar productos NMEA 2000® a SimNet 0.5 m	35.20	42.59

Ethernet

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-0127-56		Adapter cable: Ethernet yellow 5 pin male to RJ45 female, 2m (6.5ft)	39.66	47.98
000-10029-001		NEP-2 Expansor de puertos de red	287.78	348.22
000-0127-51		Cable Ethernet Amarillo 5 Pin 2 m (6.5 ft)	35.82	43.35
000-0127-29		Cable Ethernet Amarillo 5 Pin 4.5 m (15 ft)	53.20	64.37
000-0127-30		Cable Ethernet Amarillo 5 Pin 7.7 m (25 ft)	74.47	90.11
000-0127-37		Cable Ethernet Amarillo 5 Pin 15.2 m (50 ft)	106.39	128.73
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45M / 5PinF	22.66	27.42

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-0127-51		Cable Ethernet Amarillo 5 Pin 2 m (6.5 ft)	35.82	43.35
000-0127-29		Cable Ethernet Amarillo 5 Pin 4.5 m (15 ft)	53.20	64.37
000-0127-30		Cable Ethernet Amarillo 5 Pin 7.7 m (25 ft)	74.47	90.11
000-0127-37		Cable Ethernet Amarillo 5 Pin 15.2 m (50 ft)	106.39	128.73

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-00128-001		Simrad NSE, BSM-1, cable de alimentación (conector de 4 Pines a 4 hilos para alimentación, control de encendido y alarma externa) 2 m	37.39	45.24

SimNet Accy

Main Products





Part Number		Description	RRP exclu.	RRP inclu.
24005936		AT10 Conversor de NMEA 0183 a SimNet y viceversa	104.50	126.45
24006694		AT10HD Conversor de NMEA 0183 a SimNet y viceversa, solo de datos de RUMBO, diseñado para conexión a Radares para función MARPA	100.10	121.12
000-00020-001		ST10 Herramienta de Programación SimNet	168.82	204.27
24006413		Cable de Micro-C hembra a SimNet de 4 m	44.00	53.24
24006199		Cable de SimNet a Micro-C (hembra) para conectar productos NMEA 2000® a SimNet 0.5 m	33.00	39.93
24005729		Cable de SimNet a Micro-C (macho) para conectar productos NMEA 2000® a SimNet 0.5 m	35.20	42.59





Navionics

Main Products

Part Number	Description	RRP exclu.	RRP inclu.
000-13976-001	NAVIONICS+ SMALL - BLANK SD - DOWNLOAD	132.87	160.77
000-11309-001	 Navionics GOLD XL9 49XG MSD Card with SD Adapter - NORWAY	204.97	248.01
000-11310-001	 Navionics MSD/45XG XL9 45XG - Skagerrak Kattegat SD Card	204.97	248.01
000-11311-001	 Navionics MSD/44XG XL9 44XG - Baltic-Finland-Sweden-Norway South SD Card	204.97	248.01
000-11312-001	 Navionics 43XG - Mediterranean Sea & Black Sea - SD Card 43XG/MSD	204.97	248.01
000-11314-001	 Navionics GOLD XL9 30XG MSD CHART CARD - AFRICA and MIDDLE EAST	204.97	248.01
000-11315-001	 Navionics XL9 20XG - Greenland & Iceland - SD Card 20XG/MSD	204.97	248.01
000-11316-001	 Navionics+ Single Region (Choose from Europe, Denmark & Greenland, UK & Holland, Asia & Africa, US & Canada, Caribbean & South America)	204.97	248.01
000-11317-001	 Navionics Updates (Europe, Denmark & Greenland, UK & Holland, Asia & Africa, US & Canada, Caribbean & South America)	101.97	123.38
000-11321-001	 Navionics Russia - Upper Volga River Gold Marine Charts	249.00	301.29
000-11326-001	 NAVIONICS EU Mediterranean East Platinum Marine Charts	307.97	372.64
000-11327-001	 NAVIONICS EU Mediterranean Central Platinum Marine Charts	307.97	372.64
000-11328-001	 NAVIONICS EU Mediterranean West Platinum Marine Charts	307.97	372.64
000-11329-001	 NAVIONICS EU West - Iberia Platinum Marine Charts	307.97	372.64

Part Number	Description	RRP exclu.	RRP inclu.
000-11330-001	 NAVIONICS EU West - France Platinum Marine Charts	307.97	372.64
000-11331-001	 NAVIONICS EU Nordic - South Sweden Platinum Marine Charts	307.97	372.64
000-11332-001	 NAVIONICS EU Nordic - South Baltic Platinum Marine Charts	307.97	372.64
000-11333-001	 NAVIONICS EU Nordic - Oslo to Denmark Platinum Marine Charts	307.97	372.64
000-11334-001	 NAVIONICS EU Nordic - Finland Platinum Marine Charts	307.97	372.64
000-11335-001	 NAVIONICS EU Nordic - Sweden East Platinum Marine Charts	307.97	372.64
000-11336-001	 NAVIONICS EU Nordic - Norway SW Platinum Marine Charts	307.97	372.64
000-11337-001	 NAVIONICS EU Nordic - NW Platinum Marine Charts	307.97	372.64
000-11338-001	 Navionics Platinum+ 5P158XL Bay of Biscay	204.97	248.01
000-11339-001	 Navionics Platinum+ 5P159XL Portugal to Azores	204.97	248.01
000-11340-001	 Navionics Platinum+ 5P253XL Black Sea	204.97	248.01
000-11341-001	 Navionics Platinum+ XL MSD 5P268XL NORTH AEGEAN SEA	204.97	248.01
000-11342-001	 Navionics Platinum+ 5P269XL Mediterranean South East	204.97	248.01
000-11343-001	 Navionics Platinum+ 5P270XL South Aegean Sea	204.97	248.01
000-11344-001	 Navionics Platinum+ 5P271XL Adriatic Sea	204.97	248.01

Part Number	Description	RRP exclu.	RRP inclu.
000-11345-001	 Navionics Platinum+ 5P272XL Central Mediterranean	204.97	248.01
000-11346-001	 Navionics Platinum+ 5P273XL Tyrrhenian Sea	204.97	248.01
000-11347-001	 Navionics Platinum+ 5P274XL Mediterranean North West	204.97	248.01
000-11348-001	 Navionics Platinum+ 5P275XL Mediterranean South West	204.97	248.01
000-11349-001	 Navionics Platinum+ 5P398XL Hamburg/Dunkerque	204.97	248.01
000-11350-001	 Navionics Platinum+ 5P399XL Germany West/Denmark West	204.97	248.01
000-11351-001	 Navionics Platinum+ 5P400XL Stockholm to Åhus	204.97	248.01
000-11352-001	 Navionics Platinum+ 5P403XL: Northern Norway	204.97	248.01
000-11353-001	 Navionics Platinum+ 5P405XL: Gulf of Finland	204.97	248.01
000-11354-001	 Navionics Platinum+ 5P405XL Gulf of Finland	204.97	248.01
000-11355-001	 Navionics Platinum+ 5P406XL Gustavsvik/Åland Islands	204.97	248.01
000-11356-001	 Navionics Platinum+ 5P407XL Swedish Lakes	204.97	248.01
000-11357-001	 Navionics Platinum+ 5P409XL Bergen to Arendal	204.97	248.01
000-11358-001	 Navionics Platinum+ 5P410XL Skagerrak	204.97	248.01
000-11359-001	 Navionics Platinum+ 5P411XL Gulf of Bothnia	204.97	248.01
000-11360-001	 Navionics Platinum+ 5P412XL Kasko to Vormsi	204.97	248.01
000-11361-001	 Navionics Platinum+ 5P413XL Kristiansund to Bergen	204.97	248.01







Part Number		Description	RRP exclu.	RRP inclu.
000-11362-001		Navionics Platinum+ 5P414XL Nesna to Smøla	204.97	248.01
000-11363-001		Navionics Platinum+ 5P415XL Ringvassøy to Nesna	204.97	248.01
000-11364-001		Navionics Platinum+ 5P416XL Iceland to Faeroe Islands	204.97	248.01
000-11365-001		Navionics Platinum+ 5P417XL Germany East/Sweden South	204.97	248.01
000-11366-001		Navionics Platinum+ 5P445XL Denmark East/Sweden West	204.97	248.01
000-11367-001		Navionics Platinum+ 5P446XL Finnish Lakes	204.97	248.01
000-11368-001		Navionics Platinum+ 5P538XL Central European Lakes	204.97	248.01
000-11369-001		Navionics Platinum+ 6P027XL North Madagascar/Somalia	204.97	248.01
000-11370-001		Navionics Platinum+ 6P035XL Africa South East/Madagascar	204.97	248.01
000-11371-001		Navionics Platinum+ 7P016XL Persian Gulf/Oman Gulf	204.97	248.01
000-11372-001		Navionics Platinum+ 7P017XL Red Sea/Gulf of Aden	204.97	248.01
000-11374-001		Navionics Updates (Europe, Denmark & Greenland, UK & Holland, Asia & Africa, US & Canada, Caribbean & South America)	92.70	112.17
000-12166-001		NAVIONICS MSD/5P396XL SCOTLAND WEST	241.89	292.68
000-12167-001		NAVIONICS MSD/5P397XL EASTERN UK	241.89	292.68
000-12165-001		NAVIONICS MSD/5P394XL IRELAND	241.89	292.68
000-12164-001		NAVIONICS MSD/5P393XL IRISH SEA	241.89	292.68



Part Number		Description	RRP exclu.	RRP inclu.
000-12163-001		NAVIONICS MSD/5P392XL ENGLISH CHANNEL	241.89	292.68
000-12162-001		NAVIONICS MSD/5P391XL STRAIT OF DOVER	241.89	292.68
000-12161-001		NAVIONICS MSD/28XG UK,IE & HOLLAND	241.89	292.68
000-12168-001		NAVIONICS MSD/46XG FR/IBERIA/NL/INLND EU	204.97	248.01
000-12160-001		NAVIONICS MSD/28P+ UK AND IRELAND	362.83	439.02
000-12159-001		NAVIONICS MSD/25P+ UK SOUTH HAMBURG	362.83	439.02
000-13185-001		NAVIONICS MSD/NAVU46XG: C/W EUROPE UPDS. Iberian Peninsula, France, English Channel and Sardinia. European inland waters (French and Holland Canals, Switzerland/Italian Lakes, Lake Balaton, Valence, Tisza, River Rhine/Main, Berlin Lakes).	101.97	123.38
000-13188-001		Baltic Sea to Rybinsk. Estonia, Lake Peipsi, Lake Ladoga, River Svir, Lake Onega, Belomorsko-Baltiyskiy Channel Rybinsk Waterstorage, Volga river. Kama River, Volga River, Volgo-Donskoy Channel, Black Sea, Sea of Asov, Volga-Don Channel, Don, Dnieper River mouth. Volga river from Nizhny to south side up to Balakovo. Kama river from Kazan to north side up to Solikamsk and Belaya river from Agidel to Ufa.	204.97	248.01
000-13175-001		NAVIONICS MSD/NAVU20XG: Coverage Area Greenland West, Greenland South, Iceland. From Northumberland Oe to Kap Farvel to Nathorst Fjord. Including Scoresby Sund, Disko Bugt, Melville Bugt, Nuuk in Greenland and Faroe Islands, Shetland Islands, Orkney Islands, Hebrides and North West Scotland from Kyle Rhea to Helmsdale.	101.97	123.38
000-13176-001		NAVIONICS MSD/NAVU28XG: UK/IE/NL UPDATES: Coverage Area United Kingdom, Ireland, English Channel, Shetland Islands, Belgium and The Netherlands.	101.97	123.38
000-13177-001		NAVIONICS MSD/NAVU30XG: AFRICA/ME UPDATES: Coverage Area Western Sahara, Mauritania, Senegal, Gambia, Guinea Bissau, Guinea, Sierra Leone, Liberia, Ivory Coast, Ghana, Benin, Nigeria, Cameroon, Gabon, Congo, Angola, Namibia, South Africa, Tanzania, Kenya, Somalia, Madagascar, Comoros, Aldabra Islands, Seychelles, Socotra, Lake Kariba, Red Sea, Persian Gulf. Including Cape Verde Islands, Gulf of Guinea, Gough Island, Tristan da Cunha, Gulf of Oman and Gulf of Aden.	101.97	123.38
000-13182-001		NAVIONICS MSD/NAVU43XG: MED/BLACK S UPDS: Coverage Area Entire Alboran Sea, Strait of Gibraltar, Balearic Sea, Ligurian Sea, Tyrrhenian Sea, Adriatic Sea, Ionian Sea, Aegean Sea, Sea of Marmara, Black Sea, Danube River, Dnieper River and Sea of Azov incl. Ibiza, Palma, Minorca, Sardinia, Corse, Sicilia, Crete, Malta, Cyprus and Cyclades Islands.	101.97	123.38
000-13183-001		NAVIONICS MSD/NAVU44XG: BALTIC SEA UPDS. Coverage Area Entire Baltic Sea, Gulf of Bothnia, Gulf of Finland, Lake Ladoga and Lake Onega. Peipsi Lake, Berlin Lakes. Entire Sweden including Lakes, Norway South up to Flekkefjord. Finnish Lakes including Inarijärvi, Porttipahdan Tekojärvi, Lokan Tekojärvi, Mieköjärvi, Emijärvi, Vahonselkä, Mourujärvi, Yli Kitka, Kiantajärvi, Vuokkijärvi, Oulujärvi, Nuasjärvi, Ontojärvi, Lentua, Pielinen, Koitere, Hoytinen, Viinijärvi, Pyhaselkä, Orivesi, Puruvesi, Pihlajavesi, Haukivesi, Kallavesi, Suvasvesi, Juojärvi, Puula, Kyyvesi, Onkivesi, Pyhajarvi near Sortavala City, Saimaa, Puruvesi, Pihlajavesi, Peilavesi, Nilakka, Pyhajarvi near Iisalmi City, Konnevesi, Kolima, Kivijärvi, Keitele, Pajanne, Vuohijärvi, Langelmavesi, Vanajavesi, Lappajarvi, Pyhajarvi near Rauma City, Lohjanjärvi-Vihti. Excluding Bornholm.	101.97	123.38
000-13184-001		NAVIONICS MSD/NAVU45XG: SKGRK/KTTGT UPDS: Coverage Area Denmark, Germany (from Delfzijl to Kolobrzeg in Poland), Norway from Flekkefjord to Oland South in Sweden. Including Skagerrak, Kattegat, Oslo, Copenhagen, Göteborg, Bornholm, Sjaelland, Lolland, Fyn and German Lakes.	101.97	123.38
000-13186-001		NAVIONICS MSD/NAVU49XG: NORWAY UPDATES: Coverage Area Norway including Svalbard Islands (to 79.8 degrees north), Jan Mayen, Sweden West from Strömstad to Varberg. Vitern, Vnern and Mjisa Lakes.	101.97	123.38

Part Number	Description	RRP exclu.	RRP inclu.
000-13181-001	 NAVIONICS MSD/NAVU52XG: RUSSIA WEST UPDS: Coverage Area Baltic Sea to Rybinsk. Estonia, Lake Peipsi, Lake Ladoga, River Svir, Lake Onega, Belomorsko-Baltiyskiy Channel Rybinsk Waterstorage, Volga river. Kama River, Volga River, Volgo-Donskoy Channel, Black Sea, Sea of Asov, Volga-Don Channel, Don, Dnieper River mouth. Volga river from Nizhny to south side up to Balakovo. Kama river from Kazan to north side up to Solikamsk and Belaya river from Agidel to Ufa.	101.97	123.38

C-MAP Reveal



Main Products

Part Number		Description	RRP exclu.	RRP inclu.
M-AF-Y209-MS		M-AF-Y209-MS South & East Africa C-MAP REVEAL	209.00	252.89
M-AF-Y210-MS		M-AF-Y210-MS West Africa C-MAP REVEAL	209.00	252.89
M-EM-Y076-MS		M-EM-Y076-MS South-West European Coasts C-MAP REVEAL	209.00	252.89
M-EM-Y111-MS		M-EM-Y111-MS East Mediterranean, Caspian Seas C-MAP REVEAL	209.00	252.89
M-EN-Y299-MS		M-EN-Y299-MS Baltic Sea C-MAP REVEAL	209.00	252.89
M-EN-Y300-MS		C-MAP MAX-N+ Wide Chart North Sea & Denmark (M-EN-Y300-MS) C-MAP MAX-N+ Wide Chart coverage the North Sea & Denmark. Compatible with B&G, Simrad & Lowrance Chartplotters. Check the C-MAP website for full compatibility by manufacturer and model. MAX-N+ Charts are C-MAP's premium offering and are available in Local / Wide / Continental formats. Like all C-MAP charts, when you buy a MAX-N+ Chart you will receive free chart updates for 12 months.	209.00	252.89
M-EN-Y326-MS		M-EN-Y326-MS Finland Lakes C-MAP REVEAL	209.00	252.89
M-EN-Y405-MS		M-EN-Y405-MS Greenland & Iceland C-MAP REVEAL	209.00	252.89
M-EW-Y065-MS		M-EW-Y065-MS France Coastal & Inland C-MAP REVEAL	209.00	252.89
M-EW-Y226-MS		M-EW-Y226-MS United Kingdom C-MAP REVEAL	209.00	252.89
M-EW-Y227-MS		M-EW-Y227-MS North-West European Coasts C-MAP REVEAL	209.00	252.89
M-EW-Y228-MS		M-EW-Y228-MS West European Coasts C-MAP REVEAL	209.00	252.89
M-ME-Y204-MS		M-ME-Y204-MS Red Sea to The Gulf & Seychelles Is. C-MAP REVEAL	209.00	252.89
M-RS-Y202-MS		M-RS-Y202-MS Russian Federation – North West C-MAP REVEAL	209.00	252.89
M-RS-Y203-MS		M-RS-Y203-MS Russian Federation – North Central C-MAP REVEAL	209.00	252.89
M-RS-Y204-MS		M-RS-Y204-MS Russian Federation – North East C-MAP REVEAL	209.00	252.89
M-RS-Y207-MS		M-RS-Y207-MS Hokkaido and Sakhalin Islands C-MAP REVEAL	209.00	252.89

Part Number		Description	RRP exclu.	RRP inclu.
M-RS-Y210-MS		M-RS-Y210-MS Volga, Kama, Volgo – Balt and Volgo – Don C-MAP REVEAL	169.00	204.49
M-RS-Y212-MS		M-RS-Y212-MS Moscow-Tver-Volgo-Balt & Oka River C-MAP REVEAL	169.00	204.49
M-RS-Y217-MS		M-RS-Y217-MS Baykal and Siberian Lakes C-MAP REVEAL	169.00	204.49
M-RS-Y219-MS		M-RS-Y219-MS Moskva, Ola, Volga to Onezhskoe Lake C-MAP REVEAL	199.00	240.79
M-RS-Y233-MS		M-RS-Y233-MS White Sea & Channel C-MAP REVEAL	169.00	204.49
M-RS-Y237-MS		M-RS-Y237-MS Volga, Kama, Onezhskoe Lake & Channels C-MAP REVEAL	199.00	240.79
M-EW-Y624-MS		C-MAP Reveal MAX-N+ North Channel to Firth of Forth (M-EW-Y619-MS) C-MAP MAX-N+ Reveal Chart coverage North Channel to Firth of Forth. Compatible with B&G, Simrad & Lowrance Chartplotters. Check the C-MAP website for full compatibility by manufacturer and model. C-MAP MAX-N+ Reveal imagery replaces shaded relief data in selected areas with more accurate depth variations, revealing the best fishing and diving spots, helping anglers and divers make the most of their time on the water. Like all C-MAP charts, when you buy a MAX-N+ Reveal Chart you will receive free chart updates for 12 months.	169.00	204.49
M-EW-Y619-MS		C-MAP Reveal MAX-N+ English Channel to River Humber (M-EW-Y624-MS) C-MAP MAX-N+ Reveal Chart coverage The English Channel to The River Humber. Compatible with B&G, Simrad & Lowrance Chartplotters. Check the C-MAP website for full compatibility by manufacturer and model. C-MAP MAX-N+ Reveal imagery replaces shaded relief data in selected areas with more accurate depth variations, revealing the best fishing and diving spots, helping anglers and divers make the most of their time on the water. Like all C-MAP charts, when you buy a MAX-N+ Reveal Chart you will receive free chart updates for 12 months.	169.00	204.49

C-MAP Discover

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
M-AF-Y214-MS		M-AF-Y214-MS Cape Verde & Guinea Bissau C-MAP DISCOVER	129.00	156.09
M-AF-Y220-MS		M-AF-Y220-MS Pemba to Mogadishu C-MAP DISCOVER	129.00	156.09
M-EM-Y040-MS		M-EM-Y040-MS Italian Lakes & Po River C-MAP DISCOVER	129.00	156.09
M-EN-Y630-MS		M-EN-Y630-MS Pechenga to Lumbovskiy Gulf C-MAP DISCOVER	129.00	156.09
M-RS-Y221-MS		M-RS-Y221-MS White Sea C-MAP DISCOVER	129.00	156.09
M-RS-Y222-MS		M-RS-Y222-MS Volga C-MAP DISCOVER	84.00	101.64
M-RS-Y223-MS		M-RS-Y223-MS Balakovo-Astrakhan-Rostov C-MAP DISCOVER	84.00	101.64
M-RS-Y225-MS		M-RS-Y225-MS Moscow-Kaluga-Uglich, Seliger & Lakes C-MAP DISCOVER	84.00	101.64
M-RS-Y226-MS		M-RS-Y226-MS Volga C-MAP DISCOVER	84.00	101.64
M-RS-Y228-MS		M-RS-Y228-MS Kama & Vyatka C-MAP DISCOVER	84.00	101.64
M-RS-Y236-MS		M-RS-Y236-MS Lake Baykal C-MAP DISCOVER	84.00	101.64
M-RS-Y238-MS		M-RS-Y238-MS Siberian Lakes & Reservoirs C-MAP DISCOVER	84.00	101.64
M-RS-Y240-MS		M-RS-Y240-MS Tauyskaya Bay C-MAP DISCOVER	84.00	101.64
M-AF-Y003-MS		M-AF-Y003-MS Antarctica C-MAP DISCOVER	209.00	252.89
M-EM-Y045-MS		M-EM-Y045-MS Southern Europe C-MAP DISCOVER	199.00	240.79
M-EN-Y050-MS		M-EN-Y050-MS Northern & Central Europe C-MAP DISCOVER	199.00	240.79
M-EN-Y055-MS		M-EN-Y055-MS Baltic Sea C-MAP DISCOVER	199.00	240.79

Part Number		Description	RRP exclu. RRP inclu.	
M-EW-Y060-MS		M-EW-Y060-MS Central & West Europe C-MAP DISCOVER	199.00	240.79
M-RS-Y050-MS		M-RS-Y050-MS Western Russia C-MAP DISCOVER	212.00	256.52

C-MAP Continental

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
M-EM-N045-MS		EM-N045 - Southern Europe - MAX-N-European-Continental	199.00	240.79
M-EN-N050-MS		EN-N050 - Northern & Central Europe Contl. - MAX-N-European-Continental	199.00	240.79
M-EN-N055-MS		EN-N055 - Baltic Sea - MAX-N-European-Continental	199.00	240.79
M-EW-N060-MS		EW-N060 - Central & West Europe - MAX-N-European-Continental	199.00	240.79
M-RS-N050-MS		RS-N050 - Western Russia - MAX-N-Russian-Continental	212.00	256.52



C-MAP Max-N+ (W)


Main Products



Part Number		Description	RRP exclu.	RRP inclu.
M-EN-Y082-MS		EN-Y082 - Danube: Kelheim To Black Sea - MAX-N+ -European-Wide	209.00	252.89
M-EN-Y604-MS		EN-Y604 - Russian Lakes - MAX-N+ -Russian-Wide	169.00	204.49
M-RS-Y214-MS		RS-Y214 - Rybinsk-Cheboksary And Volgo-Balt - MAX-N+ -Russian-Wide	169.00	204.49
M-RS-Y215-MS		RS-Y215 - Volgograd-Astrakhan & Caspian Sea - MAX-N+ -Russian-Wide	169.00	204.49
M-RS-Y216-MS		RS-Y216 - Kama And Vyatka Rivers - MAX-N+ -Russian-Wide	169.00	204.49
M-RS-Y220-MS		RS-Y220 - Moscow Channel And Oka River - MAX-N+ -Russian-Wide	169.00	204.49
M-RS-Y235-MS		RS-Y235 - Volgo-Don And Azov Sea - MAX-N+ -Russian-Wide	169.00	204.49


C-MAP Max-N+ (L)

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
M-EM-Y120-MS		BLACK SEA AND SEA OF AZOV-MAX-N+	129.00	156.09
M-EM-Y128-MS		AEGEAN SEA AND SEA OF MARMARA-MAX-N+	129.00	156.09
M-EM-Y141-MS		WEST MEDITERRANEAN-MAX-N+	129.00	156.09
M-EM-Y143-MS		CENTRAL MEDITERRANEAN-MAX-N+	129.00	156.09
M-EM-Y153-MS		ADRIATIC AND IONIAN SEAS-MAX-N+	129.00	156.09
M-EN-Y068-MS		C-MAP MAX-N+ Local Chart Central European Lakes (M-EN-Y068-MS) C-MAP MAX-N+ Local Chart coverage Central European Lakes.Compatible with B&G, Simrad & Lowrance Chartplotters. Check the C-MAP website for full compatibility by manufacturer and model.MAX-N+ Charts are C-MAP's premium offering and are available in Local / Wide / Continental formats.Like all C-MAP charts, when you buy a MAX-N+ Chart you will receive free chart updates for 12 months.	129.00	156.09
M-EN-Y080-MS		C-MAP MAX-N+ Local Chart Germany Inland (M-EN-Y080-MS) C-MAP MAX-N+ Local Chart coverage Germany Inland.Compatible with B&G, Simrad & Lowrance Chartplotters. Check the C-MAP website for full compatibility by manufacturer and model.MAX-N+ Charts are C-MAP's premium offering and are available in Local / Wide / Continental formats.Like all C-MAP charts, when you buy a MAX-N+ Chart you will receive free chart updates for 12 months.	129.00	156.09
M-EN-Y270-MS		MALMOE - VALDERMARSVIK-MAX-N+	129.00	156.09
M-EN-Y309-MS		GULF OF FINLAND & AALAND ARCHIPELAGO-MAX-N+	129.00	156.09
M-EN-Y325-MS		C-MAP MAX-N+ Local Chart Finland Lakes (M-EN-Y325-MS) C-MAP MAX-N+ Local Chart coverage Finland Lakes.Compatible with B&G, Simrad & Lowrance Chartplotters. Check the C-MAP website for full compatibility by manufacturer and model.MAX-N+ Charts are C-MAP's premium offering and are available in Local / Wide / Continental formats.Like all C-MAP charts, when you buy a MAX-N+ Chart you will receive free chart updates for 12 months.	129.00	156.09
M-EN-Y330-MS		C-MAP MAX-N+ Local Chart Nieuwpoort to Emden (M-EN-Y330-MS) C-MAP MAX-N+ Local Chart coverage Nieuwpoort to Emden.Compatible with B&G, Simrad & Lowrance Chartplotters. Check the C-MAP website for full compatibility by manufacturer and model.MAX-N+ Charts are C-MAP's premium offering and are available in Local / Wide / Continental formats.Like all C-MAP charts, when you buy a MAX-N+ Chart you will receive free chart updates for 12 months.	129.00	156.09
M-EN-Y331-MS		KARLSKRONA TO EMDEN-MAX-N+	129.00	156.09
M-EN-Y334-MS		C-MAP MAX-N+ Local Chart Scheveningen to Sylt (M-EN-Y334-MS) C-MAP MAX-N+ Local Chart coverage Scheveningen to Sylt.Compatible with B&G, Simrad & Lowrance Chartplotters. Check the C-MAP website for full compatibility by manufacturer and model.MAX-N+ Charts are C-MAP's premium offering and are available in Local / Wide / Continental formats.Like all C-MAP charts, when you buy a MAX-N+ Chart you will receive free chart updates for 12 months.	129.00	156.09
M-EN-Y336-MS		C-MAP MAX-N+ Local Chart Torekov to Larvik (M-EN-Y336-MS) C-MAP MAX-N+ Local Chart coverage Torekov to Larvik.Compatible with B&G, Simrad & Lowrance Chartplotters. Check the C-MAP website for full compatibility by manufacturer and model.MAX-N+ Charts are C-MAP's premium offering and are available in Local / Wide / Continental formats.Like all C-MAP charts, when you buy a MAX-N+ Chart you will receive free chart updates for 12 months.	129.00	156.09
M-EN-Y338-MS		VAESTERVIK - SOEDERHAMN-MAX-N+	129.00	156.09

Part Number		Description	RRP exclu.	RRP inclu.
M-EN-Y340-MS		GULF OF BOTHNIA-MAX-N+	129.00	156.09
M-EN-Y584-MS		C-MAP MAX-N+ Local Chart Fiskebaeckskil to Lyngdal (M-EN-Y584-MS) C-MAP MAX-N+ Local Chart coverage The Gulf of Bothnia.Compatible with B&G, Simrad & Lowrance Chartplotters. Check the C-MAP website for full compatibility by manufacturer and model.MAX-N+ Charts are C-MAP's premium offering and are available in Local / Wide / Continental formats.Like all C-MAP charts, when you buy a MAX-N+ Chart you will receive free chart updates for 12 months.	129.00	156.09
M-EN-Y590-MS		SCANDINAVIA INLAND WATERS-MAX-N+	129.00	156.09
M-EN-Y592-MS		C-MAP MAX-N+ Local Chart Farsund to Maaloey (M-EN-Y592-MS) C-MAP MAX-N+ Local Chart coverage Farsund to Maaloey.Compatible with B&G, Simrad & Lowrance Chartplotters. Check the C-MAP website for full compatibility by manufacturer and model.MAX-N+ Charts are C-MAP's premium offering and are available in Local / Wide / Continental formats.Like all C-MAP charts, when you buy a MAX-N+ Chart you will receive free chart updates for 12 months.	129.00	156.09
M-EN-Y593-MS		C-MAP MAX-N+ Local Chart Bergen to Brandsfjorden (M-EN-Y593-MS) C-MAP MAX-N+ Local Chart coverage Bergen to Brandsfjorden.Compatible with B&G, Simrad & Lowrance Chartplotters. Check the C-MAP website for full compatibility by manufacturer and model.MAX-N+ Charts are C-MAP's premium offering and are available in Local / Wide / Continental formats.Like all C-MAP charts, when you buy a MAX-N+ Chart you will receive free chart updates for 12 months.	129.00	156.09
M-EN-Y594-MS		KRISTIANSUND - FINNSNES-MAX-N+	129.00	156.09
M-EN-Y596-MS		BODOE - KIRKENES-MAX-N+	129.00	156.09
M-EN-Y614-MS		C-MAP MAX-N+ Local Chart Latvia & Lithuania (M-EN-Y614-MS) C-MAP MAX-N+ Local Chart coverage Latvia & Lithuania.Compatible with B&G, Simrad & Lowrance Chartplotters. Check the C-MAP website for full compatibility by manufacturer and model.MAX-N+ Charts are C-MAP's premium offering and are available in Local / Wide / Continental formats.Like all C-MAP charts, when you buy a MAX-N+ Chart you will receive free chart updates for 12 months.	129.00	156.09
M-EN-Y802-MS		C-MAP MAX-N+ Local Chart Polish Inland Waters (M-EN-Y802-MS) C-MAP MAX-N+ Local Chart coverage Polish Inland Waters.Compatible with B&G, Simrad & Lowrance Chartplotters. Check the C-MAP website for full compatibility by manufacturer and model.MAX-N+ Charts are C-MAP's premium offering and are available in Local / Wide / Continental formats.Like all C-MAP charts, when you buy a MAX-N+ Chart you will receive free chart updates for 12 months.	129.00	156.09
M-EN-Y803-MS		C-MAP MAX-N+ Local Chart Polish Coasts (M-EN-Y803-MS) C-MAP MAX-N+ Local Chart coverage Polish Coasts.Compatible with B&G, Simrad & Lowrance Chartplotters. Check the C-MAP website for full compatibility by manufacturer and model.MAX-N+ Charts are C-MAP's premium offering and are available in Local / Wide / Continental formats.Like all C-MAP charts, when you buy a MAX-N+ Chart you will receive free chart updates for 12 months.	129.00	156.09
M-EW-Y135-MS		PORTUGAL AND GALICIA-MAX-N+	129.00	156.09
M-EW-Y235-MS		C-MAP MAX-N+ Local Chart French Inland (M-EW-Y235-MS) C-MAP MAX-N+ Local Chart coverage French Inland.Compatible with B&G, Simrad & Lowrance Chartplotters. Check the C-MAP website for full compatibility by manufacturer and model.MAX-N+ Charts are C-MAP's premium offering and are available in Local / Wide / Continental formats.Like all C-MAP charts, when you buy a MAX-N+ Chart you will receive free chart updates for 12 months.	129.00	156.09
M-EW-Y311-MS		C-MAP MAX-N+ Local Chart Madeira, Azores and Canary Islands (M-EW-Y311-MS) C-MAP MAX-N+ Local Chart coverage Madeira, Azores and Canary Islands.Compatible with B&G, Simrad & Lowrance Chartplotters. Check the C-MAP website for full compatibility by manufacturer and model.MAX-N+ Charts are C-MAP's premium offering and are available in Local / Wide / Continental formats.Like all C-MAP charts, when you buy a MAX-N+ Chart you will receive free chart updates for 12 months.	129.00	156.09
M-EW-Y315-MS		BAY OF BISCAY-MAX-N+	129.00	156.09
M-EW-Y319-MS		ENGLISH CHANNEL TO RIVER HUMBER-MAX-N+	129.00	156.09

Part Number		Description	RRP exclu.	RRP inclu.
M-EW-Y321-MS		IRISH SEA AND BRISTOL CHANNEL-MAX-N+	129.00	156.09
M-EW-Y333-MS		C-MAP MAX-N+ Local Chart Ireland West & South West Coasts (M-EW-Y333-MS) C-MAP MAX-N+ Local Chart coverage Ireland West & South West Coasts.Compatible with B&G, Simrad & Lowrance Chartplotters. Check the C-MAP website for full compatibility by manufacturer and model.MAX-N+ Charts are C-MAP's premium offering and are available in Local / Wide / Continental formats.Like all C-MAP charts, when you buy a MAX-N+ Chart you will receive free chart updates for 12 months.	129.00	156.09
M-EW-Y334-MS		C-MAP MAX-N+ Local Chart UK & Inland Waters (M-EW-Y334-MS) C-MAP MAX-N+ Local Chart coverage UK & Inland Waters.Compatible with B&G, Simrad & Lowrance Chartplotters. Check the C-MAP website for full compatibility by manufacturer and model.MAX-N+ Charts are C-MAP's premium offering and are available in Local / Wide / Continental formats.Like all C-MAP charts, when you buy a MAX-N+ Chart you will receive free chart updates for 12 months.	129.00	156.09
M-EW-Y324-MS		NORTH CHANNEL TO FIRTH OF FORTH-MAX-N+	129.00	156.09
M-EW-Y326-MS		C-MAP MAX-N+ Local Chart Montrose to Ramsgate (M-EW-Y326-MS) C-MAP MAX-N+ Local Chart coverage Montrose to Ramsgate.Compatible with B&G, Simrad & Lowrance Chartplotters. Check the C-MAP website for full compatibility by manufacturer and model.MAX-N+ Charts are C-MAP's premium offering and are available in Local / Wide / Continental formats.Like all C-MAP charts, when you buy a MAX-N+ Chart you will receive free chart updates for 12 months.	129.00	156.09
M-EM-Y131-MS		EM-Y131 - Cyprus - MAX-N+ - European - Local	129.00	156.09
M-EM-Y136-MS		EM-Y136 - Cap Africa To Misratah - MAX-N+ - European - Local	129.00	156.09
M-EM-Y137-MS		EM-Y137 - Misratah To Kambut - MAX-N+ - European - Local	129.00	156.09
M-EM-Y149-MS		EM-Y149 - Northern Tunisia - MAX-N+ - European - Local	129.00	156.09
M-EM-Y150-MS		EM-Y150 - Ekincik To Ulucinar - MAX-N+ - European - Local	129.00	156.09
M-EM-Y154-MS		EM-Y154 - Pivdennyi Buh River - MAX-N+ - European - Local	129.00	156.09
M-EN-Y076-MS		EN-Y076 - Belgium Inland And River Rhein - MAX-N+ - European - Local	129.00	156.09
M-EN-Y085-MS		EN-Y085 - Danube: Croatia, Serbia - MAX-N+ - European - Local	129.00	156.09
M-EN-Y086-MS		EN-Y086 - Czech Waters - MAX-N+ - European - Local	129.00	156.09
M-EN-Y410-MS		ICELAND, FAEROE, SHETLAND & ORKNEY-MAX-N+	129.00	156.09
M-EN-Y598-MS		EN-Y598 - Svalbard Islands - MAX-N+ - European - Local	129.00	156.09
M-EN-Y615-MS		EN-Y615 - Gotland - MAX-N+ - European - Local	129.00	156.09
M-EW-Y330-MS		EW-Y330 - Donegal Bay To Rathlin Island - MAX-N+ - European - Local	129.00	156.09

Part Number		Description	RRP exclu.	RRP inclu.
M-ME-Y008-MS		ME-Y008 - Egyptian Red Sea Coasts - MAX-N+ - European - Local	129.00	156.09
M-ME-Y011-MS		ME-Y011 - Oman - MAX-N+ - European - Local	129.00	156.09
M-ME-Y014-MS		ME-Y014 - Egyptian Mediterranean Coast - MAX-N+ - European - Local	129.00	156.09
M-ME-Y015-MS		ME-Y015 - Israel, Lebanon And Syria - MAX-N+ - European - Local	129.00	156.09
M-ME-Y016-MS		ME-Y016 - Persian Gulf Western Part - MAX-N+ - European - Local	129.00	156.09
M-EN-Y607-MS		EN-Y607 - Chudskoye-Pskovskoe Lakes - MAX-N+ - Russian - Local	84.00	101.64
M-EN-Y610-MS		EN-Y610 - Lake Ladoga - MAX-N+ - Russian - Local	84.00	101.64
M-EN-Y611-MS		EN-Y611 - Onezhskoe Lake And Svir - MAX-N+ - Russian - Local	84.00	101.64
M-EN-Y612-MS		EN-Y612 - Ilmen Lake And Volkhov River - MAX-N+ - Russian - Local	84.00	101.64
M-RS-Y211-MS		RS-Y211 - Rybinsk Reservoir And White Lake - MAX-N+ - Russian - Local	84.00	101.64
M-RS-Y218-MS		RS-Y218 - Volga Delta - MAX-N+ - Russian - Local	84.00	101.64
M-RS-Y224-MS		RS-Y224 - Tver-Uglich And Seliger Lake - MAX-N+ - Russian - Local	84.00	101.64
M-RS-Y227-MS		RS-Y227 - Nizhniy Novgorod - Cheboksary - MAX-N+ - Russian - Local	84.00	101.64
M-RS-Y229-MS		RS-Y229 - Kama Lower And Vyatka - MAX-N+ - Russian - Local	84.00	101.64
M-RS-Y231-MS		RS-Y231 - Oka Lower - MAX-N+ - Russian - Local	84.00	101.64
M-RS-Y232-MS		RS-Y232 - White Sea Channel - MAX-N+ - Russian - Local	84.00	101.64
M-RS-Y234-MS		RS-Y234 - Volgo-Don Channel - MAX-N+ - Russian - Local	84.00	101.64
M-RS-Y239-MS		RS-Y239 - Ul'yanovsk-Balakovo - MAX-N+ - Russian - Local	84.00	101.64
M-RS-Y241-MS		RS-Y241 - Novosibirsk Reservoir - MAX-N+ - Russian - Local	84.00	101.64

Part Number	Description	RRP exclu.	RRP inclu.
M-RS-Y242-MS	 RS-Y242 - Krasnoyarskoe Reservoir - MAX-N+ - Russian - Local	84.00	101.64


C-MAP BATHY

Main Products


Part Number		Description	RRP exclu.	RRP inclu.
M-EM-N201-MS		EM-N201 - East Mediterranean Coasts Bathy - MAX-N-European-Bathymetic	169.00	204.49
M-EM-N203-MS		EM-N203 - West Mediterranean Coasts Bathy - MAX-N-European-Bathymetic	169.00	204.49
M-EN-N352-MS		EN-N352 - Northern Europe Bathy - MAX-N-European-Bathymetic	169.00	204.49
M-EN-N353-MS		EN-N353 - North Atlantic & Barents Sea Bathy - MAX-N-European-Bathymetic	169.00	204.49
M-EW-N332-MS		EW-N332 - Western Europe Bathy - MAX-N-European-Bathymetic	169.00	204.49


C-MAP MAX-N



Main Products


Part Number		Description	RRP exclu.	RRP inclu.
M-ME-N204-MS		ME-N204 - Red Sea To Gulf & Seychelles Is - MAX-N - European - Wide	209.00	252.89
M-EM-N040-MS		EM-N040 - Italian Lakes And Po River - MAX-N-European-Local	129.00	156.09
M-EM-N120-MS		BLACK SEA AND SEA OF AZOV-MAX-N	129.00	156.09
M-EM-N128-MS		AEGEAN SEA AND SEA OF MARMARA-MAX-N	129.00	156.09
M-EM-N131-MS		EM-N131 - Cyprus - MAX-N-European-Local	129.00	156.09
M-EM-N136-MS		EM-N136 - Cap Africa To Misratah - MAX-N-European-Local	129.00	156.09
M-EM-N137-MS		EM-N137 - Misratah To Kambut - MAX-N-European-Local	129.00	156.09
M-EM-N141-MS		WEST MEDITERRANEAN-MAX-N	129.00	156.09
M-EM-N143-MS		CENTRAL MEDITERRANEAN-MAX-N	129.00	156.09
M-EM-N149-MS		EM-N149 - Northern Tunisia - MAX-N-European-Local	129.00	156.09
M-EM-N150-MS		EM-N150 - Ekincik To Ulucinar - MAX-N-European-Local	129.00	156.09
M-EM-N153-MS		ADRIATIC AND IONIAN SEAS-MAX-N	129.00	156.09
M-EM-N154-MS		EM-N154 - Pivdennyi Buh River - MAX-N-European-Local	129.00	156.09
M-EN-N068-MS		EN-N068 - Central European Lakes - MAX-N-European-Local	129.00	156.09
M-EN-N076-MS		EN-N076 - Belgium Inland And River Rhein - MAX-N-European-Local	129.00	156.09
M-EN-N080-MS		EN-N080 - Germany Inland - MAX-N-European-Local	129.00	156.09
M-EN-N085-MS		EN-N085 - Danube: Croatia, Serbia - MAX-N-European-Local	129.00	156.09
M-EN-N086-MS		EN-N086 - Czech Waters - MAX-N-European-Local	129.00	156.09
M-EN-N270-MS		MALMOE - VALDERMARSVIK-MAX-N	129.00	156.09

Part Number	Description	RRP exclu.	RRP inclu.
M-EN-N309-MS	 GULF OF FINLAND & AALAND ARCHIPELAGO-MAX-N	129.00	156.09
M-EN-N325-MS	EN-N325 - Finland Lakes - MAX-N-European-Local	129.00	156.09
M-EN-N330-MS	 EN-N330 - Nieuwpoort To Emden - MAX-N-European-Local	129.00	156.09
M-EN-N331-MS	 KARLSKRONA TO EMDEN-MAX-N	129.00	156.09
M-EN-N334-MS	 EN-N334 - Scheveningen To Sylt - MAX-N-European-Local	129.00	156.09
M-EN-N336-MS	 EN-N336 - Torekov-Larvik - MAX-N-European-Local	129.00	156.09
M-EN-N338-MS	 VAESTERVIK - SOEDERHAMN-MAX-N	129.00	156.09
M-EN-N340-MS	 GULF OF BOTHNIA-MAX-N	129.00	156.09
M-EN-N410-MS	 ICELAND, FAEROE, SHETLAND & ORKNEY-MAX-N	129.00	156.09
M-EN-N584-MS	 EN-N584 - Fiskebaeckskil-Lyngdal - MAX-N-European-Local	129.00	156.09
M-EN-N590-MS	 SCANDINAVIA INLAND WATERS-MAX-N	129.00	156.09
M-EN-N592-MS	 EN-N592 - Aardal To Maaloey - MAX-N-European-Local	129.00	156.09
M-EN-N593-MS	 EN-N593 - Dalsfjorden To Brandsfjorden - MAX-N-European-Local	129.00	156.09
M-EN-N594-MS	 KRISTIANSUND - FINNSNES-MAX-N	129.00	156.09
M-EN-N596-MS	 BODOE - KIRKENES-MAX-N	129.00	156.09
M-EN-N598-MS	 EN-N598 - Svalbard Islands - MAX-N-European-Local	129.00	156.09
M-EN-N614-MS	 EN-N614 - Latvia, Lithuania And Russia - MAX-N-European-Local	129.00	156.09
M-EN-N615-MS	 EN-N615 - Gotland - MAX-N-European-Local	129.00	156.09
M-EN-N630-MS	EN-N630 - Pechenga - Lumbovskiy Gulf - MAX-N-European-Local	129.00	156.09
M-EN-N802-MS	 EN-N802 - Polish Inland Waters - MAX-N-European-Local	129.00	156.09

Part Number		Description	RRP exclu.	RRP inclu.
M-EN-N803-MS		EN-N803 - Polish Coasts - MAX-N-European-Local	129.00	156.09
M-EW-N135-MS		PORTUGAL AND GALICIA-MAX-N	129.00	156.09
M-EW-N235-MS		EW-N235 - French Inland Water - MAX-N-European-Local	129.00	156.09
M-EW-N311-MS		EW-N311 - Madeira, Azores And Canary Islands - MAX-N-European-Local	129.00	156.09
M-EW-N315-MS		BAY OF BISCAY-MAX-N	129.00	156.09
M-EW-N319-MS		ENGLISH CHANNEL TO RIVER HUMBER-MAX-N	129.00	156.09
M-EW-N321-MS		IRISH SEA AND BRISTOL CHANNEL-MAX-N	129.00	156.09
M-EW-N324-MS		NORTH CHANNEL TO FIRTH OF FORTH-MAX-N	129.00	156.09
M-EW-N326-MS		EW-N326 - Montrose To Ramsgate - MAX-N-European-Local	129.00	156.09
M-EW-N333-MS		EW-N333 - Ireland West And South West Coasts - MAX-N-European-Local	129.00	156.09
M-EW-N334-MS		EW-N334 - Uk And Ireland Inland Waters - MAX-N-European-Local	129.00	156.09
M-ME-N008-MS		ME-N008 - Egyptian Red Sea Coasts - MAX-N-European-Local	129.00	156.09
M-ME-N011-MS		ME-N011 - Oman - MAX-N-European-Local	129.00	156.09
M-ME-N014-MS		ME-N014 - Egyptian Mediterranean Coast - MAX-N-European-Local	129.00	156.09
M-ME-N015-MS		ME-N015 - Israel, Lebanon And Syria - MAX-N-European-Local	129.00	156.09
M-ME-N016-MS		ME-N016 - Persian Gulf Western Part - MAX-N-European-Local	129.00	156.09
M-RS-N221-MS		RS-N221 - Archangel Sk - Kandalaksha - MAX-N - Russian - Local	129.00	156.09
M-EM-N076-MS		EM-N076 - South-West European Coasts - MAX-N - European - Wide	209.00	252.89
M-EM-N111-MS		EM-N111 - East Mediterranean, Black Caspian S - MAX-N - European - Wide	209.00	252.89
M-EN-N082-MS		EN-N082 - Danube: Kelheim To Black Sea - MAX-N - European - Wide	209.00	252.89

Part Number		Description	RRP exclu.	RRP inclu.
M-EN-N299-MS		EN-N299 - Baltic Sea And Denmark - MAX-N - European - Wide	209.00	252.89
M-EN-N300-MS		EN-N300 - North Sea And Denmark - MAX-N - European - Wide	209.00	252.89
M-EN-N326-MS		EN-N326 - Finland Lakes - MAX-N - European - Wide	209.00	252.89
M-EN-N405-MS		EN-N405 - Greenland And Iceland - MAX-N - European - Wide	209.00	252.89
M-EW-N065-MS		EW-N065 - France Coastal And Inland - MAX-N - European - Wide	209.00	252.89
M-EW-N226-MS		EW-N226 - Uk, Ireland And The Channel - MAX-N - European - Wide	209.00	252.89
M-EW-N227-MS		EW-N227 - North-West European Coasts - MAX-N - European - Wide	209.00	252.89
M-EW-N228-MS		EW-N228 - West European Coasts - MAX-N - European - Wide	209.00	252.89
M-RS-N202-MS		RS-N202 - Russian Federation North West - MAX-N - European - Wide	209.00	252.89
M-RS-N203-MS		RS-N203 - Russian Federation North Central - MAX-N - European - Wide	209.00	252.89
M-RS-N204-MS		RS-N204 - Russian Federation North East - MAX-N - European - Wide	209.00	252.89
M-RS-N207-MS		RS-N207 - Hokkaido And Sakhalin Islands - MAX-N - European - Wide	209.00	252.89
M-RS-N219-MS		RS-N219 - Moskva, Oka, Volga & Onezhskoe L. Sw - MAX-N-SPECIAL WIDE-RUS	199.00	240.79
M-RS-N237-MS		RS-N237 - Volga:Cherepovets-Astrakhan & Kama - MAX-N-SPECIAL WIDE-RUS	199.00	240.79
M-EN-N604-MS		EN-N604 - Russian Lakes - MAX-N - Russian - Wide	149.00	180.29
M-RS-N210-MS		RS-N210 - Volga: Rybinsk - Astrakhan - MAX-N - Russian - Wide	149.00	180.29
M-RS-N212-MS		RS-N212 - Tver-Moscow-Rybinsk, & Volgo-Balt - MAX-N - Russian - Wide	149.00	180.29
M-RS-N214-MS		RS-N214 - Rybinsk-Cheboksary And Volgo-Balt - MAX-N - Russian - Wide	149.00	180.29
M-RS-N215-MS		RS-N215 - Volgograd-Astrakhan & Caspian Sea - MAX-N - Russian - Wide	149.00	180.29
M-RS-N216-MS		RS-N216 - Kama And Vyatka Rivers - MAX-N - Russian - Wide	149.00	180.29

Part Number		Description	RRP exclu.	RRP inclu.
M-RS-N217-MS		RS-N217 - Baykal And Siberian Lakes - MAX-N - Russian - Wide	149.00	180.29
M-RS-N220-MS		RS-N220 - Moscow Channel And Oka River - MAX-N - Russian - Wide	149.00	180.29
M-RS-N233-MS		RS-N233 - White Sea And Channel - MAX-N - Russian - Wide	149.00	180.29
M-RS-N235-MS		RS-N235 - Volgo-Don And Azov Sea - MAX-N - Russian - Wide	149.00	180.29
M-EN-N607-MS		EN-N607 - Chudskoye-Pskovskoe Lakes - MAX-N - Russian - Local	84.00	101.64
M-EN-N610-MS		EN-N610 - Lake Ladoga - MAX-N - Russian - Local	84.00	101.64
M-EN-N611-MS		EN-N611 - Onezhskoe Lake And Svir - MAX-N - Russian - Local	84.00	101.64
M-EN-N612-MS		EN-N612 - Ilmen Lake And Volkhov River - MAX-N - Russian - Local	84.00	101.64
M-RS-N211-MS		RS-N211 - Rybinsk Reservoir And White Lake - MAX-N - Russian - Local	84.00	101.64
M-RS-N218-MS		RS-N218 - Volga Delta - MAX-N - Russian - Local	84.00	101.64
M-RS-N222-MS		RS-N222 - Cheboksary-Toll Atti - MAX-N - Russian - Local	84.00	101.64
M-RS-N223-MS		RS-N223 - Balakovo-Volgograd - MAX-N - Russian - Local	84.00	101.64
M-RS-N224-MS		RS-N224 - Tver-Uglich And Seliger Lake - MAX-N - Russian - Local	84.00	101.64
M-RS-N225-MS		RS-N225 - Moscow-Kolomna- Kaluga And Lakes - MAX-N - Russian - Local	84.00	101.64
M-RS-N226-MS		RS-N226 - Rybinsk-Gorodets - MAX-N - Russian - Local	84.00	101.64
M-RS-N227-MS		RS-N227 - Nizhniy Novgorod - Cheboksary - MAX-N - Russian - Local	84.00	101.64
M-RS-N228-MS		RS-N228 - Kama Upper - MAX-N - Russian - Local	84.00	101.64
M-RS-N229-MS		RS-N229 - Kama Lower And Vyatka - MAX-N - Russian - Local	84.00	101.64
M-RS-N231-MS		RS-N231 - Oka Lower - MAX-N - Russian - Local	84.00	101.64

Part Number		Description	RRP exclu.	RRP inclu.
M-RS-N232-MS		RS-N232 - White Sea Channel - MAX-N - Russian - Local	84.00	101.64
M-RS-N234-MS		RS-N234 - Volgo-Don Channel - MAX-N - Russian - Local	84.00	101.64
M-RS-N236-MS		RS-N236 - Lake Baykal - MAX-N - Russian - Local	84.00	101.64
M-RS-N238-MS		RS-N238 - Siberian Lakes - MAX-N - Russian - Local	84.00	101.64
M-RS-N239-MS		RS-N239 - UI Anovsk-Balakovo - MAX-N - Russian - Local	84.00	101.64
M-RS-N240-MS		RS-N240 - Tauyskaya Bay - MAX-N - Russian - Local	84.00	101.64
M-RS-N241-MS		RS-N241 - Novosibirskoe Reservoir - MAX-N - Russian - Local	84.00	101.64
M-RS-N242-MS		RS-N242 - Krasnoyarskoe Reservoir - MAX-N - Russian - Local	84.00	101.64

Lake Insight

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-11093-001		INSIGHT PLANNER - DVD	29.87	36.14

Naviop Kits

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-14666-001		LOOP S KIT: Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. Output 8 relays + 8 fuses.	1089.74	1318.59
000-14665-001		LOOP S PLUS KIT: Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. Output: 16 relays + 16 fuses.	1882.84	2278.24
000-14664-001		LOOP M KIT: A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. Output: 8 relays + 8 fuses	1687.14	2041.44
000-14663-001		LOOP M PLUS KIT: A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. Output: 16 relays + 16 fuses	2675.94	3237.89
000-15329-001		LOOP S KIT, BOAT BUILDER PACK	500.00	605.00
000-15330-001		LOOP S PLUS KIT: Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. Output: 16 relays + 16 fuses.	850.00	1028.50
000-15352-001		LOOP M KIT, BOAT BUILDER PACK: A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. Output: 8 relays + 8 fuses	760.00	919.60
000-15353-001		LOOP M+ KIT, BOAT BUILDER PACK: A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. Output: 16 relays + 16 fuses	1200.00	1452.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
31M-316-0		NAVIOP EGON+ 12VDC: EGON+ (16 ch in total) 8 channels Fuse+Relay-> Max load 20A@12V 8 channels Fuse only -> Max load 30A@12V	870.00	1052.70
31M-335-0		NAVIOP EGON+ 24VDC	870.00	1052.70
31M-336-0		NAVIOP EGON+ POWER 12VDC: (8ch in total) 8 channels Fuse+Relay-> Max load 30 A@12V	870.00	1052.70
31M-337-0		NAVIOP EGON+ POWER 24VDC	870.00	1052.70
000-14844-001		NAVIOP RELAY FOR EGON+ 12VDC	24.70	29.89
000-14845-001		NAVIOP RELAY FOR EGON+ POWER 12VDC	17.14	20.74
000-14846-001		NAVIOP RELAY FOR EGON+ 24VDC	16.27	19.69
000-14847-001		NAVIOP RELAY FOR EGON+ POWER 24VDC	18.41	22.27

Part Number		Description	RRP exclu.	RRP inclu.
C-EGON-00		NAVIOP EGON CABLE ID CAN 0	78.00	94.38
C-EGON-01		NAVIOP EGON CABLE ID CAN 1	78.00	94.38
C-EGON-02		NAVIOP EGON CABLE ID CAN 2	78.00	94.38
C-EGON-03		NAVIOP EGON CABLE ID CAN 3	78.00	94.38
C-EGON-04		NAVIOP EGON CABLE ID CAN 4	78.00	94.38
C-EGON-05		NAVIOP EGON CABLE ID CAN 5	78.00	94.38
C-EGON-06		NAVIOP EGON CABLE ID CAN 6	78.00	94.38
C-EGON-07		NAVIOP EGON CABLE ID CAN 7	78.00	94.38
000-14901-001		NAVIOP EGON PLUG SET	36.05	43.62
000-15110-001		NAVIOP, CAN CABLE FOR KEYCAN	59.00	71.39
000-15213-001		OP-BOX LOOP M+	1399.00	1692.79
000-15212-001		OP-BOX LOOP M	1029.00	1245.09
000-15211-001		OP-BOX LOOP S+: OP-Box: Processing and protocols Unit with PLC programming capability.	979.00	1184.59
000-15210-001		OP-BOX LOOP S	959.00	1160.39
000-15209-001		PROGRAMMABLE LOOP OP-BOX	1165.00	1409.65
BERMINI-USAA-1M		NAVIOP OP-BOX USB CABLE	64.35	77.86
C-28576		NAVIOP DROP T CAN CABLE NA30	59.00	71.39
C-28574		DROP T CAN CABLE NOVA+ 1,2M	56.00	67.76

Part Number		Description	RRP exclu.	RRP inclu.
C-34686		AXIAL DB9 MALE 2MT. CABLE FOR RS232/485	30.50	36.91
C-DAU-CABLE		NAVIOP DAU COMPLETE HARNESS 2M	105.00	127.05
DAU-B-128		NAVIOP DAU BRIDGE - ID CAN : 128	1050.00	1270.50
DAU-B-129		NAVIOP DAU BRIDGE - ID CAN : 129	1050.00	1270.50
DAU-B-130		NAVIOP DAU BRIDGE - ID CAN : 130	1050.00	1270.50
DAU-B-131		NAVIOP DAU BRIDGE - ID CAN : 131	1050.00	1270.50
DAU-B-132		NAVIOP DAU BRIDGE - ID CAN : 132	1050.00	1270.50
DAU-B-133		NAVIOP DAU BRIDGE - ID CAN : 133	1050.00	1270.50
DAU-B-134		NAVIOP DAU BRIDGE - ID CAN : 134	1050.00	1270.50
DAU-B-135		NAVIOP DAU BRIDGE - ID CAN : 135	1050.00	1270.50
DAU-E-136		NAVIOP DAU EASY - ID CAN : 136	1050.00	1270.50
DAU-E-137		NAVIOP DAU EASY - ID CAN : 137	1050.00	1270.50
DAU-E-138		NAVIOP DAU EASY - ID CAN : 138	1050.00	1270.50

Part Number		Description	RRP exclu. RRP inclu.	
DAU-E-139		NAVIOP DAU EASY - ID CAN : 139	1050.00	1270.50
DAU-E-140		NAVIOP DAU EASY - ID CAN : 140	1050.00	1270.50
DAU-E-141		NAVIOP DAU EASY - ID CAN : 141	1050.00	1270.50
DAU-E-142		NAVIOP DAU EASY - ID CAN : 142	1050.00	1270.50
DAU-E-143		NAVIOP DAU EASY - ID CAN : 143	1050.00	1270.50
NA05-0003		NAVIOP SE NOVA+ LIGHT BOARD	930.00	1125.30
NA05-0003-H		NAVIOP SE NOVA+ LIGHT BOARD,W/ HARNESS	950.00	1149.50

Naviop Parts

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-15497-001		NAVIOP DIGITAL SWITCHING KEYPAD,ID 174	299.00	361.79
000-15496-001		NAVIOP DIGITAL SWITCHING KEYPAD,ID 173	299.00	361.79
000-14991-001		AT30 DIGITAL SWITCHING GATEWAY	260.00	314.60
31M-316-0		NAVIOP EGON+ 12VDC: EGON+ (16 ch in total) 8 channels Fuse+Relay-> Max load 20A@12V 8 channels Fuse only -> Max load 30A@12V	870.00	1052.70
31M-335-0		NAVIOP EGON+ 24VDC	870.00	1052.70
31M-336-0		NAVIOP EGON+ POWER 12VDC: (8ch in total) 8 channels Fuse+Relay-> Max load 30 A@12V	870.00	1052.70
31M-337-0		NAVIOP EGON+ POWER 24VDC	870.00	1052.70
000-14844-001		NAVIOP RELAY FOR EGON+ 12VDC	24.70	29.89
000-14845-001		NAVIOP RELAY FOR EGON+ POWER 12VDC	17.14	20.74
000-14846-001		NAVIOP RELAY FOR EGON+ 24VDC	16.27	19.69
000-14847-001		NAVIOP RELAY FOR EGON+ POWER 24VDC	18.41	22.27
C-EGON-00		NAVIOP EGON CABLE ID CAN 0	78.00	94.38
C-EGON-01		NAVIOP EGON CABLE ID CAN 1	78.00	94.38
C-EGON-02		NAVIOP EGON CABLE ID CAN 2	78.00	94.38
C-EGON-03		NAVIOP EGON CABLE ID CAN 3	78.00	94.38
C-EGON-04		NAVIOP EGON CABLE ID CAN 4	78.00	94.38
C-EGON-05		NAVIOP EGON CABLE ID CAN 5	78.00	94.38
C-EGON-06		NAVIOP EGON CABLE ID CAN 6	78.00	94.38

Part Number		Description	RRP exclu.	RRP inclu.
C-EGON-07		NAVIOP EGON CABLE ID CAN 7	78.00	94.38
000-14901-001		NAVIOP EGON PLUG SET	36.05	43.62
000-15110-001		NAVIOP, CAN CABLE FOR KEYCAN	59.00	71.39
000-15213-001		OP-BOX LOOP M+	1399.00	1692.79
000-15212-001		OP-BOX LOOP M	1029.00	1245.09
000-15211-001		OP-BOX LOOP S+: OP-Box: Processing and protocols Unit with PLC programming capability.	979.00	1184.59
000-15210-001		OP-BOX LOOP S	959.00	1160.39
000-15209-001		PROGRAMMABLE LOOP OP-BOX	1165.00	1409.65
000-13959-001		NAIS-400/500 ADAPTER CABLE NMEA0183 / NAVIOP OP-BOX PWR SUPPLY/SERIAL CABLE	55.62	67.30
BERMINI-USAA-1M		NAVIOP OP-BOX USB CABLE	64.35	77.86
C-28576		NAVIOP DROP T CAN CABLE NA30	59.00	71.39
C-28574		DROP T CAN CABLE NOVA+ 1,2M	56.00	67.76
C-34686		AXIAL DB9 MALE 2MT. CABLE FOR RS232/485	30.50	36.91
C-DAU-CABLE		NAVIOP DAU COMPLETE HARNESS 2M	105.00	127.05
DAU-B-128		NAVIOP DAU BRIDGE - ID CAN : 128	1050.00	1270.50
DAU-B-129		NAVIOP DAU BRIDGE - ID CAN : 129	1050.00	1270.50

Part Number		Description	RRP exclu.	RRP inclu.
DAU-B-130		NAVIOP DAU BRIDGE - ID CAN : 130	1050.00	1270.50
DAU-B-131		NAVIOP DAU BRIDGE - ID CAN : 131	1050.00	1270.50
DAU-B-132		NAVIOP DAU BRIDGE - ID CAN : 132	1050.00	1270.50
DAU-B-133		NAVIOP DAU BRIDGE - ID CAN : 133	1050.00	1270.50
DAU-B-134		NAVIOP DAU BRIDGE - ID CAN : 134	1050.00	1270.50
DAU-B-135		NAVIOP DAU BRIDGE - ID CAN : 135	1050.00	1270.50
DAU-E-136		NAVIOP DAU EASY - ID CAN : 136	1050.00	1270.50
DAU-E-137		NAVIOP DAU EASY - ID CAN : 137	1050.00	1270.50
DAU-E-138		NAVIOP DAU EASY - ID CAN : 138	1050.00	1270.50
DAU-E-139		NAVIOP DAU EASY - ID CAN : 139	1050.00	1270.50
DAU-E-140		NAVIOP DAU EASY - ID CAN : 140	1050.00	1270.50
DAU-E-141		NAVIOP DAU EASY - ID CAN : 141	1050.00	1270.50
DAU-E-142		NAVIOP DAU EASY - ID CAN : 142	1050.00	1270.50
DAU-E-143		NAVIOP DAU EASY - ID CAN : 143	1050.00	1270.50


Part Number	Description	RRP exclu.	RRP inclu.
NA05-0003	 NAVIOP SE NOVA+ LIGHT BOARD	930.00	1125.30
NA05-0003-H	 NAVIOP SE NOVA+ LIGHT BOARD, W/ HARNESS	950.00	1149.50
000-15495-001	 NAVIOP DIGITAL SWITCHING KEYPAD, ID 172	299.00	361.79
000-15494-001	 NAVIOP DIGITAL SWITCHING KEYPAD, ID 171	299.00	361.79
000-15493-001	 NAVIOP DIGITAL SWITCHING KEYPAD, ID 170	299.00	361.79
000-15492-001	 NAVIOP DIGITAL SWITCHING KEYPAD, ID 169	299.00	361.79
000-15491-001	 NAVIOP DIGITAL SWITCHING KEYPAD, ID 168	299.00	361.79
000-15490-001	 NAVIOP DIGITAL SWITCHING KEYPAD, ID 167	299.00	361.79
000-15489-001	 NAVIOP DIGITAL SWITCHING KEYPAD, ID 166	299.00	361.79
000-15488-001	 NAVIOP DIGITAL SWITCHING KEYPAD, ID 165	299.00	361.79
000-15487-001	 NAVIOP DIGITAL SWITCHING KEYPAD, ID 164	299.00	361.79
000-15486-001	 NAVIOP DIGITAL SWITCHING KEYPAD, ID 163	299.00	361.79
000-15485-001	 NAVIOP DIGITAL SWITCHING KEYPAD, ID 162	299.00	361.79
000-15484-001	 NAVIOP DIGITAL SWITCHING KEYPAD, ID 161	299.00	361.79

Part Number	Description	RRP exclu. RRP inclu.	
000-15483-001	 NAVIOP DIGITAL SWITCHING KEYPAD,ID 160	299.00	361.79


Current

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-12412-001		S2016 & R3016 Bracket mounting kit.	27.00	32.67
000-12414-001		SUNCOVER S2016 & R3016	21.00	25.41
000-15858-001		Autopilot pump brush kit for PUMP-1,2,3,4 & 5	65.00	78.65
000-15803-001		Wireless dipole antenna for NRS-1, NRS-2 and Information Display	19.00	22.99
000-15687-001		Surface mount kit for HS75 Antenna	90.00	108.90
000-15686-001		Pole Mount Kit for HS75	75.00	90.75
000-15657-001		NRS-1/ NRS-2 WiFi cable with bulkhead mount, 6 m (19.7 ft)	119.00	143.99
000-15656-001		HS100/H100 Handset cable with bulkhead mount 20m (65.5 ft)	99.00	119.79
000-15653-001		Cradle for HS100 & H100 VHF radio handsets	19.00	22.99
000-15651-001		SPEAKER,SP100,WIRED	89.00	107.69
000-15649-001		Simrad HS100 wired handset for HS100/HS100-B VHF radios	289.00	349.69
000-15642-001		NRS-2 VHF marine VHF radio with built in AIS transceiver: Black box only	1249.00	1511.29
000-15641-001		NRS-1 VHF marine VHF radio: Black box only	699.00	845.79
000-15634-001		MAGNETIC SUNCOVER,SIMRAD,24" MONITOR	179.00	216.59
000-15633-001		MAGNETIC SUNCOVER,SIMRAD,19" MONITOR	119.00	143.99
000-15632-001		MAGNETIC SUNCOVER,SIMRAD,16" MONITOR	89.00	107.69
000-15475-001		WM-4 SIRIUS SAT WEATHER ETHERNET EXT 5M	49.00	59.29
000-15469-001		CABLE,BB,EXTENSION,5M HALO DOME	82.64	99.99
000-15091-001		Cruise corner bezel, chart card seal	15.45	18.69
000-15072-001		Cruise-9,Dash mount kit, includes template, gasket and corner clips	20.60	24.93



Part Number		Description	RRP exclu.	RRP inclu.
000-15071-001		Cruise-7,Dash mount kit, includes template, gasket and corner clips	15.45	18.69
000-15070-001		Cruise-5,Dash mount kit, includes template, gasket and corner clips	15.45	18.69
000-15069-001		Cruise-9 Sun Cover	30.90	37.39
000-15068-001		Cruise-7Sun Cover	25.75	31.16
000-15067-001		Cruise-5 Sun Cover	20.60	24.93
000-15053-001		CRUISE/HOOK2 83/200 Skimmer Transducer	72.09	87.23
000-14974-001		WM-4 SIRIUS Satellite weather installation kit: Includes SMA Adapter and mounting screws.	16.00	19.36
000-14973-001		WM-4 SIRIUS satellite weather audio cable: 2 m (6.5 ft) 2 x RCA male plugs	26.00	31.46
000-14972-001		WM-4 SIRIUS Satellite Weather Ethernet adapter cable 2.5 m (8 ft)	35.00	42.35
000-14971-001		WM-4 SIRIUS SAT WEATHER POWER CABLE	22.00	26.62
000-14968-001		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	82.40	99.70
000-14959-001		LIVESIGHT REPLACEMENT MOUNTS	79.99	96.79
000-14925-001		HS40/H60 VHF Wireless handset Inductive charging cradle	51.49	62.30
000-14924-001		HS100/H100 Handset Extension Cable 10 m (33 ft)	51.49	62.30
000-14923-001		VHF Fist Mic Extension cable 5 m (16.5 ft): Includes dash mounting plate.	41.19	49.84
000-14921-001		Simrad RS40 Remote Mountable Fist Mic. Can be connected to the front or rear of the radio, and optional extension cable allows the radio and mic to be mounted in seperate locations.	72.09	87.23
000-14919-001		RS40/V60 Fist Mic mounting clip	8.23	9.96
000-14917-001		RS40/V60 VHF Mounting bracket with Knobs and Screws	25.74	31.15

Part Number		Description	RRP exclu.	RRP inclu.
000-14915-001		RS40/V60 VHF Flush Mounting kit.:Includes teplate, Gasket, Bezels and screws	11.32	13.70
000-14912-001		RS40 VHF Suncover	20.59	24.91
000-14807-001		V3100 NMEA 0183 cable 1.8 m (6ft)	30.00	36.30
000-14806-001		V3100 Power cable, 1.8 m (6ft)	30.00	36.30
000-14798-001		NAC-2 Rudder feedback cable: Used to connect resistive rudder feedback units to either NAC-1 or NAC-2. 3 Pin connector to 3 bare wires. 2 m (6.5 ft)	36.05	43.62
000-14552-001		Halo Dome radar Ethernet adapter cable, RJ45 TO 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot	39.66	47.98
000-14551-001		CABLE,LEGACY 3G/4G TO HALO DOME	60.77	73.53
000-14550-001		Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays	225.57	272.94
000-14549-001		Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays	169.95	205.64
000-14548-001		Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	108.15	130.86
000-14547-001		Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays	72.10	87.24
000-14528-001		CABLE,BB RADAR,EXT EXTENSION,5M	72.10	87.24
000-14488-001		Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 14 " displays)	51.49	62.30
000-14463-001		NAC-1/NAC-2 DRIVE CABLE - 2M	36.05	43.62
000-14440-001		RI-12Cable accessories kit: Phoenix connector 4 pin 3.8 mm, Phoenix connector 4 pin 5 mm, Micro-C T joiner	25.75	31.16
000-14396-001		WS300/700 20 meter (65') mast cable with pre-installed connectors	78.28	94.72
000-14389-001		WS310 Wired Interface. Converts Serial to NMEA 2000. Includes network T-connector	91.67	110.92
000-14388-001		The WS320 Wireless Interface: Receives wireless signals from the WS320 and converts to NMEA 2000	169.95	205.64
000-14356-001		SUNCOVER,SIMRAD,24" MONITOR	133.90	162.02

Part Number		Description	RRP exclu.	RRP inclu.
000-14355-001		SUNCOVER,SIMRAD,19" MONITOR	108.15	130.86
000-14354-001		SUNCOVER,SIMRAD,16" MONITOR	92.70	112.17
000-14317-001		Replacement Rotary knob for Simrad NSS evo3 & Zeus3 MFDs	20.59	24.91
000-14268-001		Water proof 4-core cable joiner,20A.	25.75	31.16
000-14262-001		VHF,MIC CLIP FOR RS20,V20	8.23	9.96
000-14261-001		VHF,MOUNTING BRACKET,RS20/V20	30.89	37.38
000-14256-001		Replacement fairing block for combined StructureScan 3D and CHIRP thru-hull transducers	101.97	123.38
000-14247-001		GO12/V12 Replacement bezel	20.59	24.91
000-14246-001		GO12/V12 DASH MOUNT KIT	30.89	37.38
000-14230-001		Bezel for Simrad GO7 XSR and B&G Vulcan 7R	16.47	19.93
000-14229-001		Dash mount kit for Simrad GO7 XSR and B&G Vulcan 7R	20.59	24.91
000-14227-001		GO7 XSR, P3007, I3007 Suncover	20.59	24.91
000-14172-001		HOOK2, Hook Reveal, Cruise Push fit power cable	20.59	24.91
000-14169-001		HOOK2 4"/5" Cruise 5" Bracket Swivel Adapter	13.38	16.19
000-14148-001		Mounting bracket for Simrad GO12 and B&G Vulcan 12	30.89	37.38
000-14147-001		GO12 Suncover	30.89	37.38
000-14075-001		A2004 / AP48 Dash mounting kit: Includes dash seal, 4x 1/2" Phillips pan head screws, 2x Bezels, screw mount jig tool.	37.08	44.87
000-14074-001		A2004/AP48 MOUNTING BRKT KIT	37.08	44.87
000-14073-001		Suncover for A2004/AP48 autopilot controllers	22.66	27.42
000-14066-001		NAVICO,VHF INTERFACE BOX,TYPE 6	82.39	99.69


Part Number		Description	RRP exclu.	RRP inclu.
000-14064-001		VHF,MOUNT BRACKET KNOBS,LINK-6	15.44	18.68
000-14062-001		VHF,MIC CLIP FOR LINK-6	8.23	9.96
000-14060-001		VHF,MOUNTING BRACKET,LINK-6	30.89	37.38
000-14059-001		VHF,FLUSH MOUNT KIT,RS20/V20	11.32	13.70
000-14055-001		VHF,SUNCOVER,RS20	20.59	24.91
000-13960-001		Motor replacement brush for Paravalux RPU80/160 Motors (pair)	78.18	94.59
000-13956-001		RPU300 MOTOR 24V,PARVALUX	622.02	752.64
000-13955-001		RPU300 MOTOR 12V,PARVALUX	622.02	752.64
000-13954-001		RPU160 MOTOR,PARVALUX	395.42	478.45
000-13953-001		RPU80 MOTOR,PARVALUX	384.09	464.75
000-13952-001		INSTALL KIT TRITON2 PILOT/OP12	13.60	16.45
000-13951-001		INSTALL KIT AP44	13.60	16.45
000-13950-001		INSTALL KIT TRITON2/IS42	13.60	16.45
000-13892-001		MI10 Dashmount Micro SD card reader: The MI10 Chart Card Reader provides dual microSD card slots for use with Simrad NSO evo2 marine processors and B&G Zeus ² Glass Helm CPUs. This easy-to-install, waterproof card reader can be mounted in easy reach, eliminating the need to physically access your system's "black box" processor when installing or removing chart cards. 1.35m (4.5 ft) USB Cable	202.81	245.40
000-13760-001		NSS16 evo3 & Zeus ³ /S-16 Mounting Bracket (Metal)	64.88	78.50
000-13759-001		Metal mounting bracket and knobs for NSS12 evo3/3S & Zeus ³ /S-12	61.79	74.77
000-13758-001		NSS9 evo3/3S, Cruise 9 & Zeus ³ /S 9 Mounting Bracket (Plastic)	33.98	41.12
000-13756-001		NSS16 EVO3 & ZEUS3 - 16 DASH MOUNT KIT	33.98	41.12
000-13755-001		NSS12 EVO3 & ZEUS3 - 12 DASH MOUNT KIT	25.74	31.15
000-13754-001		NSS9 EVO3 & ZEUS3 - 9 DASH MOUNT KIT	21.62	26.16
000-13753-001		NSS7 EVO3 & ZEUS3 - 7 DASH MOUNT KIT	19.56	23.67


Part Number		Description	RRP exclu.	RRP inclu.
000-13752-001		NSS16 EVO3 & ZEUS3 – 16 EDGE BEZELS	23.68	28.65
000-13751-001		NSS12 EVO3 & ZEUS3 – 12 EDGE BEZELS	19.56	23.67
000-13750-001		NSS9 EVO3 & ZEUS3 – 9 EDGE BEZELS	17.50	21.17
000-13749-001		NSS7 EVO3 & ZEUS3 – 7 EDGE BEZELS	15.44	18.68
000-13748-001		NSS EVO3 & ZEUS3 CHART CARD DOOR	13.38	16.19
000-13743-001		NSS16 evo3 Sun cover	33.98	41.12
000-13742-001		NSS12 evo3 Sun cover	29.86	36.13
000-13741-001		NSS9 EVO3 SUN COVER	27.80	33.64
000-13740-001		NSS7 EVO3 SUN COVER	17.50	21.17
000-13725-001		Suncover for Simrad OP12 and B&G Triton² Pilot controllers	13.60	16.45
000-13724-001		SUNCOVER,AP44 DISPLAY	13.60	16.45
000-13723-001		Suncover for Simrad IS42 Display	13.60	16.45
000-13716-001		BRACKET KIT -WTR LVL OR ANTENNA MOUNT	6.18	7.48
000-13714-001		Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	401.70	486.06
000-13703-001		AUTO-STBY BUTTON METAL	45.32	54.84
000-13702-001		Gimbal mounting bracket for Simrad GO9, NSS7 evo3, and B&G Vulcan9, Zeus3 7 (Plastic)	30.89	37.38
000-13700-001		Replacement bezel for Simrad GO9 or B&G Vulcan9.	16.47	19.93
000-13699-001		Dash mount kit for Simrad GO9 and B&G Vulcan 9.	20.59	24.91

Part Number		Description	RRP exclu.	RRP inclu.
000-13698-001		Suncover for Simrad GO9 XSE	25.74	31.15
000-13614-001		GPS-500 BB. GPS for NAIS-500 Boat builder only. Antena has a connected 0.6 m (2 ft) fly lead + 10 m (33 ft cable)	169.95	205.64
000-13613-001		GPS-500: GPS antenna for NAIS-500 AIS transceiver. 10 m (33 ft) cable with SMA connector	143.17	173.24
000-13581-001		STRUCTURESCAN 3D THRUHULL FAIRING BLOCK	101.97	123.38
000-13579-001		FORWARDSCAN LS FAIRING ONLY	50.47	61.07
000-13547-001		Extra heavy duty Gimbal bracket for the M5016, M5019, M5024 and M5027 IMO Monitors. Certified for use on bridge to IEC60945. Also can be used for the NSO evo3, Zeus3 GH range of multi-function displays Note a space kit (000-14488-001) is required if using on and NSOevo3/Zeus3 GH 16" display)	269.00	325.49
000-13522-001		TotalScan and StructureScan 3D Plastic Replacement Bracket	60.77	73.53
000-13173-001		ADAPTER PLATE FOR HALO RADAR-SUNSEEKER	236.90	286.65
000-13171-001		GO5,V5 PWR/N2K CABLE	36.04	43.61
000-13170-001		GO5,V5,BEZEL	10.29	12.45
000-13169-001		GO5,V5,DASH MOUNT KIT	13.38	16.19
000-13168-001		GO5,SUNCOVER	15.44	18.68
000-12746-001		OP50 or ZC2 Dial know with grub screw	41.19	49.84
000-12745-001		OP50/ZC2 Flush mount bracket kit	82.39	99.69
000-12744-001		OP50/ZC2 DASH KIT (GASKET BEZEL SCREW)	13.38	16.19
000-12743-001		OP50/ZC2 SUNCOVER	13.38	16.19
000-12742-001		HDMI cable: waterproof connector on one end to connect to Simrad NSS evo2 12/16 and B&G Zeus² 12 multi function displays. 3 m (9.8 ft)	50.47	61.07
000-12741-001		HDMI cable: waterproof connector on one end to connect to Simrad NSS evo2 12/16 and B&G Zeus2 12 multi function displays. 10m (33 ft)	81.37	98.46
000-12738-001		MISC,HW KIT,TRACK KITS	9.27	11.22
000-12603-001		StructureScan 3D & HD Metal Replacement Bracket	61.78	74.75

Part Number	Description	RRP exclu.	RRP inclu.
000-12602-001	 Flat mount bracket for StructureScan 3D Skimmer(r) transducer and TotalScan Skimmer.	61.78	74.75
000-12593-001	 Navico 25 kW radar processor WinCE	616.97	746.53
000-12592-001	 Navico 10 kW radar processor WinCE	616.97	746.53
000-12520-001	BEZEL ASSEMBLY EDGE S2016 & R3016	15.50	18.76
000-12519-001	 BEZEL ASSEMBLY EDGE S2009 & R2009	13.50	16.34
000-12515-001	HALO SPARE,ANT MOUNT KIT	37.79	45.73
000-12514-001	 HALO Pedestal, Spare mounting kit. Includes -4 x Bolt, HEX, M12x35, 316 s/s: 4 x Bolt, HEX, M12x50, 316 s/s: -4 x Washer, Flat, M12x36x3, 316 s/s: -4 x Washer, Spring, M12, 316 s/s: -8 x Washer, Isolating M12x38 Nylon	61.62	74.57
000-12413-001	 SUNCOVER S2009 & R2009	54.00	65.34
000-12411-001	 S2009 & R2009 Bracket mount kit: Includes bracket, 2 x Knobs and Screws	27.00	32.67
000-12410-001	S2016 & R2016 DASH MOUNTING KIT	27.00	32.67
000-12393-001	 High speed NMEA 0183 Serial cable 2m (6 ft)	27.00	32.67
000-12371-001	 Panel mount kit for GO7 & Vulcan 7 multi-function displays: This kit is for mounting the display in to a panel or dashboard. The kit includes a cutout template, a gasket and mounting hardware kit.	13.00	15.73
000-12360-001	 WRIST STRAP FOR WR10 REMOTE CONTROLLER	22.66	27.42
000-12359-001	 WR10 BT-1 Base station. No Micro-C cables supplied	254.93	308.46
000-12358-001	 WR10 Wireless remote autopilot controller.	198.28	239.91
000-12329-001	 V5035 AIS 3-PIN POWER CABLE	60.00	72.60
000-12328-001	 V5035 AIS 37-PIN EXT CABLE	60.00	72.60
000-12327-001	 V5035 AIS U BRACKET WITH MOUNTING KIT	60.00	72.60
000-12326-001	 V0535 AIS GPS ANT W 10M CABLE	120.00	145.20



Part Number		Description	RRP exclu.	RRP inclu.
000-12325-001		V5035 AIS PILOT PLUG	95.00	114.95
000-12324-001		V5035 AIS JUNCTION BOX	200.00	242.00
000-12255-001		20M ANT. CABLE,FAST FIT CONNECTORS,BB	70.81	85.68
000-12207-001		16" NSS EVO2 & ZEUS2 Dash mount kit. Contains mounting template, front mount dash screws, drill guide and dash gasket.	37.07	44.85
000-12206-001		12" NSS EVO2 & ZEUS2 Dash mount kit. Contains mounting template, front mount dash screws, drill guide and dash gasket.	30.89	37.38
000-12205-001		9" NSS EVO2 & ZEUS2 Dash mount kit. Contains mounting template, front mount dash screws, drill guide and dash gasket.	21.62	26.16
000-12204-001		7" NSS EVO2 & ZEUS-2 Dash mount kit. Contains mounting template, front mount dash screws, drill guide and dash gasket.	17.50	21.17
000-11773-001		IS35 GAUGE SUNCOVER	12.36	14.96
000-11618-001		MO, NSO evo3 16/19/24,Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	58.46	70.74
000-11616-001		MO19,VESA MNT BRACKET KIT	85.77	103.78
000-11615-001		MO16,VESA MNT BRACKET KIT	77.38	93.63
000-11466-001		ANTENNA, RADAR, HALO, 6FT	1751.00	2118.71
000-11465-001		ANTENNA, RADAR, HALO, 4FT	1236.00	1495.56
000-11464-001		ANTENNA, RADAR, HALO, 3FT	721.00	872.41
000-11040-001		LSS-1 XDCR TO LSS-2 MODULE ADAPTOR	108.90	131.77
000-11029-001		StructureScan HD™ transductor pasacascos de plástico	637.24	771.06
000-10930-001		Camera with Infra red for low light conditions. fixed focal length	418.08	505.87
000-10874-001		LSS-HD Skimmer Mount Transducer Bracket	61.78	74.75

Part Number		Description	RRP exclu.	RRP inclu.
000-10628-001		SIMKIT-3. Micro-C to SimNet. Parts Included: - SimNet / Micro-C starter kit, - 24006298 SimNet multi-Joiner, - 24005894 SimNet Terminator, - 24006199 SimNet to Micro-C, - 24005837 SimNet Cable- 2m, - 032-0049-08 cable Power SimNet with Terminator	123.50	149.43
000-10595-001		AC70 PCB. Opción para hélices Voith Schneider	1221.00	1477.41
000-10589-001		NF80/FU80/QS80 Kit montaje empotrado	132.00	159.72
000-10587-001		SD80 PCB . Interface para electroválvulas o gobierno proporcional para timón o hélices transversales	809.00	978.89
000-10586-001		AD80 PCB. Interface de gobierno Analógico para timón o hélice transversal	809.00	978.89
000-10392-001		Kit montaje transductor 50/200kHz Skimmer™	23.22	28.09
000-10262-001		Soporte de montaje de transductor DSI para montaje en popa.	34.81	42.12
000-10027-001		QUICK RELEASE BRACKET: MARK/ELITE/TI/GO/3005	25.21	30.51
000-0099-06		HS-WS-SS Mtg Kit - Kit para el montaje en popa de transductores skimmer de 83/200 kHz	23.22	28.09
000-00129-001		Simrad NSE, Cable de Video/Comms 2 m (conector 8 pines cabled para NMEA y 2 hembras RCA para entrada de video puerto uno y dos)	25.70	31.10
44172278		Unión SimNet con terminador - Rojo	16.50	19.97
44172260		Unión SimNet sin terminador - Amarillo	16.50	19.97
24006934		SIMNET NOISE FILTER	23.10	27.95
24006421		Cable para sensor de viento de 35 m (SimNet)	99.00	119.79
24006405		Cable para sensor de viento de 20 m (SimNet)	66.00	79.86
24006306		Conector SimNet para empotrar en mamparo	60.50	73.21
24006298		Regleta SimNet de 7 tomas	55.00	66.55

Part Number		Description	RRP exclu.	RRP inclu.
24005910		Cable alimentación SimNet sin terminador 2 m - Amarillo	28.60	34.61
24005902		Cable alimentación SimNet con terminador 2 m - Rojo	31.90	38.60
24005894		Terminador de Red SimNet	12.10	14.64
24005886		Protector conector SimNet	4.40	5.32
24005860		Regleta SimNet de 3 tomas	27.50	33.28
24005852		Cable SimNet 10 m Nota: solo para la red troncal SimNet	55.00	66.55
24005845		Cable SimNet 5 m	44.00	53.24
24005837		Cable SimNet 2 m	37.40	45.25
24005829		Cable SimNet 0,3 m	28.60	34.61
SIMKIT-1		Kit-1 Inicio Simnet Incluye: • 24005845 Cable SimNet 5 m • 24006298 Multiconector SimNet de 7 tomas • 24005894 Conector SimNet con terminador de red • 24005902 Cable de alimentación SimNet de 2 m con terminador de red	125.40	151.73
SIMKIT-2		Kit-2 inicio SimNet con interface AT10 NMEA 0183 Incluye: • 24005936 Conversor AT10 de NMEA 0183 a SimNet • 24005837 Cable SimNet 2 m • 24005845 Cable SimNet 5 m • 24006298 Multiconector SimNet de 7 tomas • 24005894 Conector SimNet con terminador de red • 24005902 Cable de alimentación SimNet de 2 m con terminador de red	209.00	252.89
TPPK7		TPXX MOUNT PIN & ROD END	16.50	19.97
985-10702-001		VHF INTERFACE BOX, VI-10	205.00	248.05

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-00099-006		Extension cable for LSS-1, LSS-HD and TotalScan transducers.3m (10ft) *For optimum performance do not use more than 1 extension per installation.	81.25	98.31
000-15657-001		NRS-1/ NRS-2 WiFi cable with bulkhead mount, 6 m (19.7 ft)	119.00	143.99
000-15585-001		HS75 : New GPS Compass for light commercial market, patrol, fishing, workboat and other Non-SOLAS applications. Supports GPS, GLONASS, Galileo, BeiDou, QZSS	1980.00	2395.80

Part Number		Description	RRP exclu.	RRP inclu.
000-14924-001		HS100/H100 Handset Extension Cable 10 m (33 ft)	51.49	62.30
000-14923-001		VHF Fist Mic Extention cable 5 m (16.5 ft): Includes dash mounting plate.	41.19	49.84
000-14488-001		Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 14 " displays)	51.49	62.30
000-10425-001		SI80 Interface de interconexión de señales con 4 puertos NMEA 0183 RX/TX y alimentación de red 12VDC y terminador integrado,cable NMEA 2000 0.6m macho/macho, conector en T y accesorios de montaje. Alimentación 12-24 VDC.	970.00	1173.70
000-12360-001		WRIST STRAP FOR WR10 REMOTE CONTROLLER	22.66	27.42
22014286		RF25 - Unidad de respuesta timón con 5,5 m de cable SimNet	290.40	351.38
21116272		Verado Fittings Kit	203.50	246.24
VERHOSEKIT-6FT		Verado Hose Kit - 6 ft	202.81	245.40
22096820		AP24/AP28/IS20 Optional Mounting Bracket	108.90	131.77
000-00129-001		Simrad NSE, Cable de Video/Comms 2 m (conector 8 pines cabled para NMEA y 2 hembras RCA para entrada de video puerto uno y dos)	25.70	31.10
AA000223		Soporte rotula Nylon (para uso con LVR-250, LVR-880) con 5m de cable	34.10	41.26
AA000224		Soporte rotula en INOX (para uso con LVR-250, LVR-880) con 5m de cable	66.00	79.86
AA000400		VHF extensión cable 5 m (16 ft) con conectores PL259	27.50	33.28
000-10757-001		Cable de Simnet a Micro-C de 20m	90.64	109.67
000-10758-001		Cable de Simnet a Micro-C de 35m	124.63	150.80
000-12316-001		WR10 Wireless Autopilot remote and Base station.	452.07	547.00

Part Number		Description	RRP exclu.	RRP inclu.
20193744		RF300 Unidad de respuesta de timón con 10m de cable	268.40	324.76
20188074		LF3000: unidad de respuesta lineal: para usar con sistemas fueraborda si se requiere ángulo de timón, Requiere LFI3000Mk2 que se pedirá por separado.	372.90	451.21
20188082		LFI3000Mk2: se requiere para aplicación fueraborda junto con LF3000	141.90	171.70
20187423		LF3000 Kit Seastar. Para series 5345 Cyl. Adaptador especialmente diseñado para cilindros de dirección Teleflex HC5345. Evita daños en el LF3000.	97.90	118.46

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-13960-001		Motor replacement brush for Paravalux RPU80/160 Motors (pair)	78.18	94.59
000-13714-001		Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	401.70	486.06
20997953		RPU80/100/150/160/200 Kit de juntas	90.20	109.14
21101258		RPU80/160/300 Racores de fijación EU (3 pcs)	141.90	171.70
21118617		Escobillas, 2 unidades, RPU80, FRACMO	53.90	65.22
21118625		Escobillas, 2 unidades, RPU300, FRACMO	64.90	78.53
21118682		Escobillas, 2 unidades, RPU300, LEMAC, Largas	81.40	98.49
000-10573-001		IS20 Wind vane mast bracket	65.92	79.76
000-10758-001		Cable de Simnet a Micro-C de 35m	124.63	150.80
TP10		Piloto de Caña TP10	438.90	531.07
TP22		Piloto de Caña TP22 – SimNet/NMEA	570.90	690.79
TP32		Piloto de Caña TP32 – SimNet/NMEA	708.40	857.16

Service Parts

Main Products

Part Number	Description	RRP exclu.	RRP inclu.
000-14464-001	NAC-1/NAC-2 POWER CABLE - 2M	36.05	43.62
000-14503-001	LINKPRO SERVICE TOOL	206.00	249.26
000-14263-001	 VHF,MOUNT BRACKET KNOBS,RS20,V20	15.44	18.68